District 1 1625 N. French Dr., Hobbs, NM 88240 District [] District III
1000 Rio Brazos Road, Aztec, NM 87410

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No [

Type of action: Registration of a pit of	or below-grade tank 🔲 Closure of a pit or below-gr	ade tank 🗵					
Operator: BP AMERICA PROD. CO.		ail address:					
Address: 200 ENERGY COURT. FARMINGTON.	NM 87410						
Facility or well name: FLORANCE C #8M	API #: 30-045- 24184 U/L or Qtr/	Qtr E Sec 19	T 28N R 8W				
County: SAN JUAN Latitude 36.64984 Longitude 10	07.72764 NAD: 1927 ☐ 1983 ⊠ Surface C	Owner Federal ⊠ State [] Private 🔲 Indian 🔲				
<u>Pit</u>	Below-grade tank						
Type: Drilling Production Disposal BLOW II	Volume:bblType of fluid: /						
Workover Emergency	Construction material:						
Lined Unlined STEEL TANK	Double-walled, with leak extection? Yes 11 If net, explain why not.						
	Double-wailed, withheak detection? Tes 11 11	ai, explain why not.					
Liner type: Synthetic Thickness mil Clay							
Pit Volumebbl							
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)					
	50 feet or more, but less than 100 feet	(10 points)	10				
high water elevation of ground water.)	100 feet or more	(0 points)					
	Voc	(20 ========					
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)	0				
water source, or less than 1000 feet from all other water sources.)	No	(0 points)					
	Less than 200 feet	(20 points)					
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)	4.0				
gation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(10 points) 10					
<u></u>	1000 Rect of More	(o points)					
	Ranking Score (Total Points)	<u> </u>	20				
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks. (2) Indic	cate disposal location: (ch	eck the onsite box if				
your are burying in place) onsite ⊠ offsite ☐ If offsite, name of facility_		-	-				
			_				
remediation start date and end date. (4) Groundwater encountered: No 🔯		n. and attach	The state of the s				
Attach soil sample results and a diagram of sample locations and excavation			19/20/21/22/33				
Additional Comments: PIT LOCATED APPROXIMATEL	y 36 ft. S50E from w	ELL HEAD.	<u> </u>				
PIT EXCAVATION: WIDTH n/a ft., LENGTH	n/a ft., DEPTH n/a ft	(£0)	FEB 2008 💯				
PIT REMEDIATION: CLOSE AS IS: ☑, LANDFARM: ☐, C	COMPOST: □. STOCKPILE: □. OTHER □ (e	volain)	5				
Cubic yards: N/A		" ©il	JW.				
Cubit valus.			DIST. 3 S				
		<u> </u>					
			1 C 1 2 2				
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline			or bêlow-grade tank				
	cs M, a general permit [], or an anternative OCD	-approved plan 2.					
Date: 03/03/05							
PrintedName/Title Jeff Blagg - P.E. # 11607	Signature Signature	Seg-					
Your certification and NMOCD approval of this application/closure does							
otherwise endanger public health or the environment. Nor does it relieve to	the operator of its responsibility for compliance with	any other federal, state, o	r local laws and/or				
regulations.		•					
	_						
proval:		FEB	2 1 2006				
Printed Name/Title CEPUTY ON & GAS INSPECTOR, OIST. Signature Deny Lett Date:							
	1./						

_____ ONSITE: 2-28-05

TRAVEL NOTES:

CALLOUT: 2-28-05

Hall Environmental Analysis Laboratory

Date: 09-Mar-05

CLIENT:

Blagg Engineering

Lab Order:

0503011

Project:

Florance C 8M

Lab ID:

0503011-01

Client Sample ID: Blow #1 @ 7'

Collection Date: 2/28/2005 5:05:00 PM

Matrix: SOIL

Analyses	Result	PQL Q	ual Units	DF	Date Analyzed
EPA METHOD 8015B: DIESEL RANG	GE ORGANICS				Analyst: SCC
Diesel Range Organics (DRO)	26	10	mg/Kg	1	3/3/2005 1:39:55 PM
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	3/3/2005 1:39:55 PM
Surr: DNOP	110	60-124	%REC	1	3/3/2005 1:39:55 PM
EPA METHOD 8015B: GASOLINE R	ANGE				Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	3/3/2005 7:35:38 PM
Surr: BFB	99.9	78.3-120	%REC	1	3/3/2005 7:35:38 PM

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

^{* -} Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range