State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez

Governor

David Martin
Cabinet Secretary

Tony Delfin Deputy Cabinet Secretary David R. Catanach, Division Director Oil Conservation Division



New Mexico Oil Conservation Division approval and conditions listed below are made in accordance with OCD Rule 19.15.7.11 and are in addition to the actions approved by BLM on the following 3160-5 form.

Operator Signature Date: Original APD 4/17/2014 Sundry Extension Date 5/3/16

API WELL#	Well Name	Well #	Operator Name	Туре	Stat	County	Surf_Owner	UL	Sec	Twp	N/S	Rng W/E
30-043-21229- 00-00	LYBROOK P31 2307		ENCANA OIL & GAS (USA) INC.	G	N	Sandoval	F	Р	31	23	N	7 W

Conditions of Approval: (See the below checked and handwritten conditions) Notify Aztec OCD 24hrs prior to casing & cement. Hold C-104 for directional survey & "As Drilled" Plat Hold C-104 for NSL, NSP, DHC, O Spacing rule violation. Operator must follow up with change of status notification on other well to be shut in or abandoned Regarding the use of a pit, closed loop system or below grade tank, the operator must comply with the following as applicable: A pit requires a complete C-144 be submitted and approved prior to the construction or use of the pit, pursuant to 19.15.17.8.A A closed loop system requires notification prior to use, pursuant to 19.15.17.9.A A below grade tank requires a registration be filed prior to the construction or use of the below grade tank, pursuant to 19.15.17.8.C Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string Submit Gas Capture Plan form prior to spudding or initiating recompletions operations. Regarding Hydraulic Fracturing, review EPA Underground Injection Control Guidance 84 Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system.

Well-bore communication is regulated under 19.15.29 NMAC. This requires well-bore Communication to be reported in accordance with 19.15.29.8.

Comply with current regulations at time of spud Prior to production operator needs to be in compliance with RULE 19.15.5.9

NMOCD Approved by Signature

Koheric Brehr

5/19/16 Date

Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0157 Expires: January 31, 2018

5. Lease Serial No. NMNM 89023

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well lise Form 3160-3 (APD) for such proposals 6. If Indian, Allottee or Tribe Name MAY 0 4 2016

SUBMIT IN TR	RIPLICATE - Other instru	7. If Unit of CA/Ag	7. If Unit of CA/Agreement, Name and/or No. Partition Field Office N/A Bureau of Land And Agreement, Name and No.				
1. Type of Well ☐ Oil Well ☐ Gas Well	1 Other	8. Well Name and N	N/A Bureau of Land Manageme 8. Well Name and No. Lybrook P31-2037 01H				
Name of Operator Encana Oil & Gas (USA) Inc.		70 - 1	9. API Well No. 30-043-21229				
3a. Address 370 17th Street, Suite 1700 Denver, CO 80202		3b. Phone No. (include area cod (720) 876-3533	/	10. Field and Pool or Exploratory Area Basin Mancos Gas			
4. Location of Well (Footage, Sec., T.R., SHL: 489' FSL and 561' FEL in Section 31, T23' BHL: 330' FSL and 2230' FEL in Section 6, T22'	N, R7W		11. Country or Parish, State Sandoval County, NM				
12. CHECI	C THE APPROPRIATE B	OX(ES) TO INDICATE NATURI	OF NOTICE, REPORT OR O	THER DATA			
TYPE OF SUBMISSION		TY	PE OF ACTION				
Notice of Intent	Acidize Alter Casing	Deepen Hydraulic Fracturing	Production (Start/Resuma	Well Integrity			
✓ Subsequent Report	Casing Repair Change Plans	New Construction Plug and Abandon	Recomplete Temporarily Abandon	✓ Other APD Extension			
Final Abandonment Notice	Convert to Injection	Plug Back	Water Disposal				

the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

Encana Oil & Gas (USA) Inc. (Encana) was issued an approved APD for this well on 06/12/2014. Encana requests a 2-year APD extension for the Lybrook P31-2307 01H well (API 30-043-21229).

> OIL CONS. DIV DIST. 3 MAY 18 2016

	latory Analyst		
	0	05/03/2016	
L OR STAT	TE OFICE USE		
Title P	E	Date	5/10/16
Office	FFO		
	Title F		Title PE Date

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.