			DE	CEN	A Date and	
	UNITED STAT		INC.	ECEI		
Form 3160-5					APPROVED	
(August 2007)	DEPARTMENT OF THE INTERIOR			115	1110	To. 1004-0137
	BUREAU OF LAND MA	INAGEN	IENI		5. Lease Serial No.	July 31, 2010
			-		9	F-078913
SUM	NDRY NOTICES AND REP	PORTS C	N WELLS	ton Fie	eld Off Milian, Allottee or Tribe I	Name
Donotas	e this form for proposals well. Use Form 3160-3 (	to unin	or to re-enter	an	lanagement	
SI	JBMIT IN TRIPLICATE - Other in	structions	on page 2.		7. If Unit of CA/Agreement, N	lame and/or No.
1. Type of Well			, ,		_	ndrith B Unit
	X Gas Well Other				8. Well Name and No.	
					Lind	rith B Unit 18
2. Name of Operator					9. API Well No.	
			one No. (include area code)		30-039-22713 10. Field and Pool or Exploratory Area	
4. Location of Well <i>(Footage, Sec., T.,F.</i> Surface Unit E (SV	R.,M., or Survey Description) NNW), 1735' FNL & 1090'	FWL, Se	ec. 22, T24N, I	R3W	11. Country or Parish, State Rio Arriba	, New Mexico
12. CHECK	THE APPROPRIATE BOX(ES	) TO IND	ICATE NATURE	E OF N	OTICE, REPORT OR OTH	ER DATA
TYPE OF SUBMISSION		TYPE OF ACTION				
Notice of Intent	Acidize	Deep	en		Production (Start/Resume)	Water Shut-Off
	Alter Casing		ure Treat	П	Reclamation	Well Integrity
X Subsequent Report	Casing Repair	New	Construction		Recomplete	Other
	Change Plans	Plug	and Abandon	П	Temporarily Abandon	
Final Abandonment Notice	Convert to Injection	Plug	Back		Water Disposal	
following completion of the involve Testing has been completed. Final determined that the site is ready for		Bond No. or s in a multip only after al	n file with BLM/BL le completion or rec l requirements, inclu	A. Requi completic uding rec	on in a new interval, a Form 3160- clamation, have been completed an	ed within 30 days 4 must be filed once ad the operator has
following completion of the involve Testing has been completed. Final determined that the site is ready for In order to adequately n bradenhead valve instal intermediate casing. A	ed operations. If the operation results Abandonment Notices must be filed final inspection.) nonitor the bradenhead p lled. A 1/4" plate was cus pipe and valve was then	Bond No. on s in a multip only after al pressure stom cut	n file with BLM/BI/ le completion or rec l requirements, inclu , NMOCD req t and welded	A. Requi completion uding rec uested from t	ired subsequent reports must be fil on in a new interval, a Form 3160- clamation, have been completed an d that the surface casin the top of the surface c	ed within 30 days 4 must be filed once ad the operator has ang be capped and asing to the
following completion of the involve Testing has been completed. Final determined that the site is ready for In order to adequately m bradenhead valve insta	ed operations. If the operation results Abandonment Notices must be filed final inspection.) nonitor the bradenhead p lled. A 1/4" plate was cus pipe and valve was then lbore schematic.	Bond No. or s in a multip only after al pressure stom cut plumbed	n file with BLM/BI/ le completion or rec l requirements, inclu , NMOCD req t and welded	A. Requi completion uding rec uester from t ce to f	ired subsequent reports must be fil on in a new interval, a Form 3160- clamation, have been completed an d that the surface casin the top of the surface c facilitate bradenhead to	ed within 30 days 4 must be filed once ad the operator has ang be capped and asing to the esting. Attached is
following completion of the involve Testing has been completed. Final determined that the site is ready for In order to adequately n bradenhead valve instal intermediate casing. A	ed operations. If the operation results Abandonment Notices must be filed final inspection.) nonitor the bradenhead p lled. A 1/4" plate was cus pipe and valve was then lbore schematic.	Bond No. or s in a multip only after al pressure stom cut plumbed CONS.	n file with BLM/BI/ le completion or rec l requirements, inclu , NMOCD req t and welded d to the surfac DIV DIST. 3	A. Requi completion uding rec uester from t ce to f	ired subsequent reports must be fil on in a new interval, a Form 3160- clamation, have been completed an d that the surface casin the top of the surface c	ed within 30 days 4 must be filed once ad the operator has ang be capped and asing to the esting. Attached is
following completion of the involve Testing has been completed. Final determined that the site is ready for In order to adequately n bradenhead valve instal intermediate casing. A	ed operations. If the operation results Abandonment Notices must be filed final inspection.) nonitor the bradenhead p lled. A 1/4" plate was cus pipe and valve was then lbore schematic.	Bond No. or s in a multip only after al pressure stom cut plumbed CONS.	n file with BLM/BL/ le completion or rec l requirements, inclu , NMOCD req t and welded d to the surfac	A. Requi completion uding rec uester from t ce to f	ACCEPTED FOR RE	ed within 30 days 4 must be filed once ad the operator has <b>ng be capped and</b> <b>asing to the</b> <b>esting. Attached is</b> <b>CORD</b>
following completion of the involve Testing has been completed. Final determined that the site is ready for In order to adequately n bradenhead valve instal intermediate casing. A	ed operations. If the operation results Abandonment Notices must be filed final inspection.) nonitor the bradenhead p lled. A 1/4" plate was cus pipe and valve was then lbore schematic.	Bond No. or s in a multip only after al pressure stom cut plumbed CONS.	n file with BLM/BI/ le completion or rec l requirements, inclu , NMOCD req t and welded d to the surfac DIV DIST. 3	A. Requi completion uding rec uester from t ce to f	ACCEPTED FOR REJUN 2 3 201	ed within 30 days 4 must be filed once ad the operator has ang be capped and asing to the esting. Attached is CORD
following completion of the involve Testing has been completed. Final determined that the site is ready for In order to adequately n bradenhead valve instal intermediate casing. A	ed operations. If the operation results Abandonment Notices must be filed final inspection.) nonitor the bradenhead p lled. A 1/4" plate was cus pipe and valve was then lbore schematic.	Bond No. or s in a multip only after al pressure stom cut plumbed CONS.	n file with BLM/BI/ le completion or rec l requirements, inclu , NMOCD req t and welded d to the surfac DIV DIST. 3	A. Requi completion uding rec uester from t ce to f	ACCEPTED FOR RE	ed within 30 days 4 must be filed once ad the operator has ang be capped and asing to the esting. Attached is CORD
following completion of the involve Testing has been completed. Final determined that the site is ready for In order to adequately n bradenhead valve instal intermediate casing. A	ed operations. If the operation results Abandonment Notices must be filed final inspection.) nonitor the bradenhead p lled. A 1/4" plate was cus pipe and valve was then lbore schematic.	Bond No. or s in a multip only after al pressure stom cut plumbed CONS.	n file with BLM/BI/ le completion or rec l requirements, inclu , NMOCD req t and welded d to the surfac DIV DIST. 3	A. Requi completion uding rec uester from t ce to f	ACCEPTED FOR REJUN 2 3 201	ed within 30 days 4 must be filed once ad the operator has ang be capped and asing to the esting. Attached is CORD
following completion of the involve Testing has been completed. Final determined that the site is ready for In order to adequately n bradenhead valve instal intermediate casing. A	ed operations. If the operation results Abandonment Notices must be filed final inspection.) nonitor the bradenhead p lled. A 1/4" plate was cus pipe and valve was then lbore schematic.	Bond No. or s in a multip only after al pressure stom cut plumbed CONS.	n file with BLM/BI/ le completion or rec l requirements, inclu , NMOCD req t and welded d to the surfac DIV DIST. 3	A. Requi completion uding rec uester from t ce to f	ACCEPTED FOR REJUN 2 3 201	ed within 30 days 4 must be filed once ad the operator has ang be capped and asing to the esting. Attached is CORD
following completion of the involve Testing has been completed. Final determined that the site is ready for In order to adequately n bradenhead valve instal intermediate casing. A	ed operations. If the operation results Abandonment Notices must be filed final inspection.) monitor the bradenhead p lled. A 1/4" plate was cus pipe and valve was then lbore schematic.	Bond No. or s in a multip only after al pressure stom cut plumbed CONS. JUN 2	n file with BLM/BI/ le completion or rec l requirements, inclu , NMOCD req t and welded d to the surfac DIV DIST. 3	A. Requi completion uding rec uester from t ce to f	ACCEPTED FOR REJUN 2 3 201	ed within 30 days 4 must be filed once ad the operator has ang be capped and asing to the esting. Attached is CORD
following completion of the involve Testing has been completed. Final determined that the site is ready for In order to adequately m bradenhead valve instal intermediate casing. A picture and current well	ed operations. If the operation results Abandonment Notices must be filed final inspection.) monitor the bradenhead p lled. A 1/4" plate was cus pipe and valve was then lbore schematic.	Bond No. or s in a multip only after al pressure stom cut plumbed CONS. JUN 2	n file with BLM/BL/ le completion or rec l requirements, inclu , NMOCD req t and welded is d to the surfac DIV DIST. 3 7 2016	A. Requi completic uding rec uester from t ce to f	ACCEPTED FOR RE JUN 2 3 201 FARMINGTON FIELD O	ed within 30 days 4 must be filed once ad the operator has ang be capped and asing to the esting. Attached is CORD
following completion of the involve Testing has been completed. Final determined that the site is ready for In order to adequately m bradenhead valve instal intermediate casing. A picture and current well	ed operations. If the operation results Abandonment Notices must be filed final inspection.) monitor the bradenhead p lled. A 1/4" plate was cus pipe and valve was then lbore schematic.	Bond No. or s in a multip only after al pressure stom cut plumbed CONS. JUN 2	n file with BLM/BL/ le completion or rec l requirements, inclu , NMOCD req t and welded is d to the surfac DIV DIST. 3 7 2016	A. Requi completic uding rec uester from t ce to f	ACCEPTED FOR REJUN 2 3 201	ed within 30 days 4 must be filed once ad the operator has ang be capped and asing to the esting. Attached is CORD
following completion of the involve Testing has been completed. Final determined that the site is ready for In order to adequately m bradenhead valve instal intermediate casing. A picture and current well	ed operations. If the operation results Abandonment Notices must be filed final inspection.) monitor the bradenhead p lled. A 1/4" plate was cus pipe and valve was then lbore schematic.	Bond No. or s in a multip only after al pressure stom cut plumbed CONS. JUN 2	n file with BLM/BL/ le completion or rec l requirements, inclu , NMOCD req t and welded is d to the surfac DIV DIST. 3 7 2016	A. Requi completic uding rec uester from t ce to f	ACCEPTED FOR RE JUN 2 3 201 FARMINGTON FIELD O	ed within 30 days 4 must be filed once ad the operator has ang be capped and asing to the esting. Attached is CORD
following completion of the involve Testing has been completed. Final determined that the site is ready for In order to adequately m bradenhead valve instal intermediate casing. A picture and current well 14. I hereby certify that the foregoing is Dollie L. Busse	ed operations. If the operation results Abandonment Notices must be filed final inspection.) monitor the bradenhead p lled. A 1/4" plate was cus pipe and valve was then lbore schematic.	Bond No. or s in a multip only after al pressure stom cut plumbed CONS. JUN 2	n file with BLM/BL/ le completion or rec l requirements, inclu , NMOCD req t and welded f d to the surface DIV DIST. 3 7 2016 Title Regul Date	A. Required completion of the second	ACCEPTED FOR RE JUN 2 3 201 FARMINGTON FIELD O BY	ed within 30 days 4 must be filed once ad the operator has ag be capped and asing to the esting. Attached is CORD
following completion of the involve Testing has been completed. Final determined that the site is ready for In order to adequately m bradenhead valve instal intermediate casing. A picture and current well 14. I hereby certify that the foregoing is Dollie L. Busse	ed operations. If the operation results Abandonment Notices must be filed final inspection.) nonitor the bradenhead p lled. A 1/4" plate was cus pipe and valve was then lbore schematic. OIL true and correct. Name (Printed/Typ	Bond No. or s in a multip only after al pressure stom cut plumbed CONS. JUN 2	n file with BLM/BL/ le completion or rec l requirements, inclu , NMOCD req t and welded f d to the surface DIV DIST. 3 7 2016 Title Regul Date	A. Required completion of the second	ACCEPTED FOR RE JUN 2 3 201 FARMINGTON FIELD O BY	ed within 30 days 4 must be filed once ad the operator has ang be capped and asing to the esting. Attached is CORD
following completion of the involve Testing has been completed. Final determined that the site is ready for In order to adequately m bradenhead valve instati intermediate casing. A picture and current well 14. I hereby certify that the foregoing is Dollie L. Busse	ed operations. If the operation results Abandonment Notices must be filed final inspection.) nonitor the bradenhead p lled. A 1/4" plate was cus pipe and valve was then lbore schematic. OIL true and correct. Name (Printed/Typ	Bond No. or s in a multip only after al pressure stom cut plumbed CONS. JUN 2	n file with BLM/BL/ le completion or rec l requirements, inclu- , NMOCD req t and welded f d to the surface DIV DIST. 3 7 2016 Title Regul Date 2/2 RAL OR STA	A. Requirements of the second	ACCEPTED FOR RE JUN 2 3 201 FARMINGTON FIELD O BY	A must be filed once and the operator has and be capped and a asing to the esting. Attached is CORD 6 FFICE
following completion of the involve Testing has been completed. Final determined that the site is ready for In order to adequately m bradenhead valve instati intermediate casing. A picture and current well 14. I hereby certify that the foregoing is Dollie L. Busse	ed operations. If the operation results Abandonment Notices must be filed final inspection.) nonitor the bradenhead p lled. A 1/4" plate was cus pipe and valve was then lbore schematic. OIL true and correct. Name (Printed/Typ Magnet THIS SPACE FC	Bond No. or s in a multip only after al oressure stom cut plumbed CONS. JUN 2 DR FEDE	n file with BLM/BL/ le completion or rec l requirements, inclu- , NMOCD req t and welded f d to the surface DIV DIST. 3 7 2016 Title Regul Date // RAL OR STA	A. Required completion of the second	ACCEPTED FOR RE JUN 2 3 201 FARMINGTON FIELD O BY	ed within 30 days 4 must be filed once ad the operator has ag be capped and asing to the esting. Attached is CORD
following completion of the involve Testing has been completed. Final determined that the site is ready for In order to adequately m bradenhead valve instati intermediate casing. A picture and current well 14. I hereby certify that the foregoing is Dollie L. Busse Signature Multic Approved by Conditions of approval, if any, are attach that the applicant holds legal or equitable	ed operations. If the operation results Abandonment Notices must be filed final inspection.) nonitor the bradenhead p lled. A 1/4" plate was cus pipe and valve was then lbore schematic. OIL true and correct. Name (Printed/Typ Magnetic Space FC THIS SPACE FC	Bond No. or s in a multip only after al oressure stom cut plumbed CONS. JUN 2 DR FEDE	n file with BLM/BL/ le completion or rec l requirements, inclu , NMOCD req t and welded f d to the surface DIV DIST. 3 7 2016 Title Regul Date // RAL OR STA ertify ould C	A. Requirements of the second	ACCEPTED FOR RE JUN 2 3 201 FARMING TON FIELD O BY Technician	A must be filed once and the operator has and be capped and a asing to the esting. Attached is CORD 6 FFICE

ec.

