submitted in lieu of Form/3160-5	
UNITED STATES	
DEPARTMENT OF THE INTERIOR  BUREAU OF LAND MANAGEMENT	/EF)
MEUCIV	<u>'CU</u>
Sundry Notices and Reports on Wells	
203 JUN 27 1	5! Lease Number
	14-20-603-2037
1. Type of Well	of, NMf Indian, All. or
OII	Tribe Name
	Navajo
2. JUL 2003 o	7. Unit Agreement Name
Name of Operator & MEURIVED C	Horseshoe Gallup
El Paso Exploration, & Burlington Resources Oll CONS. DIV.	norposito darrap
Oil & Gas Co LP C DIST. 3	7
	8. Well Name & Number
3. Address & Phone No. of Operator	Horseshoe Gallup Unit
من المالية	288
PO Box 4289, Farmington, NM 87499 (505) 326-9700	9. API Well No.
4. Location of Well, Footage, Sec., T, R, M	30-045-21924 10. <b>Field and Pool</b>
200'FNL, 200'FEL, Sec. 25, T-31-N, R-17-W, NMPM	Horseshoe Gallup
	11. County and State
	San Juan Co, NM
12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, O	THER DATA
Type of Submission Type of Action X Notice of Intent X Abandonment Change	of Plans
Recompletion New Cons	
	ine Fracturing
Casing Repair Water Sh	ut off
Final Abandonment Altering Casing Conversi	on to Injection
_ Other -	
13. Describe Proposed or Completed Operations	
Plugging and abandonment	
See attached plugging procedures submitted by the NMOCD and her Resources Oil & Gas Company LP	eby agreed to by Burlington
D. II. a. D. average O'l & Co. Company I.D. (D. II. a. )	
Burlington Resources Oil & Gas Company LP (Burlington) is assuming, (under written and filed protest to the related responsibility for costs (not actual liability) associated with the plugging and abandonment of this well as it is related to t	governmental regulatory authorities) minimal
	•
This action is necessitated and precipitated by the demands of the Bureau of Lanthat Burlington Resources is the heir of record of the Record Title interest in 14-20-603-2037 due to the Navajo Tribal Energy Office's failure to approve a early in the record title chain of title on the subject Navajo lease that was ended in the control of the Central of the Dalance Central (i.e. six (6) additional leases) were approved by the Navajo Tribal Energy	the subject Navajo Lease Serial No submitted transfer of Record Titl ventually sold to Central Resource se of the assignment and sale int
The subject well is located on lands described within the subject Navajo lease subject lease, all (100%) of Burlington's interests in the leases, wells and profunit were sold to Central at below market costs with express written statements Central had future responsibilities regarding these properties transferred to the	perties within the Horseshoe Gallu and contractual understanding tha
14. I hereby certify that the foregoing is true and correct.	
Signed Signed Title Regulatory Superviso	<u>r</u> Date 06/26/03 FSB
(This space for Federal or State Office use)	
APPROVED BY Original Signed: Stephen Mason Title Dat  CONDITION OF APPROVAL, if any:	
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any departm	ent or agency of the

API WELL # Well Name Well # Operator Name Type Stat County Surf\_Owner UL Sec Twp N/S Rng W/E Feet NS Ft EW

Order\_No 30-045-21924 HORSESHOE GALLUP UNIT 288 PLAYA MINERALS & ENERGY INC O A San Juan A 25 31 N 17 W

200 N 200 E

api\_number status csg\_1 csg\_1q csg\_1d csg\_2 csg\_2q csg\_2d csg\_3q csg\_3d liner\_size liner\_quan tubing t\_set\_dept csg\_perf 30-045-21924 CO 8 5/8 137 120 5 1/2 1608 225 2 7/8 1501 1410-1542

Procedure

MIRU, NUBOPE,

POOH Lay Down Rods & Tubing if present,

RIH with Gauge ring,

Pick up work string, Run Scrapper if required,

RIH Set CIBP 1310, cap with 212 'cement.

Test casing.

POOH lay down tubing.

RU wire line RIH, perforate @ 187 '+- 50' under surface casing shoe or Mesa Verde base whichever is lower...

Establish Circulation; circulate cement to surface inside and outside casing

Cut off well head and install P&A marker

Cut off anchors 2' below ground

Clean and level location

since cement circulated to surface, perting may not be necessary.

WELL NAME 288 HGU SEC, TWN, RNG. 25-31N-17W

		// A		
masurarda		- 4VI		MK
POPAT LOUKOUT	·	411	V	<b>         </b>
Man cos	90'	11/1	$  \wedge  $	
		4	/ \/	85%" 24#
		- 71	<u> </u>	plug 187 - Surface
				h 6109 181-20-1-066
	•	/		187/7.299(18) - 22 sas
			.	
	•	· /	1	
			1	
		4		(/
		/		<b>V</b>
		_ /]		V.
	•			
			1	
				<i>(</i>
	• .			/ Ply 1310 - 1098
Gallup	1148	- /		16
		A		(1310-1074)+50/7.279(1.18) = 30 ses
		7		BP @ 1310'
		· //		Pert @ 1520'-32'
		A		<u> </u>
		_	<del>.</del> .	5/1 14#
SURFACE CASING	•			1608' INTERMEDIATE CASI
SIZE HOLE"	<del>-</del>			5128 HOLE
SIZE CASING"				SIZE CASING
Annular Volume ft3	3,0		,	Annukur Volume
Cementsk	4.			Cement
Volume - ft	3			Volume