## State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez

Governor

Tony Delfin Acting Cabinet Secretary David R. Catanach, Division Director Oil Conservation Division



New Mexico Oil Conservation Division approval and conditions listed below are made in accordance with OCD Rule 19.15.7.11 and are in addition to the actions approved by BLM on the following 3160-5 form.

Operator Signature Date: Original APD 1/15/2014 Sundry Extension Date 7/18/16

API WELL#	Well Name	Well #	Operator Name	Туре	Stat	County	Surf_Owner	UL	Sec	Twp	N/S	Rng W/E
30-043-21200- 00-00	LYBROOK P28 2307		ENCANA OIL & GAS (USA) INC.	G	N	Sandoval	F	Р	28	23	N	7 W

Conditions of Approval:

(See the below checked and handwritten conditions)

Notify Aztec OCD 24hrs prior to casing & cement.

✓ Hold C-104 for directional survey & "As Drilled" Plat

**✓** Hold C-104 for NSL, NSP, DHC,

O Spacing rule violation. Operator must follow up with change of status notification on other well to be shut in or abandoned

Regarding the use of a pit, closed loop system or below grade tank, the operator must comply with the following as applicable:

A pit requires a complete C-144 be submitted and approved prior to the construction or use of the pit, pursuant to 19.15.17.8.A

A closed loop system requires notification prior to use, pursuant to 19.15.17.9.A

A below grade tank requires a registration be filed prior to the construction or use of the below grade tank, pursuant to 19.15.17.8.C

Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string

Submit Gas Capture Plan form prior to spudding or initiating recompletions operations.

Regarding Hydraulic Fracturing, review EPA Underground Injection Control Guidance 84

Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system.

Well-bore communication is regulated under 19.15.29 NMAC. This requires well-bore Communication to be reported in accordance with 19.15.29.8.

Comply with current regulations at time of spud Prior to production operator needs to be in compliance with RULE 19.15.5.9

Kotheric Park

NMOCD Approved by Signature

8/2/16

Date

## RECEIVED

Form 3160-5 (June 2015)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

JUL 2 0 2016

FORM APPROVED

)	OMB No. 1004-0137					
	Expires: January 31, 201					
5. Lease Ser	ial No.					

SUNDRY NOTICES	AND REPORTS ON WELLS of Land Mar	0
t use this form for	proposals to drill or to re-enter an	18

NMNM 58878 6. If Indian, Allottee or Tribe Name

Do not use this form for praise abandoned well. Use Form :	N/A			
SUBMIT IN TRIPLICATE	7. If Unit of CA/Agreement, Name and/or No.			
1. Type of Well  Oil Well  Gas Well	N/A  8. Well Name and No. Lybrook P28-2307 02H  9. API Well No. 30-043-21200			
Name of Operator     Encana Oil & Gas (USA) Inc.				
3a. Address       3b. Phone No. (include area code)         370 17th Street, Suite 1700       (720) 876-3533		10. Field and Pool or Exploratory Area Basin Mancos/Alamito Gallup		
4. Location of Well (Footage, Sec., T.,R.,M., or Survey SHL: 1318' FSL and 43' FEL Section 28, T23N, R7W BHL: 725' FSL and 330' FWL Section 28, T23N, R7W	11. Country or Parish, State Sandoval County, NM			
12. CHECK THE APPR	COPRIATE BOX(ES) TO INDICATE NATURE OF N	NOTICE, REPORT OR OTHER DATA		
THE OF SUPPLICATION				

12. CH	ECK THE APPROPRIATE BOX	K(ES) TO INDICATE NATURI	E OF NOTICE, REPORT OR OTH	ER DATA	
TYPE OF SUBMISSION TYPE OF ACTION					
✓ Notice of Intent	Acidize Alter Casing	Deepen Hydraulic Fracturing	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity	
Subsequent Report	Casing Repair Change Plans	New Construction Plug and Abandon	Recomplete Temporarily Abandon	✓ Other - APD Extension	
Final Abandonment Notice	Convert to Injection	Plug Back	Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

Encana Oil & Gas (USA) Inc. (Encana) was issued an approved APD for this well on 09/23/2014. Encana requests a 2-year APD extension for the Lybrook P28-2307 02H well (API 30-043-21200).

OIL CONS. DIV DIST. 3

JUL 2 5 2016

This final approval expires	9-22	-18		
14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)	1			
Katie Wegner	Title Senior	Regulatory Analyst		
Signature Hallo Uf	Date		07/18/2016	
THE SPACE FOR FED	ERAL OR	STATE OFICE USI	E	7. M
Approved by Cynthia Marquey	Title	LLE	Date	7-20-16
Conditions of approval, if any, are attached. Approval of this notice does not warran certify that the applicant holds legal or equitable title to those rights in the subject lewhich would entitle the applicant to conduct operations thereon.	nt or ease Office	FFO		

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.