

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

OIL CONS. DIV DIST. 3

JUL 22 2016

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR

☐ Initial Report ☒ Final Report

Name of Company	Dugan Production Corp	Contact:	Neil Haws
Address	PO Box 420, Farmington NM 87499-0420	Telephone No.	505-635-3124
Facility Name:	Tabor Discharge line	Facility Type:	Pipeline

Surface Owner: Federal	Mineral Owner: Federal	API No.	300452394000S1
------------------------	------------------------	---------	----------------

LOCATION OF RELEASE

045-24265 CS

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
I	35	30N	14W	890	S	990	E	San Juan

Latitude: 36.765473 Longitude: -108.273008

NATURE OF RELEASE

Type of Release: Produced water	Volume of Release: Approx 100 bbls	Volume Recovered: None
Source of Release: Pipeline	Date and Hour of Occurrence 6/20/16 @ 1900 hrs	Date and Hour of Discovery 6/20/16 @ 2000 hrs
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Katherina Diemer (BLM)voicemail; Cory Smith (NMOCD)	
By Whom? Neil Haws	Date and Hour: 6/21/16 @ 0735 hrs	
Was a Watercourse Reached? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If YES, Volume Impacting the Watercourse. 100 bbls	

If a Watercourse was Impacted, Describe Fully.* From point on the line where leak occurred (36.765473,-108.273008) produced water traveled SW in a small drainage for 947 feet. Water did not make it to the large wash to the west.

Describe Cause of Problem and Remedial Action Taken.* Pipeline leak, when leak was discovered Employees immediately shut in that section of pipeline to prevent further spillage, on 6/21/16 a crew was sent to repair the pipeline.



Describe Area Affected and Cleanup Action Taken.*

(On location)

(Off Location) 947 feet of small waterway, cleanup pending test results

- Soil was broken up and turned 5 days prior to application of Gypsum. On 7-19-16 Gypsum was applied to entire area of produced water spill, and raked into affected soil.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION	
Printed Name: Neil Haws	Approved by Environmental Specialist: 	
Title: Environmental	Approval Date: 8/22/16	Expiration Date:
E-mail Address: neil.haws@duganproduction.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: 7-20-16	Phone: 505-635-3124	

* Attach Additional Sheets If Necessary

#NCS1618848322

10



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

June 29, 2016

MIKE SANDOVAL

DUGAN PRODUCTION

P. O. BOX 420

FARMINGTON, NM 87499

RE: STELA NEEDS #1E

Enclosed are the results of analyses for samples received by the laboratory on 06/24/16 10:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-15-7. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

DUGAN PRODUCTION
MIKE SANDOVAL
P. O. BOX 420
FARMINGTON NM, 87499
Fax To: (505) 327-4043

Received: 06/24/2016
Reported: 06/29/2016
Project Name: STELA NEEDS #1E
Project Number: NONE GIVEN
Project Location: NOT GIVEN

Sampling Date: 06/22/2016
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: STELA NEEDS #1 E #1 (H601387-01)

BTX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/28/2016	ND	1.87	93.3	2.00	0.483	
Toluene*	<0.050	0.050	06/28/2016	ND	1.76	88.0	2.00	0.264	
Ethylbenzene*	<0.050	0.050	06/28/2016	ND	1.67	83.3	2.00	0.257	
Total Xylenes*	<0.150	0.150	06/28/2016	ND	5.13	85.4	6.00	0.404	
Total BTX	<0.300	0.300	06/28/2016	ND					

Surrogate: 4-Bromofluorobenzene (PIL) 98.8 % 73.6-140

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	784	16.0	06/27/2016	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	06/24/2016	ND	185	92.3	200	1.16	
DRO >C10-C28	<10.0	10.0	06/24/2016	ND	181	90.7	200	1.52	
Total TPH C6-C28	<10.0	10.0	06/24/2016	ND	366	91.5	400	1.34	

Surrogate: 1-Chlorooctane 84.3 % 35-147

Surrogate: 1-Chlorooctadecane 90.9 % 28-171

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 DUGAN PRODUCTION
 MIKE SANDOVAL
 P. O. BOX 420
 FARMINGTON NM, 87499
 Fax To: (505) 327-4043

 Received: 06/24/2016
 Reported: 06/29/2016
 Project Name: STELA NEEDS #1E
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

 Sampling Date: 06/22/2016
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: STELA NEEDS #1 E #2 (H601387-02)

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/28/2016	ND	1.87	93.3	2.00	0.483	
Toluene*	<0.050	0.050	06/28/2016	ND	1.76	88.0	2.00	0.264	
Ethylbenzene*	<0.050	0.050	06/28/2016	ND	1.67	83.3	2.00	0.257	
Total Xylenes*	<0.150	0.150	06/28/2016	ND	5.13	85.4	6.00	0.404	
Total BTEX	<0.300	0.300	06/28/2016	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 97.1 % 73.6-140

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	2080	16.0	06/27/2016	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	06/24/2016	ND	185	92.3	200	1.16	
DRO >C10-C28	<10.0	10.0	06/24/2016	ND	181	90.7	200	1.52	
Total TPH C6-C28	<10.0	10.0	06/24/2016	ND	366	91.5	400	1.34	

Surrogate: 1-Chlorooctane 87.8 % 35-147

Surrogate: 1-Chlorooctadecane 87.2 % 28-171

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 DUGAN PRODUCTION
 MIKE SANDOVAL
 P. O. BOX 420
 FARMINGTON NM, 87499
 Fax To: (505) 327-4043

 Received: 06/24/2016
 Reported: 06/29/2016
 Project Name: STELA NEEDS #1E
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

 Sampling Date: 06/22/2016
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: STELA NEEDS #1 E #3 (H601387-03)

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/28/2016	ND	1.87	93.3	2.00	0.483	
Toluene*	0.066	0.050	06/28/2016	ND	1.76	88.0	2.00	0.264	
Ethylbenzene*	<0.050	0.050	06/28/2016	ND	1.67	83.3	2.00	0.257	
Total Xylenes*	0.412	0.150	06/28/2016	ND	5.13	85.4	6.00	0.404	
Total BTEX	0.479	0.300	06/28/2016	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 105 % 73.6-140

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	5440	16.0	06/27/2016	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	06/24/2016	ND	185	92.3	200	1.16	
DRO >C10-C28	32.5	10.0	06/24/2016	ND	181	90.7	200	1.52	
Total TPH C6-C28	32.5	10.0	06/24/2016	ND	366	91.5	400	1.34	

Surrogate: 1-Chlorooctane 85.6 % 35-147

Surrogate: 1-Chlorooctadecane 92.6 % 28-171

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

DUGAN PRODUCTION
MIKE SANDOVAL
P. O. BOX 420
FARMINGTON NM, 87499
Fax To: (505) 327-4043

Received: 06/24/2016
Reported: 06/29/2016
Project Name: STELA NEEDS #1E
Project Number: NONE GIVEN
Project Location: NOT GIVEN

Sampling Date: 06/22/2016
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: STELA NEEDS #1 E #4 (H601387-04)

BTEX 8021B		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	06/28/2016	ND	1.87	93.3	2.00	0.483		
Toluene*	0.126	0.050	06/28/2016	ND	1.76	88.0	2.00	0.264		
Ethylbenzene*	<0.050	0.050	06/28/2016	ND	1.67	83.3	2.00	0.257		
Total Xylenes*	2.17	0.150	06/28/2016	ND	5.13	85.4	6.00	0.404		
Total BTEX	2.29	0.300	06/28/2016	ND						

Surrogate: 4-Bromofluorobenzene (PIL) 122 % 73.6-140

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	6000	16.0	06/27/2016	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	17.1	10.0	06/24/2016	ND	185	92.3	200	1.16	
DRO >C10-C28	77.4	10.0	06/24/2016	ND	181	90.7	200	1.52	
Total TPH C6-C28	94.6	10.0	06/24/2016	ND	366	91.5	400	1.34	

Surrogate: 1-Chlorooctane 82.5 % 35-147

Surrogate: 1-Chlorooctadecane 84.5 % 28-171

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

DUGAN PRODUCTION
MIKE SANDOVAL
P. O. BOX 420
FARMINGTON NM, 87499
Fax To: (505) 327-4043

Received: 06/24/2016
Reported: 06/29/2016
Project Name: STELA NEEDS #1E
Project Number: NONE GIVEN
Project Location: NOT GIVEN

Sampling Date: 06/22/2016
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: STELA NEEDS #1 E #5 (H601387-05)

BTEX 8021B			mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	06/28/2016	ND	1.87	93.3	2.00	0.483		
Toluene*	<0.050	0.050	06/28/2016	ND	1.76	88.0	2.00	0.264		
Ethylbenzene*	<0.050	0.050	06/28/2016	ND	1.67	83.3	2.00	0.257		
Total Xylenes*	0.286	0.150	06/28/2016	ND	5.13	85.4	6.00	0.404		
Total BTEX	<0.300	0.300	06/28/2016	ND						

Surrogate: 4-Bromofluorobenzene (PIE) 103 % 73.6-140

Chloride, SM4500Cl-B			mg/kg							Analyzed By: AP	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier		
Chloride	4880	16.0	06/27/2016	ND	416	104	400	3.77			

TPH 8015M			mg/kg							Analyzed By: MS	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier		
GRO C6-C10	<10.0	10.0	06/24/2016	ND	185	92.3	200	1.16			
DRO >C10-C28	131	10.0	06/24/2016	ND	181	90.7	200	1.52			
Total TPH C6-C28	131	10.0	06/24/2016	ND	366	91.5	400	1.34			

Surrogate: 1-Chlorooctane 89.9 % 35-147

Surrogate: 1-Chlorooctadecane 93.8 % 28-171

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 DUGAN PRODUCTION
 MIKE SANDOVAL
 P. O. BOX 420
 FARMINGTON NM, 87499
 Fax To: (505) 327-4043

 Received: 06/24/2016
 Reported: 06/29/2016
 Project Name: STELA NEEDS #1E
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

 Sampling Date: 06/22/2016
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: STELA NEEDS #1 E #6 (H601387-06)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/28/2016	ND	1.87	93.3	2.00	0.483	
Toluene*	<0.050	0.050	06/28/2016	ND	1.76	88.0	2.00	0.264	
Ethylbenzene*	<0.050	0.050	06/28/2016	ND	1.67	83.3	2.00	0.257	
Total Xylenes*	<0.150	0.150	06/28/2016	ND	5.13	85.4	6.00	0.404	
Total BTEx	<0.300	0.300	06/28/2016	ND					

Surrogate: 4-Bromofluorobenzene (PIL) 98.5 % 73.6-140

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	4160	16.0	06/27/2016	ND	400	100	400	3.92	QM-07	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	06/27/2016	ND	190	95.1	200	0.337	
DRO >C10-C28	397	10.0	06/27/2016	ND	190	95.2	200	0.0205	QM-07
Total TPH C6-C28	397	10.0	06/27/2016	ND	381	95.2	400	0.158	

Surrogate: 1-Chlorooctane 84.7 % 35-147

Surrogate: 1-Chlorooctadecane 88.3 % 28-171

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



service@greenanalytical.com or dzufelt@greenanalytical.com
75 Suttle St Durango, CO 81303

Page 9 of 9

Relinquished By:	Date: 6-23-16 Time: 4:15	Received By: Christa Clau	ADDITIONAL REMARKS: Report to State? (Circle) Yes No
Relinquished By: Christa Clau	Date: 6/23/16 Time: 16:00	Received By: Fred E	
Relinquished By:	Date: 6/24/16 Time: 10:00	Received By: Jodi Henson	
Delivered By: (Circle One) Sampler - UPS - FedEx - Kangaroo - Other:		Temperature at receipt: 36°C on ice	CHECKED BY: u

* Chain of Custody must be signed in "Relinquished By:" as an acceptance of services and all applicable charges.