Form C-144 July 21, 2008

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

OIL CONS. DIV DIST, 3 Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application AUG 1 9 2016 Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. Operator: BP AMERICA PRODUCTION COMPANY Address: 200 Energy Court, Farmington, NM 87401 Facility or well name: MUDGE COM B 002E API Number: 3004525381 OCD Permit Number: U/L or Qtr/Qtr L Section 14.0 Township 31.0N Range 11W County: San Juan County Center of Proposed Design: Latitude 36.894997 Longitude -107.966223 NAD: □1927 × 1983 Surface Owner:

▼ Federal

State

Private

Tribal Trust or Indian Allotment Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A ☐ Lined ☐ Unlined Liner type: Thickness _____mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other ____ ☐ String-Reinforced bbl Dimensions: L x W Liner Seams: Welded Factory Other Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of ☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other _ ☐ Lined ☐ Unlined Liner type: Thickness _____mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other Liner Seams: Welded Factory Other Below-grade tank: Subsection I of 19.15.17.11 NMAC Tank ID: A bbl Type of fluid: Produced Water Volume: 95.0 Tank Construction material: Steel ☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off ☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other SINGLE WALLED DOUBLE BOTTOMED SIDEWALLS NOT VISIBLE

21

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

mil HDPE PVC Other

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	l, hospital,
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	ı office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accematerial are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	opriate district approval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
13.
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground State Instructions: Please indentify the facility or facilities for the disposal of liquids, a facilities are required.		
Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name:	Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occ ☐ Yes (If yes, please provide the information below) ☐ No		
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection I Site Reclamation Plan - based upon the appropriate requirements of Subsection	requirements of Subsection H of 19.15.17.13 NMA of 19.15.17.13 NMAC	С
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the comprovided below. Requests regarding changes to certain siting criteria may require considered an exception which must be submitted to the Santa Fe Environmental demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for	administrative approval from the appropriate dist Bureau office for consideration of approval. Justi	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	ificant watercourse or lakebed, sinkhole, or playa	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church Visual inspection (certification) of the proposed site; Aerial photo; Satellite		☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or sp - NM Office of the State Engineer - iWATERS database; Visual inspection (co	ring, in existence at the time of initial application.	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approva		Yes No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual	inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining	and Mineral Division	Yes No
Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology Society; Topographic map	& Mineral Resources; USGS; NM Geological	☐ Yes ☐ No
Within a 100-year floodplain FEMA map		☐ Yes ☐ No
18. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Protocols and Procedures - based upon the appropriate requirements of 19.15. Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Sipplicable Disposal Facility Name and Permit Number (for liquids, drilling fluids and draw Soil Cover Design - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Si	irements of 19.15.17.10 NMAC Subsection F of 19.15.17.13 NMAC oropriate requirements of 19.15.17.11 NMAC d) - based upon the appropriate requirements of 19. 17.13 NMAC irements of Subsection F of 19.15.17.13 NMAC subsection F of 19.15.17.13 NMAC ill cuttings or in case on-site closure standards cannot of 19.15.17.13 NMAC of 19.15.17.13 NMAC	15.17.11 NMAC

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 8 34 3016 Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: 08\11\2016
22. Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Disposal Facility Permit Number: Disposal Facility Name: Disposal Facility Permit Number: Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: _Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude
25. Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Steve Moskal Title: Field Environmental Coordinator
Signature: Date: 08\11\2016
e-mail address: steven.moskal@bp.com Telephone: 505-326-9497

BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

Mudge Com B # 2E - Tank ID: A <u>API #: 3004525381</u> Unit Letter L, Section 14, T31N, R11W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of
mailing of the notice to the address of the surface owner shown in the county tax records
demonstrates compliance with this requirement.

Notice is attached.

2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice was provided and documented in the attached email.

- BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)
 - f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
 - g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
 - h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
 - i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
 - j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
 - k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and/or sludge within the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for recycling.

BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification (mg/Kg)	Sample Results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	< 0.022
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.088
TPH	US EPA Method SW-846 418.1	100	<49
Chlorides	US EPA Method 300.0 or 4500B	250 or background	<30

Notes:

mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil beneath the BGT was sampled for TPH, BTEX, and chloride. All test parameters were below the stated limits. A field and laboratory reports are attached.

- BP shall notify the division District III office of its results on form C-141.
 C-141 is attached.
- 8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results reveal no evidence of a release has occurred.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, nonwaste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area.

Sampling results reveal no evidence of a release has occurred. Area was backfilled with clean, earthen material and is within the active well pad.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.

- 13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.
 The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.
- Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves re-vegetation.
 BP will notify NMOCD when re-vegetation is successfully completed.
- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

Closure report on C-144 form is included & contains a photo of the reclamation completion.

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

			Rel	ease Notific	catio	n and Co	orrective A	ction					
						OPERA'	ГOR		Initia	al Report Final Repo			
Name of Co	ompany B	P America	Producti	on Company		Contact St							
		Court, Fari		NM 87401			No. (505) 326-9						
Facility Na	me MUD	GE COM B	002E			Facility Type Natural Gas Well							
Surface Ow	ner Fede	ral		Mineral (Owner	Bureau of I	and Managem	ent	API No	. 3004525381			
				LOCA	ATIO	N OF RE	LEASE						
Unit Letter	Section	Township	Range	Feet from the	North	h/South Line	Feet from the	East/V	est Line	County			
L 14 31N 11W 1,350						SOUTH	685	W	EST	SAN JUAN			
				Latitude 36.	.89499	7_Longitue	de107.96622	3_					
				NAT	TURE	OF REL	EASE						
				TION SAMPLIN	G	A CONTRACTOR OF THE PARTY OF TH	Release N/A		10.000.000.000	Recovered N/A			
Source of Release NOT APPLICABLE (N/A)							lour of Occurrence	e N/A	Date and	Hour of Discovery N/A			
Was Immedi	ate Notice (THE R. P. LEWIS CO., LANSING, MICH.	Yes [No Not R	equired	If YES, To	Whom?						
By Whom?						Date and I							
Was a Water	course Read		Yes 🗵	No		If YES, Vo	olume Impacting t	the Wate	rcourse.				
THEREFOR	E NO REMI		N NECES	SARY. SAMPLIN						PROBLEMS WITH THE BGT, AFTER REMOVAL. FIELD &			
Describe Are THE BGT LO		and Cleanup A	Action Tal	ken.* NO CLEAN	UP AC	TION NECES	SARY. FINAL LA	BORAT	ORY RESU	LTS SUPPORT CLOSURE OF			
regulations a public health should their or the enviro	Il operators or the envi operations h nment. In a	are required to ronment. The nave failed to	o report as acceptant adequately OCD accep	nd/or file certain rece of a C-141 report investigate and r	release ort by the remedia	notifications a he NMOCD m te contaminati	nd perform correct arked as "Final R on that pose a thr	ctive acti eport" de eat to gre	ons for rele oes not reli ound water	equant to NMOCD rules and eases which may endanger eve the operator of liability r, surface water, human health compliance with any other			
							OIL CON	SERV	ATION	DIVISION			
Signature:	Men	men											
Printed Nam	e: Steve M	oskal				Approved by	Environmental S	pecialist					
Title: Envir	onmental F	ield Coordin	ator			Approval Da	e:	F	Expiration	Date:			
E-mail Addr	ess: steven	.moskal@bp.	com			Conditions of	Approval:			Attached			
Date: Augus	st 11, 2016		Phone:	(505) 326.9497									

^{*} Attach Additional Sheets If Necessary

bp



BP America Production Company 200 Energy Court Farmington, NM 87401

June 27, 2016

Bureau of Land Management Katherina Diemer 6251 College Suite A Farmington, NM 87402

VIA EMAIL

Re: Notification of plans to close/remove a below grade tank

Well Name: MUDGE COM B 002E

API#: 3004525381

Dear Mrs. Diemer,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about June 30, 2016. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required please contact me for a specific time (505)-326-9497.

Sincerely,

Steven Moskal

BP America Production Company

Moskal, Steven

From:

Moskal, Steven

Sent:

Thursday, June 30, 2016 6:26 AM

To:

Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us); Smith, Cory, EMNRD; kdiemer@blm.gov

Cc:

jeffcblagg@aol.com; blagg_njv@yahoo.com; Salazar, Augustine T

Subject:

Re: BP Pit Close Notification - MUDGE COM B 002E

The BGT is scheduled to be removed at 8:30 AM today.

Thank you,

Steve Moskal Field Environmental Coordinator BP San Juan South Cell: (505) 330-9179

Sent from my mobile device

On Jun 27, 2016, at 3:25 PM, Railsback, Farrah (CH2M HILL) < Farrah.Railsback@bp.com > wrote:

BP America Production Company

200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: CORY.SMITH@STATE.NM.US; VANESSA.FIELDS@STATE.NM.US

June 27, 2016

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

MUDGE COM B 002E API 30-045-25381 (L) Section 14 – T31N – R11W San Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 95 bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around June 30, 2016.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Steven Moskal BP Field Environmental Coordinator

(505) 326-9497

Farrah Railsback
BGT Project Support
970-946-9199 -cell

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

DD	BLACC EN	CINEEDING INC		200450	2004
CLIENT: BP			413	74 1 #.	387
				TANK ID (if applicble):	
P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199 FIELD REPORT: (citide one): BGTCONFRIATION! SITE NAME MUDGE COM B # 2E OUNDOUNT: L. SEC. 14 TWP. 31N PAGE 11W PM. NM CNITY. SJ. ST. NM 114-1METOCITAGE. 1,350'S / 685'W NW/SW. LEASE TYPE. FEDERAL! STATE / FEE / INDIAN 114-1METOCITAGE. 1,350'S / 685'W NW/SW. LEASE TYPE. FEDERAL! STATE / FEE / INDIAN 114-1METOCITAGE. 1,350'S / 685'W NW/SW. LEASE TYPE. FEDERAL! STATE / FEE / INDIAN 114-1METOCITAGE. 1,350'S / 685'W NW/SW. LEASE TYPE. FEDERAL! STATE / FEE / INDIAN 114-1METOCITAGE. 1,350'S / 685'W NW/SW. LEASE TYPE. STRIPLE. 115-19 SP BGT. (SW/DB) OPS COOPD: 36.894997 X 107.966223 DSTATEMBROWNENDAL 124.5', N46E OPS COOPD: 36.894997 X 107.966223 DSTATEMBROWNENDAL 124.5', N46E OPS COOPD: 09PS COOPD:					
SITE INFORMATION	: SITE NAME: MUDGE	COMB#2E		DATE STARTED: 06/3	30/16
QUAD/UNIT: L SEC: 14 TWP:		0.0000	: NM		
1/4-1/4/FOOTAGE: 1,350'S / 68!	ALCOHOLO CONTRACTOR CONTRACTOR	PE: FEDERAL STATE / FEE	/ INDIAN		
P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199 FIELD REPORT: (circle one): EGTOOMFIBMATION: RELASE INVESTIGATION / OTHER: SITE INFORMATION: SITE MANE MUDGE COM B # 2E DUADULANT: L. SEC 14 TWP 31N RIGG. 11W PM. NM CATY. SJ. ST. NM IM-IMPOOTAGE: 1,350'S / 685'W NW/SW LEASE TYPE. FEDERAL STATE / FEE / INDIAN LEASE # SF078051 PROD. FORMATION DIV/MV CONTRACTOR. BP - B. SCHURMAN REFFERENCE POINT: WELL HEAD (WH): GPS COORD: GPS CO					
REFERENCE POINT	: WELL HEAD (W.H.) GPS C	36.89476 X 1	07.96655	GL ELEV.:	5,853'
1) 95 BGT (SW/DB)				RING FROM W.H.: 124.5',	N46E
2)	GPS COORD.:		DISTANCE/BEAF	RING FROM W.H.:	
3)	GPS COORD.:		DISTANCE/BEAF	RING FROM W.H.:	
4)	GPS COORD.:		DISTANCE/BEAF	RING FROM W.H.:	
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # OR	LAB USED: HALL			READING
1) SAMPLE ID: 5PC - TB @ 6'	(95) SAMPLE DATE: 06/30/16	SAMPLETIME: 0850 LABANA	LYSIS: 8015	5B/8021B/300.0 (CI)	1000
2) SAMPLE ID:	SAMPLE DATE:	SAMPLETIME: LAB ANA	LYSIS:		
3) SAMPLE ID:	SAMPLE DATE:	SAMPLETIME: LAB ANA	LYSIS:		
4) SAMPLE ID:	SAMPLE DATE:	SAMPLETIME: LAB ANA	LYSIS:		
SOIL DESCRIPTION	SOIL TYPE: SAND SILTY SAND SIL	T / SILTY CLAY / CLAY / GRAVEL / OTH	IER		
SOIL COLOR: DARK YEL	LOWISH BROWN P	LASTICITY (CLAYS): NON PLASTIC / SLIGH	HTLY PLASTIC / CO		HLY PLASTIC
The state of the s				STIFF / VERY STIFF / HARD	
		C ODOR DETECTED: YES NO EAPLA	NATION -		
SAMPLE TYPE: GRAB (COMPOSITE) #	OF PTS. 5	NY AREAS DISPLAYING WETNESS: YES	S NO EXPLAN	IATION -	
	O EXPLANATION -				
APPARENT EVIDENCE OF A RELEASE OBSERVE	O AND/OR OCCURRED : YES NO EXPLANATION - 105 BBL 5	IATION:	E CRADE TAN	IV TO BE SET ATOP BGT I	OCATION.
OTHER: BGT PERMIT POSTED ON NMO	CD'S ONLINE WELL FILE, BUT NOT	SIGNED FOR APPROVAL. NO	NMOCD REP.	ON-SITE TO WITNESS SA	MPLING.
SOIL IMPACT DIMENSION ESTIMATION:	NA n. X NA	e X NA ft. EXC	AVATION EST	IMATION (Cubic Yards) :	NΔ
		CON 2000		-	20
OUTE OUVETOU					
		1 201 . 2 2	A OVINI		111 -0.02
	T.B. ~ 5'				
FENCE -	(xxx)	SEPARATOR	w		ILO
		7/	_		
	#		VI	The second secon)
BER	M	COMPRESS	SOR -	201-20	,
			-		3/10
	/→ (CD Appr. date(s):	?
	PROD.		ID	ppm = parts per million	
			Α		
W.H.		X - S	.P.D.		200
	OW-GRADE TANK LOCATION; SPD = SAMPLE POIN : WALL; DW - DOUBLE WALL; SB - SINGLE BOTTO!		A-NOI M	agnetic declination: 10	E
NOTES: GOOGLE EARTH IMAGE	RY DATE: 3/15/2015.	ONSITE: 06/30/16			

Analytical Report

Lab Order 1607004

Date Reported: 7/6/2016

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Client Sample ID: 5PC-TB@6' (95)

Project: Mudge Com B #2E

Collection Date: 6/30/2016 8:50:00 AM

Lab ID: 1607004-001

Matrix: MEOH (SOIL) Received Date: 7/1/2016 7:45:00 AM

Analyses	Result	PQL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	LGT
Chloride	ND	30	mg/Kg	20	7/1/2016 1:02:00 PM	26203
EPA METHOD 8015M/D: DIESEL RAN	GE ORGANICS				Analyst	TOM
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	7/1/2016 11:33:51 AM	26187
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	7/1/2016 11:33:51 AM	26187
Surr: DNOP	89.6	70-130	%Rec	1	7/1/2016 11:33:51 AM	26187
EPA METHOD 8015D: GASOLINE RAI	NGE				Analyst	NSB
Gasoline Range Organics (GRO)	ND	4.4	mg/Kg	1	7/1/2016 11:59:46 AM	A35388
Surr: BFB	100	80-120	%Rec	1	7/1/2016 11:59:46 AM	A35388
EPA METHOD 8021B: VOLATILES					Analyst	NSB
Benzene	ND	0.022	mg/Kg	1	7/1/2016 11:59:46 AM	B35388
Toluene	ND	0.044	mg/Kg	1	7/1/2016 11:59:46 AM	B35388
Ethylbenzene	ND	0.044	mg/Kg	1	7/1/2016 11:59:46 AM	B35388
Xylenes, Total	ND	0.088	mg/Kg	1	7/1/2016 11:59:46 AM	B35388
Surr: 4-Bromofluorobenzene	95.8	80-120	%Rec	1	7/1/2016 11:59:46 AM	B35388

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 1 of 5
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

ent:		THE STATE OF	/ BP AMERICA	□ Standard Project Name	☑ Rush _	DAY				A	N/	AL	YS	15	S L	A	-	RA	TO					
ailing A	ddress:	P.O. BOX	K 87	MI	JDGE COM	B # 2E		49	01 H	awki	ns N	IE -	Alb	uqu	erq	ue, f	VIM S	371.09						
BLOOMFIELD, NM 87413		Project #:				Tel. 505-345-3975 Fax 505-345-4107																		
one #:		(505) 63	2-1199									A	naly	/sis	Red	ques	st							
vac Pa	ckage.		Level 4 (Full Validation)				Project Manager: NELSON VELEZ			0218)	s only)	/ MRO)			(5)		PO4,504)	PCB's			ter - 300.1)		9	
credital		□ Other		Sampler: NELSON VELEZ 97 V On Ice: XYes □ No		TMB's (8021B)	TPH (Ga	/ DRO /	118.1)	504.1)	3270SIM		ON'SC	s / 8082 PCB's		A)	00.0 / wa		composite sample	r N)				
EDD (Type)			Sample Temp	erature: /	0	1	9E+	(GR	pou	pou	or 8	etals	CI,N	cide	A)	i-VC	3	e e	osit	3			
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL NO. 4	BTEX MIBE	BTEX + MTBE + TPH (Gas only)	TPH 8015B (GRO / DRO	TPH (Method 418.1)	EDB (Method 504.1)	PAH (8310 or 82705IMS)	RCRA 8 Metals	Anions (F,Cl,NO ₃ ,NO ₂ ,PO ₄ ,SO ₄)	8081 Pesticides	8260B (VOA)	8270 (Semi-VOA)	Chloride [soil - 300.0 / water	Grab sample	5 pt. comp	Air Bubbles (Y or			
130/16	0750	SOIL	5PC-TB@ (95)	4 oz 1	Cool	-001	٧		٧									٧		٧				
				1																				
													T.											
te: 135/16 te:	Time: 144 Time:	Relinquishe	nVf	Received by: Received by:	Wales	Date Time		narks	VID:	Va VH	nce	HIXO VEVE	g VID	& RE	FERE eve	_	WHE!	Jol	WITH ICABLE: In Ritci RINKJW					

Hall Environmental Analysis Laboratory, Inc.

WO#:

1607004

06-Jul-16

Client:

Blagg Engineering

Project:

Mudge Com B #2E

Sample ID MB-26203

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 26203

PQL

RunNo: 35411

Prep Date: 7/1/2016

Analysis Date: 7/1/2016

SeqNo: 1095690

Units: mg/Kg HighLimit

%RPD **RPDLimit**

Qual

Analyte Chloride

Result ND

SPK value SPK Ref Val %REC LowLimit

TestCode: EPA Method 300.0: Anions

Sample ID LCS-26203

SampType: LCS

RunNo: 35411

Client ID: LCSS Prep Date: 7/1/2016 Batch ID: 26203

Units: mg/Kg

Analysis Date: 7/1/2016

SeqNo: 1095691

HighLimit

Analyte

15.00

RPDLimit

Qual

14

Chloride

PQL 1.5

%RPD

SPK value SPK Ref Val %REC

94.8

LowLimit

Oualifiers:

R

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Holding times for preparation or analysis exceeded H
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank
- Value above quantitation range
- Analyte detected below quantitation limits
- Sample pH Not In Range
- Reporting Detection Limit Sample container temperature is out of limit as specified

Page 2 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#: 1607004

06-Jul-16

Client: Project: Blagg Engineering Mudge Com B #2E

Sample ID LCS-26187

Client ID: LCSS

SampType: LCS

Result

Result

41

PQL

10

TestCode: EPA Method 8015M/D: Diesel Range Organics

Batch ID: 26187

RunNo: 35379

Prep Date: 7/1/2016 Analysis Date: 7/1/2016 SegNo: 1094626

83.0

89.2

Units: mg/Kg

Analyte Diesel Range Organics (DRO)

4.5

SPK value SPK Ref Val %REC LowLimit

HighLimit %RPD 124 130

Qual

%RPD

RPDLimit

Surr: DNOP Sample ID MB-26187

SampType: MBLK

TestCode: EPA Method 8015M/D: Diesel Range Organics RunNo: 35379

Prep Date: 7/1/2016

Client ID: PBS Batch ID: 26187 Analysis Date: 7/1/2016

SeqNo: 1094627

0

Units: mg/Kg

50.00

5.000

SPK value SPK Ref Val %REC LowLimit

62.6

RPDLimit

Qual

Analyte Diesel Range Organics (DRO) Motor Oil Range Organics (MRO) Surr: DNOP

ND 10 ND 50 9.7

10.00

97.4

70

130

HighLimit

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- Holding times for preparation or analysis exceeded H
- Not Detected at the Reporting Limit ND
- R RPD outside accepted recovery limits
- % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank
- Value above quantitation range
- Analyte detected below quantitation limits J
- P Sample pH Not In Range
- Reporting Detection Limit
- Sample container temperature is out of limit as specified

Page 3 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#:

1607004

06-Jul-16

Client:

Blagg Engineering

Project:

Mudge Com B #2E

Sample ID 5ML RB

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

Client ID: **PBS** Batch ID: A35388

RunNo: 35388

80

LowLimit

Prep Date:

SeqNo: 1095058

Units: mg/Kg

Analysis Date: 7/1/2016

PQL

5.0

%REC

HighLimit

Qual

Analyte Gasoline Range Organics (GRO) Result ND

SPK value SPK Ref Val

SPK value SPK Ref Val

101

120

RPDLimit

Surr: BFB

Sample ID 2.5UG GRO LCS

1000

1000

TestCode: EPA Method 8015D: Gasoline Range

%RPD

Client ID: LCSS

Batch ID: A35388

RunNo: 35388

Prep Date:

SampType: LCS

%REC

Units: mg/Kg

Analyte

Analysis Date: 7/1/2016

SeqNo: 1095059

%RPD **RPDLimit**

Qual

Result 27

25.00

80

Gasoline Range Organics (GRO) Sum: BFB

5.0 1000 106

LowLimit HighLimit

120 120

1100 109 80

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Holding times for preparation or analysis exceeded H
- Not Detected at the Reporting Limit ND
- R RPD outside accepted recovery limits

% Recovery outside of range due to dilution or matrix

- Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- Sample container temperature is out of limit as specified

Page 4 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#:

1607004

06-Jul-16

Client: Project: Blagg Engineering

Sample ID 5ML RB

Mudge Com B #2E

Client ID:

SampType: MBLK Batch ID: **B35388** TestCode: EPA Method 8021B: Volatiles

PBS

PQL

RunNo: 35388

SPK value SPK Ref Val %REC LowLimit

Prep Date:

Result

Analysis Date: 7/1/2016

SeqNo: 1095085

Units: mg/Kg HighLimit

%RPD **RPDLimit**

RPDLimit

Qual

Qual

Analyte Benzene Toluene

0.025 ND ND 0.050 ND 0.050 Ethylbenzene Xylenes, Total ND 0.10 Surr: 4-Bromofluorobenzene 0.97

1.000

97.4

120

TestCode: EPA Method 8021B: Volatiles

Client ID: LCSS

Sample ID 100NG BTEX LCS SampType: LCS

Batch ID: **B35388**

RunNo: 35388

Prep Date:

Analysis Date: 7/1/2016

SeqNo: 1095086

Units: mg/Kg

%RPD

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit
Benzene	0.91	0.025	1.000	0	91.4	75.3	123
Toluene	0.97	0.050	1.000	0	96.9	80	124
Ethylbenzene	1.0	0.050	1.000	0	102	82.8	121
Xylenes, Total	3.1	0.10	3.000	0	102	83.9	122
Surr: 4-Bromofluorobenzene	1.1		1.000		106	80	120

Qualifiers:

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

Holding times for preparation or analysis exceeded H

ND Not Detected at the Reporting Limit

RPD outside accepted recovery limits R

% Recovery outside of range due to dilution or matrix

Analyte detected in the associated Method Blank

E Value above quantitation range

Analyte detected below quantitation limits

Page 5 of 5

P Sample pH Not In Range

Reporting Detection Limit Sample container temperature is out of limit as specified



Hall Environmental Analysis Laboratory 1901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: B	LAGG	Work Order Number	1607	004			RcptNo:	1
Received by/date	AC	07/10/14						
Logged By	Lindsay Mangin	7/1/2016 7:45:00 AM			July Ho	0		
Completed By	Lindsay Mangin	7/1/2016 8:23:31 AM			July H	la		
Reviewed By:	0	07/01/16			00	U		
Chain of Custo	dy /	0//0///						
9 11 11 11	intact on sample bottle	9?	Yes	Ci.	No	41	Not Present	
2, is Chain of Cus	THE PERSON NAMED IN POST OF PERSON		Yes		No [Not Present	
3. How was the se			Cou	ier				
Log In								
The state of the state of	ot made to cool the san	nples?	Yes	V	No	0#	NA L	
5. Were all sample	es received at a tempe	rature of >0° C to 6.0°C	Yes	V	No E	3	NA L	
6. Sample(s) in p	roper container(s)?		Yes	V	No [
7 Sufficient samp	le volume for Indicated	tesi(s)?	Yes	V	No I			
8. Are samples (e	xcept VQA and ONG)	properly preserved?	Yes	V	No]		
THE RESERVE	ve added to bottles?	41.00	Yes		No N	1	NA L	
10.VOA vials have	zero headspace?		Yes	H	No L	J	No VOA Vials	
11. Word any same	ple containers received	broken?	Yes		No 8	Y.		
				24.			# of preserved bottles checked	
	k match bottle labels? noies on chain of custo	4u)	Yes	Y	No	1	for pH	or >12 unless noted
	meetly identified on Ch	The state of the s	Yes	V	No [7	Adjusted?	The United House
	analyses were request	The second secon	Yes	V	No.	1		
15. Were all holding	g times able to be met		Yes	V	No C]	Cnecked by:	
1000								
Special Handlin	g (if applicable)							
16. Was client notif	fied of all discrepancies	with this order?	Yes	D.	No.)	NA V	
Person N	otified	Daté		_		-		
By Whom	K	Via:	eM:	iil	Phone F	ax	In Person	
Regarding	g.							
Client Ins	tructions.							
17. Additional rem	arks:							
18. Cooler Inform	ation							
	Temp "C Condition	Seal Intact Seal No	Seal D	z I	Signed By	. 1		



