District I 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or	OIL CONS. DIV DIS
Proposed Alternative Method Permit or Closure Plan Application	on AUG 1 7 2016
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternation Closure of a pit, closed-loop system, below-grade tank, or proposed alternation Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method	ive method tive method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank	or alternative request
lease be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface varieties. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's	
I.	ruies, regulations of ordinances.
Operator: BP AMERICA PRODUCTION COMPANY OGRID #: 778	
Address: 200 Energy Court, Farmington, NM 87401	
Facility or well name: FLORANCE GAS COM B 001E	
API Number: 3004525541 OCD Permit Number:	
U/L or Qtr/Qtr F Section 9.0 Township 29.0N Range 12W County: San Jua	
Center of Proposed Design: Latitude 36.74385 Longitude -108.10748	NAD: □1927 × 1983
Surface Owner: ▼ Federal □ State □ Private □ Tribal Trust or Indian Allotment	
□ Lined Unlined Liner type: Thickness mil □ LLDPE □ HDPE □ PVC □ Other □ String-Reinforced Liner Seams: □ Welded □ Factory □ Other Volume: bbl Dimensions: L	x W x D
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approintent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Seams: Welded Factory Other	
4. Below-grade tank: Subsection I of 19.15.17.11 NMAC Tank ID: B Volume: 95.0 bbl Type of fluid: Produced Water	
Tank Construction material: Steel	
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	
☐ Visible sidewalls and liner ☒ Visible sidewalls only ☐ Other SINGLE WALLED DOUBLE BOTTOMED (permit sta	
	ted single bottomed)
Liner type: Thicknessmil	
Liner type: Thicknessmil	

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	hospital,
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
8. Signs: Subsection C of 19.15.17.11 NMAC ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☐ Signed in compliance with 19.15.16.8 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	priate district
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number: or Permit Number:
12.
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
☐ Previously Approved Design (attach copy of design) API Number:
☐ Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
13.
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13. Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.	
Disposal Facility Name: Disposal Facility Permit Number:	
Disposal Facility Name: Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future set Yes (If yes, please provide the information below) No	vice and operations?
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	С
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sou provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate disconsidered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Just demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	trict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannow Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	15.17.11 NMAC

Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and comp	lete to the best of my knowledge and belief.
Name (Print): Title:	
Signature: Da	te:
e-mail address: Teleph	one:
0	OCD Conditions (see attachment) Approval Date: 813413616 it Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17 Instructions: Operators are required to obtain an approved closure plan prior to implementi The closure report is required to be submitted to the division within 60 days of the completion section of the form until an approved closure plan has been obtained and the closure activities Closure	ng any closure activities and submitting the closure report. of the closure activities. Please do not complete this
22.	
Closure Method: ☐ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure ☐ If different from approved plan, please explain.	Method Waste Removal (Closed-loop systems only)
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and two facilities were utilized.	d drill cuttings were disposed. Use attachment if more than
	cility Permit Number:
	cility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that a Yes (If yes, please demonstrate compliance to the items below) \(\subseteq\) No	will not be used for future service and operations?
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	
Closure Report Attachment Checklist: _Instructions: Each of the following items must be a mark in the box, that the documents are attached. □ Proof of Closure Notice (surface owner and division) □ Proof of Deed Notice (required for on-site closure) □ Plot Plan (for on-site closures and temporary pits) ⊠ Confirmation Sampling Analytical Results (if applicable) □ Waste Material Sampling Analytical Results (required for on-site closure) □ Disposal Facility Name and Permit Number □ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique □ Site Reclamation (Photo Documentation) On-site Closure Location: Latitude	NAD: □1927 × 1983
25.	
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, a belief. I also certify that the closure complies with all applicable closure requirements and conditions.	accurate and complete to the best of my knowledge and litions specified in the approved closure plan.
Name (Print): Steve Moskal Title:	Field Environmental Coordinator
Signature: Other Date Date Date Date Date Date Date Date	09/10/2016
e-mail address: steven.moskal@bp.com Telepho	one: 505-326-9497

BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

Florance Gas Com B # 1E - Tank ID: B

API #: 3004525541

Unit Letter F, Section 9, T29N, R12W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

- BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of
 mailing of the notice to the address of the surface owner shown in the county tax records
 demonstrates compliance with this requirement.
 - Notice is attached.
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice was provided and documented in the attached email.

- BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)
 - f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
 - g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
 - h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
 - i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
 - j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
 - k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and/or sludge within the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for recycling.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been modified & are still operational.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification (mg/Kg)	Sample Results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	< 0.022
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.088
TPH	US EPA Method SW-846 418.1	100	< 50
Chlorides	US EPA Method 300.0 or 4500B	250 or background	51

Notes:

mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil beneath the BGT was sampled for TPH, BTEX, and chloride. All test parameters were below the stated limits. A field and laboratory reports are attached.

- 7. BP shall notify the division District III office of its results on form C-141. **C-141 is attached.**
- 8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results reveal no significant release has occurred.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, nonwaste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area.

Sampling results reveal no significant release has occurred. Area was backfilled with clean, earthen material and is within the active well pad.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.

- BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13
 NMAC, until the location successfully achieves the required vegetative cover.
 - The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.
- Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves re-vegetation.
 BP will notify NMOCD when re-vegetation is successfully completed.
- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

Closure report on C-144 form is included & contains a photo of the reclamation completion.

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Release Notification and Corrective Action **OPERATOR** Initial Report Final Report Name of Company BP America Production Company Contact Steve Moskal Address 200 Energy Court, Farmington, NM 87401 Telephone No. (505) 326-9497 Facility Name FLORANCE GAS COM B 001E Facility Type Natural Gas Well Surface Owner Federal Mineral Owner Bureau of Land Management API No. 3004525549 LOCATION OF RELEASE Unit Letter Section Township Feet from the North/South Line Feet from the East/West Line Range County F 9 29N 12W 1,850 NORTH 1,650 WEST SAN JUAN Latitude 36.74385 Longitude -108.10748 NATURE OF RELEASE Type of Release NONE - BGT CONFIRMATION SAMPLING Volume of Release N/A Volume Recovered N/A Source of Release NOT APPLICABLE (N/A) Date and Hour of Occurrence N/A Date and Hour of Discovery N/A Was Immediate Notice Given? If YES, To Whom? ☐ Yes ☐ No ☒ Not Required By Whom? Date and Hour Was a Watercourse Reached? If YES, Volume Impacting the Watercourse. ☐ Yes ☒ No If a Watercourse was Impacted, Describe Fully.* Describe Cause of Problem and Remedial Action Taken.* NO INDICATION OF ANY INTEGRITY &/OR MAINTENANCE PROBLEMS WITH THE BGT, THEREFORE NO REMEDIAL ACTION NECESSARY. SAMPLING BENEATH BGT WAS CONDUCTED IMMEDIATELY AFTER REMOVAL. FIELD & LABORATORY ANALYTICAL REPORTS ARE ATTACHED. Describe Area Affected and Cleanup Action Taken.* NO CLEANUP ACTION NECESSARY. FINAL LABORATORY RESULTS SUPPORT CLOSURE OF THE BGT LOCATION. I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. OIL CONSERVATION DIVISION Signature: Approved by Environmental Specialist: Printed Name: Steve Moskal Title: Environmental Field Coordinator **Expiration Date:** Approval Date: E-mail Address: steven.moskal@bp.com Conditions of Approval: Attached

Phone: (505) 326.9497

Date: August 10, 2016

^{*} Attach Additional Sheets If Necessary

bp



BP America Production Company 200 Energy Court Farmington, NM 87401

May 19, 2016

Bureau of Land Management Katherina Diemer 6251 College Suite A Farmington, NM 87402

VIA EMAIL

Re: Notification of plans to close/remove a below grade tank Well Name: FLORANCE GC B 001E

API#: 30045225541

Dear Mrs. Diemer,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about May 24, 2016. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required please contact me for a specific time (505)-326-9497.

Sincerely,

Steven Moskal

BP America Production Company

Moskal, Steven

From:

Fields, Vanessa, EMNRD < Vanessa. Fields@state.nm.us>

Sent:

Tuesday, May 24, 2016 7:05 AM

To:

Railsback, Farrah (CH2M HILL); Smith, Cory, EMNRD

Cc:

jeffcblagg@aol.com; blagg_njv@yahoo.com; Moskal, Steven

Subject:

RE: BP Pit Close Notification - FLORANCE GC B 001E

Good morning,

Could you please tell me when the scheduled BGT will be removed today?

Thank you,

Vanessa Fields
Environmental Specialist
Oil Conservation Division
Energy, Minerals, & Natural Resources
1000 Rio Brazos, Aztec, NM 87410
(505)334-6178 ext 119
Cell: (505) 419-0463
vanessa.fields@state.nm.us

From: Railsback, Farrah (CH2M HILL) [mailto:Farrah.Railsback@bp.com]

Sent: Thursday, May 19, 2016 3:10 PM

To: Smith, Cory, EMNRD < Cory. Smith@state.nm.us>; Fields, Vanessa, EMNRD < Vanessa. Fields@state.nm.us>

Cc: jeffcblagg@aol.com; blagg njv@yahoo.com; Moskal, Steven < Steven.Moskal@bp.com >

Subject: BP Pit Close Notification - FLORANCE GC B 001E

BP America Production Company

200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: CORY.SMITH@STATE.NM.US; VANESSA.FIELDS@STATE.NM.US

May 19, 2016

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

FLORANCE GC B 001E API 30-045-25541 (F) Section 09 – T29N – R12W San Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close two 95 bbl BGT's that will no longer be operational at this well site. We anticipate this work to start on or around May 24, 2016.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Steven Moskal BP Field Environmental Coordinator

(505) 326-9497

Farrah Railsback BGT Project Support 970-946-9199 -cell

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

20	PLACE EN	IGINEEDING INC		2004505	F44	
CLIENT: BP			3	7 4 7 11.	541	
			(if applicable):			
FIELD REPORT:	(circle one): BGT CONFIRMATION /	RELEASE INVESTIGATION / OTHER:		PAGE #:	_1	
SITE INFORMATION	I: SITE NAME: FLORAN	NCE GC B #1E		DATE STARTED: 05/2	5/16	
QUAD/UNIT: F SEC: 9 TWP:	29N RNG: 12W PM:	NM CNTY: SJ ST:	NM	DATE FINISHED:		
" John State College Vic		STRIKE		ENVIRONMENTAL SPECIALIST(S): N.	JV	
	00			AMOL NI		
2)						
P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199 (circle one): BGT CONFRIMATION / RELEASE INVESTIGATION / OTHER: PAGE #: 1 of 1 DATE STATED DATE STATED DATE STATED DATE FINSHED: MA-144FOOTAGE: 1,850*N /1,650*W SE/NW LEASE TYPE: FEDERAL STATE / FEE / INDIAN STEINDAM FASE #: NM021119 PROD. FORMATION: DK CONTRACTOR: BP - J, GONZALES SPECIALISTS: NJV REFERENCE POINT: WELL HEAD (WH.) GPS COORD: 36,74356 X 108.10703 GPS COORD: DISTINCEBEARING FROM WH: 179°, NA8W GPS COORD: DISTINCEBEARING FROM WH: 179°, NA8W GPS COORD: DISTINCEBEARING FROM WH: 179°, NA8W OF SCOORD: DISTINCEBEARING FROM WH: DISTINCEBEARIN						
4)						
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # OF	R LAB USED: HALL			OVM READING	
	(95)-B SAMPLE DATE: 05/25/1		8015	5B/8021B/300.0 (CI)		
	· Company of the comp					
4) SAMPLE ID:	SAMPLE DATE:	SAMPLETIME: LAB ANALYSIS:				
SOIL DESCRIPTION	· SUI TABE: SAND SILLA SAND SI	IT SULTY CLAY CLAY COM/EL COTUED				
COHESION (ALL OTHERS): NON COHESIVE (SLIGHTLY CONSISTENCY (NON COHESIVE SOILS): LC MOISTURE: DRY SLIGHTLY MOIST) MOIST / WOISTURE: DRY SLIGHTLY MOIST / MOIST / WOIST	COHESIVE COHESIVE / HIGHLY COHESIVE IN COH	DENSITY (COHESIVE CLAYS & SILTS): SOF HC ODOR DETECTED: YES NO EXPLANATION ANY AREAS DISPLAYING WETNESS: YES NO YES NO EXPLANATION - NATION:	T/FIRM	STIFF VERY STIFF / HARD		
SOIL IMPACT DIMENSION ESTIMATION: DEPTH TO GROUNDWATER: >100' N		2777.70				
SITE SKETCH	BGT Located: off on site	PLOT PLAN circle: attach	ed OVM (CALIB. READ, = NA ppn	RF =0.52	
XXXX	PBGTL T.B. ~ 5' B.G. PROD. TANK		WI RE VII PJ Pe	NA am/pm DATE: MISCELL. NOT O: EF #: P - 630 D: VHIXONEVB2 I #: rmit date(s): 06/14	ES	
*	BERM		Tank	OVM = Organic Vapor Mete	er	
*	PERIMETER			ppm = parts per million		
	SECURITY	W.H. V CD				
NOTES: BGT = BELOW-GRADE TANK: E.D. = EXCAVATIO				BGT Sidewalls Visible: Y / N	1	
T.B. = TANK BOTTOM; PBGTL = PREVIOUS BELI	OW-GRADE TANK LOCATION; SPD = SAMPLE PO	INT DESIGNATION; R.W. = RETAINING WALL; NA - NO		agnetic declination: 10	E	
NOTES: GOOGLE EARTH IMAGE	RY DATE: 3/15/2015.	ONSITE: 05/25/16				

Analytical Report

Lab Order 1605B97

Date Reported: 5/27/2016

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Client Sample ID: 5PC-TB @ 5' (95)-B

Project: FLORANCE GC B 1E

Collection Date: 5/25/2016 9:06:00 AM

Lab ID: 1605B97-002

Matrix: SOIL

Received Date: 5/26/2016 7:54:00 AM

Analyses	Result	PQL Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst:	LGT
Chloride	51	30	mg/Kg	20	5/26/2016 12:39:16 PM	25539
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS	3			Analyst:	KJH
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	5/26/2016 10:44:02 AM	25516
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	5/26/2016 10:44:02 AM	25516
Surr: DNOP	98.9	70-130	%Rec	1	5/26/2016 10:44:02 AM	25516
EPA METHOD 8015D: GASOLINE RANGE					Analyst:	NSB
Gasoline Range Organics (GRO)	ND	4.4	mg/Kg	1	5/26/2016 10:25:14 AM	A34501
Surr: BFB	91.8	80-120	%Rec	1	5/26/2016 10:25:14 AM	A34501
EPA METHOD 8021B: VOLATILES					Analyst:	NSB
Benzene	ND	0.022	mg/Kg	1	5/26/2016 10:25:14 AM	B34501
Toluene	ND	0.044	mg/Kg	1	5/26/2016 10:25:14 AM	B34501
Ethylbenzene	ND	0.044	mg/Kg	1	5/26/2016 10:25:14 AM	B34501
Xylenes, Total	ND	0.088	mg/Kg	1	5/26/2016 10:25:14 AM	B34501
Surr: 4-Bromofluorobenzene	107	80-120	%Rec	1	5/26/2016 10:25:14 AM	B34501

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 2 of 6
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Cr	nain-c	f-Cus	tody Record	Tum-Around	IIIIe.	SAME				H	ALI	LE	N	/IF	20	N	4E	NTA	1L	
lient:	BLAG	G ENGR.	/ BP AMERICA	☐ Standard Project Name	Rush _	DAY)				A	AV	LY		5 L	AE	30	RA	TO		
1ailing A	ddress:	P.O. BO)	(87	FLC	DRANCE GC	B#1E		49	01 H	lawkir)		
		BLOOM	FIELD, NM 87413	Project #:						5-345			Fax							
hone #:		(505) 63	2-1199									Ana	lysis	Re	ques	st				
mail or F	ax#:			Project Mana	ger:							T	(4)				300.1)			
A/QC Pa			Level 4 (Full Validation)		NELSON V	ELEZ	(8021B)	TPH (Gas only)	/ MRO)		151		PO4,50	2 PCB's			water - 30		9	
ccreditat	tion:			Sampler:	NELSON V	ELEZ ny	- SE	I (Ga	DRO	17	SOZUGIME)		NO ₂ ,	8082			/ W		sample	_
NELAF)	□ Other	P. U.S. B.	On Ice:	⊈ Yes :		*	TPF	-	418.1)	17.40c	5	03	-		(AC	300.00/			
EDD (Type)			Sample Temp	erature: [5		4	BE +	(GR	por .	8 8	T T	CI,N	icide	(A)	i-V	1	4	oosii	3 (4
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEALNO 1UU 5B97	BTEX +- MAT	BTEX + MTBE	TPH 8015B (GRO	TPH (Method	DAH (8310 or	RCRA 8 Metals	Anions (F,CI,NO ₃ ,NO ₂ ,PO ₄ ,SO ₄)	8081 Pesticides	8260B (VOA)	8270 (Semi-VOA)	Chloride (soil	Grab sample	5 pt. composite	ir Bu
	0 900	SOIL	A-CED & GOT-AC	4 02 1	Cool	201	V		4								4		V	-
au									-			+	1	\vdash				\top		
5/24/16	0906	SOIL	5PC - TB @ 5 ' (95)-B	4 oz 1	Cool	702	٧		٧		1	-					٧		٧	
											+	_								
											+									
											+	+	+					+	-	_
												T								
ate: %V 5 5/24/16	Time: [810	Relinquishe	a VI	Received by:	Walt	Date Time 5/25/14 18/0	Ren	nark	5:	COCHMISSION		ING V	ID & R	EFERE		WHE	N APP	ICABLE		
ste:	Time: 20%	Relinquishe	td by: Land Albas mitted to Hall Environmental may be sa	Received by:		Date Time 26 16 07-54		eren		VHI	XONE - 63	VB2) vi	MOS	6HQI	FEC	VF	RITCJW	FEC	

d Times

Hall Environmental Analysis Laboratory, Inc.

WO#:

1605B97

27-May-16

Client:

Blagg Engineering

Project:

FLORANCE GC B 1E

Sample ID MB-25539

SampType: mblk

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 25539

PQL

Batch ID: 25539

Analysis Date: 5/26/2016

1.5

RunNo: 34533

Sample ID LCS-25539

LCSS

5/26/2016

SeqNo: 1065112

Units: mg/Kg

HighLimit

Prep Date: 5/26/2016

Analysis Date: 5/26/2016

%RPD **RPDLimit**

Qual

Analyte Chloride

Client ID:

Prep Date:

ND

Result

SampType: Ics

TestCode: EPA Method 300.0: Anions

RunNo: 34533

SeqNo: 1065113

Units: mg/Kg

Chloride

PQL SPK value SPK Ref Val %REC 1.5

15.00

SPK value SPK Ref Val %REC LowLimit

93.0

110

%RPD

Qual

14

HighLimit

RPDLimit

Page 3 of 6

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Holding times for preparation or analysis exceeded H

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix Analyte detected in the associated Method Blank

Value above quantitation range

Analyte detected below quantitation limits

P Sample pH Not In Range RL Reporting Detection Limit

Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#: 1605B97

27-May-16

Client:

Blagg Engineering

Sample ID MB-25516	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics
Client ID: PBS	Batch ID: 25516	RunNo: 34489
Prep Date: 5/26/2016	Analysis Date: 5/26/2016	SeqNo: 1063830 Units: mg/Kg
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Diesel Range Organics (DRO)	ND 10	
Motor Oil Range Organics (MRO)	ND 50	
Surr: DNOP	8.3 10.00	83.4 70 130
Sample ID LCS-25516	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics
Client ID: LCSS	Batch ID: 25516	RunNo: 34489
Prep Date: 5/26/2016	Analysis Date: 5/26/2016	SeqNo: 1063831 Units: mg/Kg
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Diesel Range Organics (DRO)	48 10 50.00	0 95.2 62.6 124
Surr: DNOP	4.4 5.000	88.1 70 130
Sample ID LCS-25515	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics
Client ID: LCSS	Batch ID: 25515	RunNo: 34493
Prep Date: 5/26/2016	Analysis Date: 5/26/2016	SeqNo: 1063925 Units: %Rec
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Surr: DNOP	4.8 5.000	95.5 70 130
Sample ID MB-25515	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics
Client ID: PBS	Batch ID: 25515	RunNo: 34493
Prep Date: 5/26/2016	Analysis Date: 5/26/2016	SeqNo: 1063926 Units: %Rec
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Surr: DNOP	9.9 10.00	98.7 70 130

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits R
- % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank
- E Value above quantitation range
- Analyte detected below quantitation limits
- Page 4 of 6

- P Sample pH Not In Range
- Reporting Detection Limit RL
- Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1605B97

27-May-16

Client:

Blagg Engineering

Project:

FLORANCE GC B 1E

Sample ID 5ML RB

SampType: MBLK

PQL

5.0

TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS

Batch ID: A34501

RunNo: 34501

Prep Date:

Analysis Date: 5/26/2016

SeqNo: 1064397

Units: mg/Kg

Analyte

Result

%REC LowLimit

Qual

Gasoline Range Organics (GRO)

ND 950

SPK value SPK Ref Val

94.7

%RPD **RPDLimit**

Surr: BFB

1000

HighLimit

120

Sample ID 2.5UG GRO LCS

SampType: LCS

Batch ID: A34501

TestCode: EPA Method 8015D: Gasoline Range RunNo: 34501

80

Prep Date:

Client ID: LCSS

Analysis Date: 5/26/2016

SeqNo: 1064398

Units: mg/Kg

Analyte Gasoline Range Organics (GRO)

PQL Result

SPK value SPK Ref Val 25.00 1000

%REC LowLimit 99.1 104

HighLimit 80

%RPD

RPDLimit

Qual

Surr: BFB

25 5.0 1000

0

80

120 120

Qualifiers:

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

H Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit ND

RPD outside accepted recovery limits R % Recovery outside of range due to dilution or matrix S

Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 5 of 6

P Sample pH Not In Range

RL Reporting Detection Limit Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1605B97

27-May-16

Client:

Blagg Engineering

Project:

FLORANCE GC B 1E

Sample ID 5ML RB	Samp	Type: MI	BLK	Tes	TestCode: EPA Method 8021B: Volatiles					
Client ID: PBS	Batc	Batch ID: B34501			RunNo: 34501					
Prep Date:	Analysis Date: 5/26/2016			8	SeqNo: 1	064418	Units: mg/k			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Kylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.0		1.000		103	80	120			

Sample ID 100NG BTEX LC	S Samp	SampType: LCS TestCode: EPA Method 8021B: Volatiles								
Client ID: LCSS	Batc	h ID: B3	4501	RunNo: 34501						
Prep Date:	Analysis [Date: 5/	26/2016	\$	SeqNo: 1	064419	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.97	0.025	1.000	0	96.6	75.3	123			
Toluene	0.99	0.050	1.000	0	99.2	80	124			
Ethylbenzene	1.0	0.050	1.000	0	101	82.8	121			
Xylenes, Total	3.1	0.10	3.000	0	102	83.9	122			
Surr: 4-Bromofluorobenzene	1.1		1.000		110	80	120			

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 6 of 6

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107

Website: www.hallenvironmental.com

Sample Log-In Check List

BLAGG Work Order Number: 1605B97 RcptNo: 1 Client Name: Received by/date: anne Sham Logged By: Anne Thorne 5/26/2016 7:54:00 AM 5/26/2016 Completed By: Anne Thorne Reviewed By: 05/26/16 Chain of Custody No Not Present V Yes 1. Custody seals intact on sample bottles? Yes V No 🗌 Not Present 2. Is Chain of Custody complete? 3. How was the sample delivered? Courier Log In No 🗌 NA Yes V 4. Was an attempt made to cool the samples? NA 🗍 5. Were all samples received at a temperature of >0° C to 6.0°C Yes V No Yes V 6. Sample(s) in proper container(s)? Yes V 7. Sufficient sample volume for indicated test(s)? No 8. Are samples (except VOA and ONG) properly preserved? Yes V No V NA T 9. Was preservative added to bottles? Yes Yes No VOA Vials 10. VOA vials have zero headspace? No V 11. Were any sample containers received broken? # of preserved bottles checked Yes V No 🗌 for pH: 12. Does paperwork match bottle labels? (<2 or >12 unless noted) (Note discrepancies on chain of custody) Adjusted? No 🗌 13. Are matrices correctly identified on Chain of Custody? Yes V No 🗌 Yes 🗸 14. Is it clear what analyses were requested? No 🗌 Checked by: Yes V 15. Were all holding times able to be met? (If no, notify customer for authorization.) Special Handling (if applicable) Yes No 🗌 NA V 16. Was client notified of all discrepancies with this order? Date Person Notified: By Whom: Via: eMail Phone Fax In Person Regarding: Client Instructions: 17. Additional remarks: 18. Cooler Information Seal Intact | Seal No Cooler No Temp °C Condition Seal Date Signed By Good



