OIL CONS. DIV DIST. 3

1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit, Closed-Loop System, Below-Grade Tank, or

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

	rnative Method Per			
Closure	e of a pit, closed-loop syste cation to an existing permit e plan only submitted for an	m, below-grade tani t	k, or propos	d alternative method AUG 1 9 2016 ed alternative method nitted pit, closed-loop system,
Instructions: Please submit one applicat		lual nit closed-loon su	stam halow-	grade tank or alternative request
Please be advised that approval of this request does not environment. Nor does approval relieve the operator of	t relieve the operator of liability	should operations resul	t in pollution	of surface water, ground water or the
Operator: BP AMERICA PRODUCTION Co	OMPANY	OGRID #:	778	
Address: 200 Energy Court, Farmington, N	IM 87401			
Facility or well name: GALLEGOS CANYON	UNIT 354			
API Number: 3004526471		Permit Number:		
U/L or Qtr/Qtr Section 29.0				San Juan County
Center of Proposed Design: Latitude 36.6298		gitude -108.12905		NAD: □1927 × 1983
Surface Owner: ▼ Federal ☐ State ☐ Private ☐		-		
Temporary: Drilling Workover Permanent Emergency Cavitation F Lined Unlined Liner type: Thickness String-Reinforced Liner Seams: Welded Factory Other Closed-loop System: Subsection H of 19.15.	mil LLDPE	Volume:b	bbl Dimension	ons: Lx Wx D
Type of Operation: ☐ P&A ☐ Drilling a new w intent)	ell workover or Drilling (Applies to activities v	vnich require	prior approvai of a permit of notice of
☐ Drying Pad ☐ Above Ground Steel Tanks ☐	☐ Haul-off Bins ☐ Other _			
Lined Unlined Liner type: Thickness	mil LLDPE	☐ HDPE ☐ PVC	Other _	
Liner Seams: Welded Factory Other				
4. Below-grade tank: Subsection I of 19.15.17. Volume: 95.0 bbl Type of fl Tank Construction material: Steel Secondary containment with leak detection Visible sidewalls and liner Visible sidewalls with leak detection Union type: Thickness mil	uid: Produced Water ☐ Visible sidewalls, liner, 6-in alls only ☐ Other DOUBLE	nch lift and automatic	BOTTOMED	SIDEWALLS NOT VISIBLE
5.				
Alternative Method: Submittal of an exception request is required. Exception	contions must be sub-like 1 to	the Cente E- Fundament	antal D	a OC as for assaidanting of assault
Summing of an exception reduest is reduited. Eve	community the community to	TIME NAMED BY BUILDING	TENTRAL HITTORY	OTTICE for consideration of approval

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	hospital,
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	priate district
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Dil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment of facilities are required.	
Disposal Facility Name: Disposal Facility Permit Number:	
Disposal Facility Name: Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future s Yes (If yes, please provide the information below) No	ervice and operations?
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NM Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	AC
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable so provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate deconsidered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Judemonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	strict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards can Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	9.15.17.11 NMAC

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate a	nd complete to the best of my knowledge and belief.
Name (Print):	Title:
Signature:	Date:
e-mail address:	Telephone:
N 118-1-1	Approval Date: S 24 2016
Closure Report (required within 60 days of closure completion): Subsection K of Instructions: Operators are required to obtain an approved closure plan prior to im The closure report is required to be submitted to the division within 60 days of the consection of the form until an approved closure plan has been obtained and the closure	plementing any closure activities and submitting the closure report. ompletion of the closure activities. Please do not complete this
	Closure completion Date.
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative If different from approved plan, please explain.	Closure Method
	fluids and drill cuttings were disposed. Use attachment if more than sposal Facility Permit Number:sposal Facility Permit Number:
Closure Report Attachment Checklist: Instructions: Each of the following items is mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude 36.6298 Longitude	nust be attached to the closure report. Please indicate, by a check -108.12905 NAD: □1927 × 1983
Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this closure report belief. I also certify that the closure complies with all applicable closure requirements	and conditions specified in the approved closure plan.
Name (Print): Steve Moskal	Title: Field Environmental Coordinator
Signature: Steen Mun	Date:08\11\2016
e-mail address: steven.moskal@bp.com	Telephone: 505-326-9497

BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

Gallegos Canyon Unit # 354 – Tank ID: A

API #: 3004526471

Unit Letter I, Section 29, T28N, R12W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

- BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of
 mailing of the notice to the address of the surface owner shown in the county tax records
 demonstrates compliance with this requirement.
 - Notice is attached.
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice was provided and documented in the attached email.

- BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)
 - f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
 - g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
 - h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
 - i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
 - BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
 - k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and/or sludge within the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for either re-use or recycling.

BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification (mg/Kg)	Sample Results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	< 0.019
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.077
TPH	US EPA Method SW-846 418.1	100	<50
Chlorides	US EPA Method 300.0 or 4500B	250 or background	<30

Notes:

mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil beneath the BGT was sampled for TPH, BTEX, and chloride. All test parameters were below the stated limits. A field and laboratory reports are attached.

- 7. BP shall notify the division District III office of its results on form C-141. C-141 is attached.
- If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results reveal no evidence of a release has occurred.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, nonwaste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area.

Sampling results reveal no evidence of a release has occurred. Area was backfilled with clean, earthen material and is within the active well pad. This area will be reclaimed since the gas well has been plugged & abandoned.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area over the BGT will be part of the final reclamation since the gas well has been plugged & abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area over the BGT will be part of the final reclamation since the gas well has been plugged & abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area over the BGT will be part of the final reclamation since the gas well has been plugged & abandoned.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

The area over the BGT will be part of the final reclamation since the gas well has been plugged & abandoned.

- Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves re-vegetation.
 BP will notify NMOCD when re-vegetation is successfully completed.
- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

Closure report on C-144 form is included & contains a photo of the reclamation completion.

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

			Rele	ease Notific	cation	and Co	rrective A	ction				
						OPERA'	ΓOR		Initi	al Report		Rep
Name of Co	ompany BI	America l	Producti	on Company	(Contact Sto	ve Moskal					
				NM 87401		Telephone 1	No. (505) 326-9	9497				
acility Na	me GALL	EGOS CA	NYON U	NIT 354]	Facility Typ	e Natural Gas	Well				
Surface Ow	mer Navaj	o Agricultu	ral Proc	luct Industry	1	Mineral Ow	ner Federal			AP	No. 3004526	5471
				LOCA	ATION	OF RE	LEASE					
Init Letter	Section 29	Township 28N	Range 12W	Feet from the 1,450	The state of the s	South Line OUTH	Feet from the 890		est Line AST	County	SAN JUAN	
			I			_Longitud	e108.12905 EASE					
ype of Rele	ase NONE	-BGT CON	FIRMAT	TION SAMPLIN	G	Volume of	Release N/A			Recovered		
		APPLICAB	LE (N/A)			The second secon	lour of Occurrent	e N/A	Date and	Hour of I	Discovery N/A	
Vas Immedi	ate Notice G		Yes [No Not Re	equired	If YES, To	Whom?					
By Whom?						Date and I	our					
	course Reac		Yes 🗵	No			lume Impacting	the Water	rcourse.			
HEREFORI ABORATO	E NO REME RY ANALYI	DIAL ACTIO	N NECES RTS ARE	n Taken.* NO IN SARY, SAMPLIN ATTACHED. sen.* NO CLEAN	IG BENE	ATH BGT W	AS CONDUCTEI	IMMED	OIATELY A	AFTER RE	MOVAL, FIELI	<u>&</u>
HE BGT LC		ind Cleanup A	action Tai	NO CLEAN	(UP ACT)	ION NECESS	ARY. FINAL LA	BORATO	JRY RESU	LISSUFF	ORI CLOSURE	OF
egulations a public health should their or or the environ	or the environment. In ac	are required to onment. The ave failed to a	acceptand acceptand dequately OCD accep	e is true and comp nd/or file certain r ce of a C-141 repo investigate and r otance of a C-141	release no ort by the remediate	NMOCD m	nd perform correct arked as "Final R on that pose a thr	etive action eport" do reat to gro	ons for rele oes not reli ound water	eases which ieve the ope r, surface w	h may endanger erator of liability ater, human hea	y
	11	2.					OIL CON	SERV	ATION	DIVISI	ON	
ignature: 1	Here?	AMO				Approved by	Environmental S	pecialist:				
	e: Steve Mo											
itle: Envir	onmental Fi	ield Coordin	ator		1	Approval Dat	e:	E	xpiration	Date:		
-mail Addre	ess: steven.	moskal@bp.	com		(Conditions of	Approval:			Attache	d 🗆	

^{*} Attach Additional Sheets If Necessary

bp



BP America Production Company 200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

June 10, 2016

Bureau of Land Management Katherina Diemer 6251 College, Suite A Farmington, NM 87402 kdiemer@blm.gov

VIA E-MAIL - RETURN RECEIPT REQUESTED

Re: Notification of plans to close/remove a below grade tank

Well Name: GALLEGOS CANYON UNIT 354

API#: 3004526471

Dear Mrs. Diemer,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about June 14, 2016. If there aren't any unforeseen problems, the work should be completed within 10 working days. A BLM Sundry will follow.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

Unless you have questions about this notice, there is no need to respond to this letter. If you do have any questions or concerns, please contact me at (505)-326-9497.

Sincerely,

Steve Moskal

BP America Production Company

Moskal, Steven

From:

Moskal, Steven

Sent:

Monday, June 13, 2016 3:15 PM

To:

'Smith, Cory, EMNRD'; 'Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us)';

kdiemer@blm.gov

Cc:

'jeffcblagg@aol.com'; 'blagg_njv@yahoo.com'; Gonzales, Jody J; Railsback, Farrah (CH2M HILL);

mgporter@blm.gov

Subject:

UPDATE: BP Pit Close Notification - GALLEGOS CANYON UNIT 354

Please be advised, the BGT is scheduled to be removed at 1:00 PM tomorrow, 6/14/16. I had previously stated 9:00 AM.

Let me know if there are any questions or conflicts.

Thank you,

Steve Moskal

BP Lower 48 – San Juan – Farmington Field Environmental Coordinator Office: (505) 326-9497

Cell: (505) 326-9497 Cell: (505) 330-9179



This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

From: Moskal, Steven

Sent: Friday, June 10, 2016 9:01 AM

To: Railsback, Farrah (CH2M HILL); Smith, Cory, EMNRD; Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us)

Cc: jeffcblagg@aol.com; blagg njv@yahoo.com; Gonzales, Jody J Subject: BP Pit Close Notification - GALLEGOS CANYON UNIT 354

BP America Production Company

200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: CORY.SMITH@STATE.NM.US; VANESSA.FIELDS@STATE.NM.US

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

GALLEGOS CANYON UNIT 354 API 30-045-26471 (I) Section 29 – T28N – R12W San Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 95 bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around June 14, 2016.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Steven Moskal BP Field Environmental Coordinator

(505) 326-9497

CLIENT: BP	BLAGG ENGINEERING, IN P.O. BOX 87, BLOOMFIELD, N (505) 632-1199		API #:300452647 TANK ID (if applicble):A	1			
FIELD REPORT:	(circle one): BGT CONFIRMATION / RELEASE INVESTIGATION /	OTHER:	PAGE#: 1 of _	1			
SITE INFORMATION	SITE NAME: GCU # 354		DATE STARTED: 06/14/1	16			
QUAD/UNIT: SEC: 29 TWP:	28N RNG: 12W PM: NM CNTY: SJ	ST: NM	DATE FINISHED:				
1/4 -1/4/FOOTAGE: 1,450'S / 890	CTDIVE		ENVIRONMENTAL				
	PROD. FORMATION: PC CONTRACTOR: BP - J. GO						
REFERENCE POINT	00:020						
1) 95 BGT (DW/DB)	GPS COORD.: 36.62980 X 108.12905	DISTANCE/BEA	RING FROM W.H.: 67', S1W				
2)	GPS COORD.:						
	GPS COORD.: DISTANCE GPS COORD.: DISTANCE						
			(£	ppm)			
				NA			
The state of the s							
SOIL DESCRIPTION	SOIL TYPE: SAND SILTY SAND SILT / SILTY CLAY / CLAY / GRAV	EL/OTHER					
				ASTIC			
CONSISTENCY (NON COHESIVE) SLIGHTLY CONSISTENCY (NON COHESIVE SOILS): LC							
MOISTURE: DRY SLIGHTLY MOIST / MOIST / W		LA DAMINON					
SAMPLE TYPE: GRAB (COMPOSITE) #		SS: YES NO EXPLAN	HATION -				
DISCOLORATION/STAINING OBSERVED: YES N							
	LOST INTEGRITY OF EQUIPMENT: YES NO EXPLANATION D AND/OR OCCURRED: YES NO EXPLANATION:						
EQUIPMENT SET OVER RECLAIMED AREA:							
OTHER: GAS WELL PLUGGED & ABAND	ONED (P&A) IN JANUARY 2016. NMOCD REP. PRESENT DI	JRING SAMPLE COI	LECTION.	113			
SOIL IMPACT DIMENSION ESTIMATION:	NA ft. X NA ft. X NA ft.	EXCAVATION EST	TIMATION (Cubic Yards) : NA	A			
DEPTH TO GROUNDWATER: <50' N	AREST WATER SOURCE: >1,000' NEAREST SURFACE WATER:	<1,000' NMOC		_ ppm			
SITE SKETCH	BGT Located : off on site PLOT PLAN cir	cle: attached OVM	CALIB READ = NA pom po	20-2			
	Å то		- IV	-0.32			
4 5 5 5 1 1	P & A MARKER						
	WARNER	141	MISCELL NOTES	0			
SEPARATOR	PBGTL	l w					
on Alvion	T.B. ~ 5' B.G.						
		100					
	FENCE	P					
	FENCE	P	ermit date(s): 06/14/10)			
COMPRESSOR			CD Appr. date(s): 06/14/16	100			
	/ A		TANK ID (if applicble): A PAGE #: 1 of 1 DATE STARTED: 06/14/16 NM DATE FINISHED: DIAN ENVIRONMENTAL SPECIALIST(S): NJV 1.12907 GL ELEV: 5,624' DISTANCE/BEARING FROM WH: DISTANCE/BEARING FROM W				
	BERM	A	0				
)	(- S.P.D.	The same of the sa				
	N DEPRESSION; B.G. = BELOW GRADE; B = BELOW, T.H. = TEST HOLE; ~ = APPROX;						
)W-GRADE TANK LOCATION; SPD = SAMPLE POINT DESIGNATION; R.W. = RETAINING WALL; DW - DOUBLE WALL; SB - SINGLE BOTTOM; DB - DOUBLE BOTTOM.	WALL, NA - NOT	lagnetic declination: 10° E				
NOTES: GOOGLE FARTH IMAGE		16		1111			

Analytical Report

Lab Order 1606775

Date Reported: 6/16/2016

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Client Sample ID: 5PC-TB@5' (95)

Project: GCU 354

Collection Date: 6/14/2016 1:15:00 PM

Lab ID: 1606775-001

Matrix: MEOH (SOIL) Received Date: 6/15/2016 7:15:00 AM

Analyses	Result	PQL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst:	LGT
Chloride	ND	30	mg/Kg	20	6/15/2016 11:11:17 AM	25885
EPA METHOD 8015M/D: DIESEL RAN	IGE ORGANICS	3			Analyst:	TOM
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	6/15/2016 11:25:55 AM	25864
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	6/15/2016 11:25:55 AM	25864
Surr: DNOP	93.2	70-130	%Rec	1	6/15/2016 11:25:55 AM	25864
EPA METHOD 8015D: GASOLINE RA	NGE				Analyst:	NSB
Gasoline Range Organics (GRO)	ND	3.8	mg/Kg	1	6/15/2016 9:46:56 AM	25846
Surr: BFB	105	80-120	%Rec	1	6/15/2016 9:46:56 AM	25846
EPA METHOD 8021B: VOLATILES					Analyst:	NSB
Benzene	ND	0.019	mg/Kg	1	6/15/2016 9:46:56 AM	25846
Toluene	ND	0.038	mg/Kg	1	6/15/2016 9:46:56 AM	25846
Ethylbenzene	ND	0.038	mg/Kg	1	6/15/2016 9:46:56 AM	25846
Xylenes, Total	ND	0.077	mg/Kg	1	6/15/2016 9:46:56 AM	25846
Surr: 4-Bromofluorobenzene	101	80-120	%Rec	1	6/15/2016 9:46:56 AM	25846

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 1 of 5
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

CI	hain-c	of-Cus	tody Record	Turn-Around	Time:	SAME	L			H	IA	LL	EI	VV	IF	09	NI	ME	NT	AL	
lient:	BLAG	G ENGR.	/ BP AMERICA	☐ Standard	☑ Rush	DAY)				A	N	AL	YS	315	S L	A	30	RA	TO	RY	<i>[</i>
				Project Name					10.00		www	w.ha	llen	viro	nme	ental	l.con	n			
1ailing A	ddress:	P.O. BOX	(87		GCU # 35	54		49	01 H	lawk	ins l	NE -	Alb	uqu	erq	ue, N	MIN	37109)		
	4-1	BLOOM	FIELD, NM 87413	Project #:				Te	el. 50	5-34	5-3	975	F	ax !	505-	345	-410	7			
hone #:		(505) 63	2-1199									А	naly	/sis	Red	ques	st				
mail or	Fax#:			Project Mana	ger:									(4)				300.1)			
A/QC Pa	-		Level 4 (Full Validation)		NELSON V	ELEZ	(80218)	+ TPH (Gas only)	/ MRO)			(S)		PO ₄ ,SO	2 PCB's			water - 30		e	
ccredita	tion:			Sampler:	NELSON V		-Se	(Ga	DRO	1)	1.	8270SIMS)	Н	102	/ 8082			-		dma	
NELA		□ Other_		On ice:		∖□-No (le	#	TPH		418	504	827	vs	S,	/ se		(AC	300.0		te sa	N I
EDD (Type)	1 (Sample Temp	erature: / S	7	#	BE +	(GRO	por	bot		etal	CI,N	icide	(A)	i-V	1	-5	osit	3
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEALNO.	BTEX ←MF	BTEX + MTBE	TPH 8015B	TPH (Method 418.1)	EDB (Method 504.1)	PAH (8310 or	RCRA 8 Metals	Anions (F,Cl,NO3,NO2,PO4,SO4)	8081 Pesticides	8260B (VOA)	8270 (Semi-VOA)	Chloride (soll	olumes dera	5 pt. composite sample	
6/14/16	1315	SOIL	5PC - TB @ 5" (95)	4 oz 1	Cool	-001	٧		٧									٧		V	
				7771																	
			- 1																		
																				1	
			VARIOUS AND TO SERVICE AND TO SERVIC																_	\perp	_
ate: 6/14/16	Time: 1420	Relinquishe	a by:	Received by:	eta	Date Time	Ren	narks	5.	CORR	ESPO		G VID	& RE	FERE		WHE	APPL	ICABLE		
ate:	Time: 254()	Relinquishe	est laceles	Received by:	X N.	Date Time	Ref	eren	VID: ce#			SOSPI				HQF			ITCJW		

Hall Environmental Analysis Laboratory, Inc.

WO#:

1606775

16-Jun-16

Client:

Blagg Engineering

Project:

GCU 354

Sample ID MB-25885

SampType: mblk

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 25885

RunNo: 34957

Prep Date: 6/15/2016

SeqNo: 1080065

Analysis Date: 6/15/2016

1.5

Units: mg/Kg

HighLimit

%RPD **RPDLimit**

Qual

Analyte Chloride

Result PQL ND

SampType: Ics

TestCode: EPA Method 300.0: Anions

Sample ID LCS-25885

RunNo: 34957

Prep Date: 6/15/2016

Client ID: LCSS

Batch ID: 25885 Analysis Date: 6/15/2016

PQL

1.5

SeqNo: 1080066

Units: mg/Kg **HighLimit**

RPDLimit

Qual

96.0

%RPD

Chloride

14

15.00

SPK value SPK Ref Val %REC

SPK value SPK Ref Val %REC LowLimit

110

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit ND

RPD outside accepted recovery limits R

% Recovery outside of range due to dilution or matrix S

Analyte detected in the associated Method Blank

Value above quantitation range

Analyte detected below quantitation limits

Page 2 of 5

P Sample pH Not In Range

RL Reporting Detection Limit Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#: 1606775

16-Jun-16

Client:

Blagg Engineering

Project:

GCU 354

Sample ID LCS-25831	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics
Client ID: LCSS	Batch ID: 25831	RunNo: 34919
Prep Date: 6/14/2016	Analysis Date: 6/15/2016	SeqNo: 1078596 Units: %Rec
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Surr: DNOP	6.1 5.000	122 70 130
Sample ID MB-25831	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics
Client ID: PBS	Batch ID: 25831	RunNo: 34919
Prep Date: 6/14/2016	Analysis Date: 6/15/2016	SeqNo: 1078597 Units: %Rec
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Surr: DNOP	11 10.00	111 70 130
Sample ID MB-25864	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics
Client ID: PBS	Batch ID: 25864	RunNo: 34919
Prep Date: 6/15/2016	Analysis Date: 6/15/2016	SeqNo: 1078598 Units: mg/Kg
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Diesel Range Organics (DRO)	ND 10	
Motor Oil Range Organics (MRO)	ND 50	
Surr: DNOP	10 10.00	99.7 70 130
Sample ID LCS-25864	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics
Client ID: LCSS	Batch ID: 25864	RunNo: 34919
Prep Date: 6/15/2016	Analysis Date: 6/15/2016	SeqNo: 1078832 Units: mg/Kg
Analyte	7.555.51	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Diesel Range Organics (DRO)	48 10 50.00	0 96.9 62.6 124
Surr: DNOP	4.7 5.000	94.7 70 130

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 3 of 5

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

1100

WO#:

1606775

16-Jun-16

Client:

Blagg Engineering

Project:

Surr: BFB

GCU 354

Sample ID MB-25846	SampType: MI	BLK	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	е	
Client ID: PBS	Batch ID: 25	846	F	RunNo: 3	4934				
Prep Date: 6/14/2016	Analysis Date: 6	15/2016	5	SeqNo: 1	079435	Units: mg/K	g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND 5.0								
Surr: BFB	1100	1000		107	80	120		and the	
Sample ID LCS-25846	SampType: LC	s	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	е	
Client ID: LCSS	Batch ID: 25	846	F	RunNo: 34	4934				
Prep Date: 6/14/2016	Analysis Date: 6/	15/2016		SeqNo: 1	079436	Units: mg/K	g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	22 5.0	25.00	0	87.1	80	120			

114

80

120

1000

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 4 of 5

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

0.93

0.92

0.92

2.8

1.1

0.025

0.050

0.050

0.10

1.000

1.000

1.000

3.000

1.000

WO#:

1606775

16-Jun-16

Client:

Blagg Engineering

Project:

Benzene

Toluene

Ethylbenzene

Xylenes, Total

Surr: 4-Bromofluorobenzene

GCU 354

Sample ID MB-25846 SampType: MBLK			Tes							
Client ID: PBS	Batch ID: 25846 Analysis Date: 6/15/2016			RunNo: 34934						
Prep Date: 6/14/2016				8	SeqNo: 1	079465	Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.0		1.000		104	80	120			
Sample ID LCS-25846	SampType: LCS TestCode: EPA Method 8021B: Volatiles									
Client ID: LCSS	Batch ID: 25846			RunNo: 34934						
Prep Date: 6/14/2016	Analysis Date: 6/15/2016			SeqNo: 1079466 Units: mg/Kg						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual

0

0

0

0

92.9

92.0

92.1

92.1

109

75.3

82.8

83.9

80

80

123

124

121

122

120

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix B Analyte detected in the associated Method Blank

Value above quantitation range

Analyte detected below quantitation limits

Page 5 of 5

P Sample pH Not In Range

RL Reporting Detection Limit

Sample container temperature is out of limit as specified



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: BLAGG		Work Order Number: 1606775				RcptNo: 1		
Received by/date:	indsay Mangin	02/16/16 6/15/2016 7:15:00 AM			Simulay Heritigio		man x o a a	
Completed By: L	indsay Mangin	6/15/2016 7:47:15 AM			Simby Hopes		***	
Reviewed By:	Q	06/15/16			000			
Chain of Custoo	dy //	, , , , ,						
1. Custody seals in	ntact on sample bottles?		Yes		No 🗀	Not Present		
2. Is Chain of Cust	ody complete?		Yes	*	No 🗆	Not Present		
3. How was the sample delivered?			Cou	ier				
Log In								
4. Was an attempt	t made to cool the samples?		Yes		No 🗌	NA 🗆		
5. Were all sample	es received at a temperature	of >0° C to 6.0°C	Yes	*	No 🗆	NA 🗆		
6. Sample(s) in pro	oper container(s)?		Yes	*	No 🗆			
7. Sufficient sample	e volume for indicated test(s	?	Yes	*	No 🗌			
	cept VOA and ONG) properl		Yes		No 🗆			
9. Was preservativ			Yes		No 🖈	NA 🗆		
10, VOA vials have :	zero headspace?		Yes		No 🗆	No VOA Vials		
	le containers received broke	n?	Yes		No 🐼			
						# of preserved bottles checked		
The state of the s	match bottle labels?		Yes	*	No 🗆	for pH:		
	cies on chain of custody)	2			No 🗆	(<2 o	r >12 unless noted)	
13. Are matrices correctly identified on Chain of Custody?14. Is it clear what analyses were requested?			Yes		No 🗆			
15. Were all holding	times able to be met? tomer for authorization.)		Yes	*	No 🗆	Checked by:		
Special Handling	g (if applicable)							
16. Was client notifie	ed of all discrepancies with the	nis order?	Yes		No 🗌	NA 🐼		
Person No	tified:	Date:	-	-	THE STATE OF THE S			
By Whom:	NAME AND ADDRESS OF THE PARTY O	Via:	eMa	di [Phone Fax	☐ In Person		
Regarding	Separation of the Parket Street, Stree		_ Olivic		There [] rex	III T GISON		
Client Instr	ructions:							
17. Additional rema	rks:						U	
18. Cooler Informa	ation							
1	1 1	al Intact Seal No S	eal Da	ate	Signed By			
1 1	.7 Good Yes							



