District J
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

# State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

# Proposed Alternative Method Permit or Closure Plan Application

Troposed Atternative Wethou Fernit of Closure Flan A	prication
Type of action:  Below grade tank registration  Permit of a pit or proposed alternative method  Closure of a pit, below-grade tank, or proposed alternative method  Modification to an existing permit/or registration  Closure plan only submitted for an existing permitted or non-permore or proposed alternative method	
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tand	k or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental.	
Operator: BP America Production Company OGRID #: 778	
Address: 200 Energy Court, Farmington, NM 87401	OIL CONS DIV DIST 3
Facility or well name: STATE COM B 003	
API Number:OCD Permit Number:	NOV 1 5 2016
U/L or Qtr/Qtr A Section 16 Township 30N Range 09W County:	
Center of Proposed Design: Latitude 36.81621 Longitude -107.77998	NAD: □1927 ⊠ 1983
Surface Owner: ☐ Federal ☑ State ☐ Private ☐ Tribal Trust or Indian Allotment	
Pit: Subsection F, G or J of 19.15.17.11 NMAC  Temporary: Drilling Workover Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chlorid Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimension	
3. Subsection I of 19.15.17.11 NMAC TANK B  Volume: 21 bbl Type of fluid: Produced water	
Tank Construction material: Steel	
Secondary containment with leak detection  Visible sidewalls, liner, 6-inch lift and automatic overflow shu	
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other <u>Double wall/ Double bottom; no visible sidewalls only ☐ HDPE ☐ PVC ☐ Other</u>	
Alternative Method:	
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau	u office for consideration of approval.



Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application.  NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No
Within 100 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit Non-low chloride drilling fluid	
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application;  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Permanent Pit or Multi-Well Fluid Management Pit	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do attached.	
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC	
Previously Approved Design (attach copy of design) API Number: or Permit Number:	
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the docattached.  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	cuments are
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☐ A List of wells with approved application for permit to drill associated with the pit. ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC	.15.17.9 NMAC
Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Previously Approved Design (attach copy of design) API Number: or Permit Number:	

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC	d
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the	aocuments are
attached.  Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment	
<ul> <li>□ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>□ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>□ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC</li> </ul>	
☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Quality Control/Quality Assurance Construction and Installation Plan ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan  Emergency Response Plan	
Oil Field Waste Stream Characterization Monitoring and Inspection Plan	
Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well Fl	uid Management Pit
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)	
On-site Closure Method (Only for temporary pits and closed-loop systems)  In-place Burial On-site Trench Burial	
Alternative Closure Method	
closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
15. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. P. 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 25-50 feet below the bottom of the buried waste  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached.  Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC	documents are										
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Climatological Factors Assessment											
☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC											
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan											
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan  Emergency Response Plan  Oil Field Waste Stream Characterization  Monitoring and Inspection Plan  Erosion Control Plan											
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC											
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.											
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F	luid Management Pit										
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method											
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached.  □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC  □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  □ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC											
15. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. F. 19.15.17.10 NMAC for guidance.											
Ground water is less than 25 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No										
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No										
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No										
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes No										
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No										
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes No										
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No										
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No										
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance											

adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geologica Society; Topographic map</li> </ul>	ıl ☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the close by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings on case on-site closure standards Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	15.17.11 NMAC of 19.15.17.11 NMAC
Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge ar  Name (Print): Title:	
Signature: Date:	
e-mail address:	
OCD Approval: Permit Application (including closure plan Closure Plan (only) OCD Conditions (see attachmen OCD Representative Signature:  OCD Permit Number:	11010-11
Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submather than the closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please a section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date: 9/24/20	do not complete this
20.  Closure Method:  Waste Excavation and Removal □ On-Site Closure Method □ Alternative Closure Method □ Waste Removal (Clo□ If different from approved plan, please explain.	sed-loop systems only)

22.	
Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this clobelief. I also certify that the closure complies with all applicable closure red	
Name (Print): Steve Moskal	Title: Field Environmental Coordinator
Signature: AlasMa	Date: November 14, 2016
e-mail address: steven.moskal@bp.com	Telephone:(505) 326-9497

#### BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

#### BELOW-GRADE TANK CLOSURE PLAN

#### State Com B 003 API No. 3004509534 Unit Letter A, Section 16, T30N, R09W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

## **General Closure Plan**

- BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.
   Notice is attached.
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice was provided and is attached.

- BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
  - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
  - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
  - c. Basin Disposal, Permit NM-01-0005 (Liquids)
  - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
  - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for recycling.

BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	21 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	< 0.019
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.078
TPH	US EPA Method SW-846 418.1 or 8015 extended	100	<48
Chlorides	US EPA Method 300.0 or 4500B	250 or background	<30

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled for TPH, BTEX and chloride with all concentrations below the stated limits. The field report and laboratory reports are attached.

BP shall notify the division District III office of its results on form C-141.
 C-141 is attached.

 If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results indicate a release has not occurred. Attached is a laboratory report and C-141.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

Sampling results indicate a release has not occurred. Attached is a laboratory report and field report. The location will be reclaimed once the well is plugged and abandoned.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area has been backfilled and will be reclaimed once the well has been plugged and abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area has been backfilled and will be reclaimed once the well has been plugged and abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area has been backfilled and will be reclaimed once the well has been plugged and abandoned.

 BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

The area has been backfilled and will be reclaimed once the well has been plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

BP will notify NMOCD when re-vegetation is successful.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
  - a. proof of closure notification (surface owner and NMOCD)
  - b. sampling analytical reports; information required by 19.15.17 NMAC;
  - c. disposal facility name and permit number
  - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
  - e. site reclamation, photo documentation.
     Closure report on C-144 form is included including photos of reclamation completion.
- 16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

# State of New Mexico Energy Minerals and Natural Resources

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Form C-141

Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

			Rele	ease Notific	atio	n and Co	orrective A	ction						
						OPERA'	TOR		nitial Re	eport	$\boxtimes$	Final Repor		
Name of Co	ompany: B	P				Contact: Steve Moskal								
		Court, Farmi	ngton, N	M 87401			No.: 505-326-94							
Facility Na	me: State (	Com B 003				Facility Typ	e: Natural gas v	well						
Surface Ow	ner: Feder	al		Mineral O	wner:	Federal		API	No. 30	045095	34			
				LOCA	TIO	N OF RE	LEASE							
Unit Letter	Section	Township	Range	Feet from the		/South Line	Feet from the	East/West Lin	ie Co	ounty: Sa	n Juar	a		
A	16	30N	09W	990	North		990	East						
			La	titude 36.810	621°	Longitue	de107.779	98 °						
				NAT	URE	OF REL	EASE							
Type of Rele							Release: unknow			vered: N				
Source of Re	lease: belov	w grade tank -	21 bbl			Date and I	Hour of Occurrence	Date a	nd Hou	r of Disc	covery	: none		
Was Immedi	ate Notice (		_			If YES, To	Whom?							
			Yes 🗵	No Not Re	quired									
By Whom?						Date and I								
Was a Water	course Read		Yes 🗵	No		If YES, Vo	olume Impacting t	the Watercourse						
If a Watercou	ırse was Im	pacted, Descr	ibe Fully.											
Describe Car	ise of Probl	em and Reme	dial Action	n Taken.* Samplir	ng of th	e soil beneath	the BGT was do	ne during remov	ral Soil	il analysi	s resu	lted for		
BTEX, TPH	and chlorid	e below BGT	closure st	andards. Field re	ports ar	nd laboratory	results are attache	ed.						
Describe Are	a Affected	and Cleanup A	Action Tak	ten.* No action ne	cessary	. Final labora	tory analysis dete	rmined no remo	dial acti	ion is re	quired			
regulations a public health should their or or the environ	Il operators or the envi operations h nment. In a	are required to ronment. The nave failed to a	o report ar acceptant adequately OCD accep	e is true and complete of a C-141 reportance	elease r rt by th emediat	notifications a ne NMOCD m te contaminati	nd perform correct arked as "Final R ion that pose a thr	etive actions for eport" does not eat to ground w	releases relieve t ater, sur	s which the oper- rface was	may en ator of ter, hu	ndanger f liability man health		
							OIL CON	SERVATIO	N DI	VISIO	N			
Signature:	de	Mu												
Printed Name						Approved by	Environmental S	pecialist:						
Title: Field E	invironmen	tal Coordinato	г			Approval Da	te:	Expirati	on Date:	:				
E-mail Addre	ess: steven.i	moskal@bp.co	om			Conditions o	f Approval:		A	ttached				
Date: Noven	nber 14, 20	16	Pho	ne: 505-326-9497										

<sup>\*</sup> Attach Additional Sheets If Necessary

#### Moskal, Steven

From:

Railsback, Farrah (CH2M HILL)

Sent:

Thursday, September 15, 2016 3:50 PM

To:

'Smith, Cory, EMNRD'; 'Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us)'

Cc:

'jeffcblagg@aol.com'; 'blagg\_njv@yahoo.com'; Moskal, Steven

Subject:

BP Pit Close Notification - STATE COM B 003

### **BP America Production Company**

200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: CORY.SMITH@STATE.NM.US; VANESSA.FIELDS@STATE.NM.US

September 15, 2016

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

STATE COM B 003 API 30-045-09534 (A) Section 16 – T30N – R09W San Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 21 bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around September 19, 2016.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Steven Moskal BP Field Environmental Coordinator

(505) 326-9497

# Farrah Railsback

## BGT Project Support 970-946-9199 -cell

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

# bp



BP America Production Company 200 Energy Court Farmington, NM 87401

September 15, 2016

State Land Office Brandon Foley PO Box 3170 Farmington, NM 87402

#### VIA EMAIL

Re: Notification of plans to close/remove a below grade tank Well Name: STATE COM B 003

API#: 3004509534

Dear Mr. Foley,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about September 19, 2016. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required please contact me for a specific time (505)-326-9497.

Sincerely,

Steven Moskal

**BP America Production Company** 

RP				API#: 300450	9534			
CLIENT:			И 87413	TANK ID	2			
				(if applicble):	,			
FIELD REPORT:	(circle one): BGT CONFIRMATION / RI	PAGE #:1_	of					
P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199  FIELD REPORT:  (circle one): BGTCONFRMATION] RELEASE INVESTIGATION / OTHER:  SITE INFORMATION:  SITE NAME STATE COM B # 3  DATE STATED  OUADURIT: A SEC 16 TAMP 30N RNG 9W PM. NM CNTY SJ ST. NM  1/4-1/4FOOTAGE 990'N / 990'E  NE/NE LEASE TYPE FEDERAL STATE   FEE / INDIAN STRINGE  EASE # PROD FORMATION MV CONTRACTOR BP-J. CONZALES  PROD FORMATION MV CONTRACTOR BP-J. CONZALES  THE STATED O9/23/1  EMPLOYED FORMATION MV CONTRACTOR BP-J. CONZALES  THE STATED O9/23/1  STRINGE PRODUCT OF BRANCH STATE   FEE / INDIAN STRINGE  EMPROMENTAL SPECIALISTIS)  LEASE # PROD FORMATION MV CONTRACTOR BP-J. CONZALES  THE STATED O9/23/1  STRINGE PRODUCT OF BRANCH STATE   FEE / INDIAN STRINGE  EMPROMENTAL SPECIALISTIS)  LEASE # PROD FORMATION MV CONTRACTOR BP-J. CONZALES  THE STATED O9/23/1  STRINGE PRODUCT OF BRANCH STATE   FEE / INDIAN STRINGE PRODUCT OF BRANCH STATE   FEE / INDI		23/16						
QUAD/UNIT: A SEC: 16 TWP:		AND	st: NM					
1/4-1/4/FOOTAGE: 990'N / 990'I	NE/NE LEASE TYP	E FEDERAL STATE	FEE / INDIAN	FMIRONMENTAL	100			
LEASE#: -		STRIKE			17A			
REFERENCE POINT	WELL HEAD (W.H.) GPS CO	OORD.: 36.8159						
1) 21 BGT (SW/DB)	GPS COORD.: 36.81	1621 X 107.77998	DISTANCE/BEA	RING FROM W.H.: 117', N	117.5E			
2)	GPS COORD.:		DISTANCE/BEA	RING FROM W.H.;				
3)	GPS COORD.:		DISTANCE/BEA	RING FROM W.H.:				
4)	GPS COORD.:		DISTANCE/BEA	RING FROM W.H.:				
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # OR L	AB USED: HALL			READING (ppm)			
1) SAMPLE ID: 5PC - TB @ 6'	(21) SAMPLE DATE: 09/23/16	SAMPLETIME:1010	LAB ANALYSIS: 801	5B/8021B/300.0 (CI)	NA			
2) SAMPLE ID:	SAMPLE DATE:	SAMPLETIME:	LAB ANALYSIS:		B 1 of 1 0: 09/23/16 0: MJV ELEV.: 6,060' 117', N17.5E  0.0 (CI) READING (PPM) NA  PLASTIC / HIGHLY PLASTIC FF / HARD  PLASTIC / HIGHLY PL			
3) SAMPLE ID:	SAMPLE DATE:	SAMPLE TIME:	LAB ANALYSIS:					
4) SAMPLE ID:	SAMPLE DATE:	SAMPLE TIME:	LAB ANALYSIS:					
PIELD REPORT:    Condition   C								
		ASTICITY (CLAYS): NON PLASTI	C / SLIGHTLY PLASTIC / C	OHESIVE / MEDIUM PLASTIC / HIG	HLY PLASTIC			
	A STATE OF THE STA							
		ODOR DETECTED: YES INO	EXPLANATION -					
SAMPLE TYPE: GRAB COMPOSITE #	OF PTS5 AN	Y AREAS DISPLAYING WETNE	SS: YES NO EXPLA	NATION -				
		TION:						
OTHER: NMOCD REP. PRESENT TO WIT	NESS CONFIRMATION SAMPLING.							
SOIL IMPACT DIMENSION ESTIMATION:	NA ft X NA ft	X NΔ ft	EXCAVATION EST	TIMATION (Cubic Yards)	NΔ			
					000			
SITE SKETCH	BGT Located: off on site	PLOT PLAN cir	cle: attached O.M.	CALIB DEAD = NA /	-			
		1201124			1 of 1  09/23/16  NJV  ELEV:: 6,060' 117', N17.5E  0 (CI) NA  LASTIC / HIGHLY PLASTIC F / HARD  PARTO: 1,000 ppm  NA ppm RF=0.52 NA ppm DATE: NA  L. NOTES  - 710 NEVB2  06/14/10 : 09/06/16 anic Vapor Meter per million //sible: Y / N			
		FENCE						
FENCE	BERM	2007	141=					
			١,		ILO			
<b>*</b>		B.G.	_					
			_		2			
			_					
SEPARATOR			P	ermit date(s): 06/1	4/10			
	BGI	BERM		CD Appr. date(s): 09/0	06/16			
COMPRESSOR			IC	ppm = parts per million				
CONFRESSOR								
NOTES: BGT = BELOW-GRADE TANK; E.D. = EXCAVATION T.B. = TANK BOTTOM: PBGTL = PREVIOUS BELOW-	N DEPRESSION; B.G. = BELOW GRADE; B = BELOV )W+GRADE TANK LOCATION; SPD = SAMPLE POINT			BGT Sidewalls Visible: Y / N				
APPLICABLE OR NOT AVAILABLE; SW - SINGLE	WALL; DW - DOUBLE WALL; SB - SINGLE BOTTOM	DB - DOUBLE BOTTOM.		lagrietic declination: 1	U C			
NOTES: GOOGLE EARTH IMAGE	RY DATE: 3/16/2016.	ONSITE: 09/23/	16					

revised: 11/26/13 BEI1005E-6.SKF

#### **Analytical Report**

#### Lab Order 1609D91

Date Reported: 9/28/2016

# Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Client Sample ID: 5PC-TB @6' (21)

Project: STATE COM B # 3

Collection Date: 9/23/2016 10:10:00 AM

Lab ID: 1609D91-001

Matrix: MEOH (SOIL) Received Date: 9/24/2016 9:30:00 AM

Analyses	Result	PQL (	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst:	MRA
Chloride	ND	30	mg/Kg	20	9/26/2016 11:56:21 AM	27722
EPA METHOD 8015M/D: DIESEL RAN	IGE ORGANIC	S			Analyst:	TOM
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	9/26/2016 11:18:09 AM	27687
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	9/26/2016 11:18:09 AM	27687
Surr: DNOP	93.2	70-130	%Rec	1	9/26/2016 11:18:09 AM	27687
EPA METHOD 8015D: GASOLINE RA	NGE				Analyst:	NSB
Gasoline Range Organics (GRO)	ND	3.9	mg/Kg	1	9/26/2016 10:00:50 AM	27678
Surr: BFB	78.7	68.3-144	%Rec	1	9/26/2016 10:00:50 AM	27678
EPA METHOD 8021B: VOLATILES					Analyst:	NSB
Benzene	ND	0.019	mg/Kg	1	9/26/2016 10:00:50 AM	27678
Toluene	ND	0.039	mg/Kg	1	9/26/2016 10:00:50 AM	27678
Ethylbenzene	ND	0.039	mg/Kg	1	9/26/2016 10:00:50 AM	27678
Xylenes, Total	ND	0.078	mg/Kg	1	9/26/2016 10:00:50 AM	27678
Surr: 4-Bromofluorobenzene	92.3	80-120	%Rec	1	9/26/2016 10:00:50 AM	27678

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 1 of 5
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Cł	nain-c	of-Cus	stody Record	l urn-Arouna	i ime:	SAME				HA	LL	E	NV	TE	30	N	ИF	NT	ΔΙ	
ient:	BLAG	G ENGR.	/ BP AMERICA	☐ Standard	☑ Rush _	DAY )		242		AN										
				Project Name							w.h									
ailing A	ddress:	P.O. BO	X 87	ST	ATE COM	B #3		490	1 Ha	wkins								)9		
		BLOOM	FIELD, NM 87413	Project #:						5-345-						-410				
none #:		(505) 63	2-1199	1							A	nal	ysis	Red	ques	st				
nail or F	ax#:		-1	Project Mana	ger:								4)				300.1)	П		
A/QC Pa			Level 4 (Full Validation)		NELSON VI	ELEZ	(8021B)	+ TPH (Gas only)	/ MRO)		15)		PO4,50	PCB's			water - 300			٥
ccredita	tion:			Sampler:	NELSON VI	ELEZ ny	8) S <sub>6</sub>	(Ga	8	ਜਜ	8270SIMS)		102,	8082				- 1	1	d E
NELAF		□ Other		On Ice:	The state of the s	□ No	1	TPH	0	418 504	827	S	03,	_		(A)	300.0			or N
EDD (	Гуре)			Sample Temp	erature:	Part of the second seco	4	BE +	GR	por por	0	etal	CI,N	icide	(A)	)-ir	(soil -		e e	S (Y c
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL NO. 16091591	BTEX +-NAT	BTEX + MTBE	TPH 8015B (GRO / DRO	TPH (Method 418.1) EDB (Method 504.1)	PAH (8310	RCRA 8 Metals	Anions (F,CI,NO3,NO2,PO4,SO4)	8081 Pesticides	8260B (VOA)	8270 (Semi-VOA)	Chloride (s		Grab sample	5 pt. composite sample Air Bubbles (Y or N)
)/23/16	1010	SOIL	5PC - TB @ 6' (21)	4 oz 1	Cool	-001	٧	-	V								٧		$\overline{}$	V
																	$\Box$	$\top$	$\top$	_
								$\Box$	$\forall$	$\top$								$\neg$	$\top$	$\top$
									7								$\Box$	$\top$	_	$\top$
									$\neg$								$\Box$	1	$\top$	$\top$
									$\dashv$						_			$\dashv$	+	+-
								$\dashv$	+	+							$\Box$	$\dashv$	+	+
-							$\vdash$		1	+					-		$\vdash$	$\dashv$	+	+
							Н	$\vdash$	$\dashv$	+				-			$\vdash$	$\dashv$	+	+
		-						-	$\dashv$	+		-					$\vdash$	$\dashv$	+	+
			100					$\dashv$	$\dashv$	+-	$\vdash$	_		-			$\vdash$	$\rightarrow$	+	+
		-					$\vdash$	-	$\dashv$	+	$\vdash$	-		-			$\vdash$	$\dashv$	+	+
ate:	Time:	Relinquishe	ed by:	Received by:		Date Time	Rem	arks:		ILL DIRE	CTLY T	O BP	USING	3 THE	CIRCL	ED CC	ONTAC	TWIT	H	
9/23/16	11028	9/1	nVI	10.	12.	91 .			-	ORRESP	ONDIN	IG VII	0 & RE	FERE	NCE#	WHE	N APP	LICAB	LE;	
ate:	Time:	Relinquishe	ed by:	Received by:	سارسو	Date Time	8	V	ID:	VHIXO					Mosl SHQF			hn Ri RITCJV		
halle	1954	Chr	ister halle	A	e na	74/16 0930	Refe		- 1		710		V //	.030	mai		V I		VILC	
		samples sub	omitted to Hall Environmental may be su	bcontracted to other			f			y sub-co	ntracte	d date	a will l	oe cle	arly no	otated	on the	analyt	ical re	port.

# QC SUMMARY REPORT

# Hall Environmental Analysis Laboratory, Inc.

WO#:

1609D91 28-Sep-16

Client:

Blagg Engineering

Project:

STATE COM B #3

Sample ID LCS-27722

SampType: Ics

TestCode: EPA Method 300.0: Anions

Client ID: LCSS

Batch ID: 27722

RunNo: 37487

%RPD

Prep Date: 9/26/2016

Analysis Date: 9/26/2016

1.5

SeqNo: 1165802

Units: mg/Kg

Analyte Chloride

Result PQL

SPK value SPK Ref Val %REC LowLimit

HighLimit

**RPDLimit** Qual

14

15.00

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

% Recovery outside of range due to dilution or matrix

Analyte detected in the associated Method Blank

Value above quantitation range

Analyte detected below quantitation limits

Sample pH Not In Range

Reporting Detection Limit RL

Sample container temperature is out of limit as specified

Page 2 of 5

# QC SUMMARY REPORT

# Hall Environmental Analysis Laboratory, Inc.

WO#: 1609D91

28-Sep-16

Client:

Blagg Engineering

Project:

STATE COM B #3

Sample ID 1609D91-001AMS	SampT	ype: M	S	Tes	tCode: E	PA Method	8015M/D: Di	esel Rang	e Organics	
Client ID: 5PC-TB @6' (21)	Batch	ID: 27	687	F	RunNo: 3	7472				
Prep Date: 9/26/2016	Analysis D	ate: 9	/26/2016	5	SeqNo: 1	165246	Units: mg/h	<b>⟨</b> g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	49	9.4	46.99	5.807	92.8	33.9	141			
Surr: DNOP	4.6		4.699		97.9	70	130			
Sample ID LCS-27687	SampT	ype: LC	s	Tes	tCode: E	PA Method	8015M/D: Di	esel Rang	e Organics	
Client ID: LCSS	Batch	ID: 27	687	F	RunNo: 3	7472				
Prep Date: 9/26/2016	Analysis D	ate: 9	/26/2016	5	SeqNo: 1	165247	Units: mg/h	<b>(</b> g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	50	10	50.00	0	99.3	62.6	124			
Surr: DNOP	4.5		5.000		90.7	70	130			
Sample ID MB-27687	SampT	уре: МІ	BLK	Tes	tCode: El	PA Method	8015M/D: Di	esel Rang	e Organics	
Client ID: PBS	Batch	ID: 27	687	F	RunNo: 3	7472				
Prep Date: 9/26/2016	Analysis D	ate: 9/	26/2016	5	SeqNo: 1	165248	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	9.3		10.00		93.1	70	130			

Sample ID	1609D91-001AMSI	Samply	pe: M	SD	les	tCode: E	PA Method	8015M/D: Die	esel Range	e Organics	
Client ID:	5PC-TB @6' (21)	Batch ID: 27687			RunNo: 37472						
Prep Date:	9/26/2016	Analysis Date: 9/26/2016		SeqNo: 1165249			Units: mg/Kg				
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	<b>RPDLimit</b>	Qual
Diesel Range Organics (DRO)		47	9.5	47.44	5.807	86.5	33.9	141	5.35	20	
Surr: DNOP		4.4		4.744		92.3	70	130	0	0	

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Holding times for preparation or analysis exceeded H
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits
- % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank
- Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- Reporting Detection Limit
- Sample container temperature is out of limit as specified

Page 3 of 5

# **OC SUMMARY REPORT**

# Hall Environmental Analysis Laboratory, Inc.

1609D91 WO#:

28-Sep-16

Client:

Blagg Engineering

Project:

STATE COM B #3

Sample ID MB-27678

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

Client ID:

PBS

Batch ID: 27678

PQL

RunNo: 37478

Prep Date:

Analyte

9/23/2016

Analysis Date: 9/26/2016

SeqNo: 1165408

Units: mg/Kg

Qual

Gasoline Range Organics (GRO)

ND 5.0

SampType: LCS

SPK value SPK Ref Val %REC

LowLimit

HighLimit

**RPDLimit** 

76.3

68.3

%RPD

Surr: BFB

760

Result

1000

TestCode: EPA Method 8015D: Gasoline Range

Sample ID LCS-27678 Client ID: LCSS

Batch ID: 27678

RunNo: 37478

LowLimit

144

%RPD

Analyte

Prep Date: 9/23/2016

Analysis Date: 9/26/2016

Result

SeqNo: 1165409

Units: mg/Kg

Gasoline Range Organics (GRO)

SPK value SPK Ref Val PQL 25.00

%REC

74.6

HighLimit 123 **RPDLimit** 

Qual

Surr: BFB

26 5.0 860 1000

105 86.0

68.3

144

#### Qualifiers:

ND

S

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- Holding times for preparation or analysis exceeded

% Recovery outside of range due to dilution or matrix

- Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- E Value above quantitation range
- Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- Sample container temperature is out of limit as specified

Analyte detected in the associated Method Blank

Page 4 of 5

# QC SUMMARY REPORT

# Hall Environmental Analysis Laboratory, Inc.

0.89

WO#: 1609D91

28-Sep-16

Client:

Surr: 4-Bromofluorobenzene

Blagg Engineering

Project:

STATE COM B #3

Sample ID MB-27678	mple ID MB-27678 SampTy		BLK	TestCode: EPA Method 8021B: Volatiles						
Client ID: PBS	Batch ID: <b>27678</b> Analysis Date: <b>9/26/2016</b>			RunNo: <b>37478</b> SeqNo: <b>1165424</b>			Units: mg/Kg			
Prep Date: 9/23/2016										
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	<b>RPDLimit</b>	Qual
Benzene	ND	0.025		-,						
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
(ylenes, Total	ND	0.10								

89.5

120

1.000

Sample ID LCS-27678	SampType: LCS  Batch ID: 27678  Analysis Date: 9/26/2016			TestCode: EPA Method 8021B: Volatiles						
Client ID: LCSS				RunNo: 37478						
Prep Date: 9/23/2016				SeqNo: 1165425			Units: mg/h	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.91	0.025	1.000	0	90.7	75.3	123			
Toluene	0.94	0.050	1.000	0	93.5	80	124			
Ethylbenzene	0.95	0.050	1.000	0	94.7	82.8	121			
Kylenes, Total	2.8	0.10	3.000	0	93.5	83.9	122			
Surr: 4-Bromofluorobenzene	0.97		1.000		97.3	80	120			

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Page 5 of 5



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107

Website: www.hallenvironmental.com

# Sample Log-In Check List

Work Order Number: 1609D91 RcptNo: 1 Client Name: BLAGG Received by/date: 09/24 9/24/2016 9:30:00 AM Logged By: Lindsay Mangin Completed By: Lindsay Mangin 9/24/2016 11:14:35 AM 09/24/16 Reviewed By: Chain of Custody Not Present No 🗌 1. Custody seals intact on sample bottles? Yes No 🗌 Yes Not Present 2. Is Chain of Custody complete? Courier 3. How was the sample delivered? Log In NA 🗌 No 🗌 Yes 🖈 4. Was an attempt made to cool the samples? No 🗌 NA 🗌 5. Were all samples received at a temperature of >0° C to 6.0°C No 6. Sample(s) in proper container(s)? No 🗌 7. Sufficient sample volume for indicated test(s)? No T 8. Are samples (except VOA and ONG) properly preserved? NA 🗌 Yes No 🖈 9. Was preservative added to bottles? No VOA Vials No 🗌 Yes 10.VOA vials have zero headspace? Yes No 🖈 11. Were any sample containers received broken? # of preserved bottles checked No 🗍 for pH: 12. Does paperwork match bottle labels? (<2 or >12 unless noted) (Note discrepancies on chain of custody) Adjusted? No 🗌 13. Are matrices correctly identified on Chain of Custody? No 🗌 14. Is it clear what analyses were requested? No 🗌 Checked by: 15. Were all holding times able to be met? (If no, notify customer for authorization.) Special Handling (if applicable) Yes No 🗌 NA 🖈 16. Was client notified of all discrepancies with this order? Person Notified: Date: By Whom: Via: eMail Phone Fax In Person Regarding: Client Instructions: 17. Additional remarks: 18. Cooler Information Cooler No Temp °C Condition Seal Intact Seal No Seal Date Signed By



