District J (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240 District II (575) 748-1283 811 S. First St., Artesia, NM 88210 District III (505) 334-6178 1000 Rio Brazos Road, Aztec, NM 87410 District IV (505) 827-8198 1220 S. St. Francis Dr., Santa Fe, NM 87505

1) Lease plat showing all wells which will be produced in ACT system.

3) Letter from transporter agreeing to utilization of ACT system as shown on schematic diagram.

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-106 Revised August 1, 2011

3-22 ACT Permit No.

NOTICE OF INTENTION TO UTILIZE AUTOM	IATIC CUSTODY TRANSFER EQUIPMENT					
Operator WPX Energy Production, LLC						
Address 721 S. Main, Aztec, NM 87410	County San Juan					
Lease(s) to be served by this ACT UnitNMNM136271						
Pool(s) to be served by this ACT UnitNageezi Gallup						
Location of ACT System: Unit <u>H</u> Section <u>06</u> Order No. authorizing commingling between leases if more than one	Township 23N Range 08W lease is to be served by this system.					
N/A	Date					
Order No. authorizing commingling between pools if more than one p	pool is to be served by this system					
<u>N/A</u>	DateOH					
Authorized transporter of oil from this system Western Refining	Date OIL CONS. DIV DIST, 3					
Transporter's address 3303 North 1st Street, Bloomfield, NM 874	HEC * .					
CHECK ONE: A. Automatic shut-down facilities B. Providing adequate available capacity to receive production as required by 19.15.18.15.C(8) NMAC during maximum unattended time of lease operation 19.15.18.15.C(9) NMAC If "A" above is checked, will flowing wells be shut-in at the header manifold or at the wellhead? Maximum well-head shut-in pressure Maximum well-head shut-in pressure						
If "B" above is checked, how much storage capacity is available above	e the normal high working level of the					
surge tank500BBLS. What is the normal maximum unattended time of lease operation? What device will be used for measuring oil in this ACT unit? CHECK ONE: Positive displacement meter	Sixteen (16) Hours. Weir-type measuring vessel					
Positive volume metering chamber	Other; describe <u>Coriolis Meter</u>					
Remarks: This LACT will be selling to trucks, not pipeline.						
OPERATOR: I hereby certify above information is true and complete to best of my knowledge and subject ACT system will be installed and operated in accordance with Rule 19.15.18.15 NMAC. Approval of this Form C-106 does not eliminate necessity of an approved C-104 prior to	OIL CONSERVATION DIVISION					
running any oil or gas from this system. Signature	Approved by: Brandon Franch Title: ItE Supervise					
Printed Name & Title Robert Jordan, Production Superintendent	10/11					
E-mail Addressrobert.jordan@wpxenergy.com	Date: [2/20/] C					
Date 12/17 Telephone (505) 333-1850 INSTRUCTIONS: Submit one copy of Form C-106 with following attachn	nents to appropriate district office					

2) Schematic diagram of battery and ACT equipment showing all major components and means employed to prove accuracy of measuring device.

NOTICE OF INTENTION TO UTILIZE AUTOMATIC CUSTODY TRANSFER EQUIPMENT Chaco 2308-06H #395H, Chaco 2308-06H #396H, and Chaco 2308-06I #397H TRUCK LACT UNIT

WELLS TO BE SERVED BY TRUCK LACT UNIT:

- Chaco 2308-06H #395H / API #30-045-35553 / UNIT H (SE/NE) Sec. 06, T23N, R8W, NMPM
- Chaco 2308-06H #396H / API #30-045-35554 / UNIT H (SE/NE) Sec. 06, T23N, R8W, NMPM
- Chaco 2308-06I #397H / API #30-045-35639 / UNIT I (NE/SE) Sec. 06, T23N, R8W, NMPM


19.15.18.15 AUTOMATIC CUSTODY TRANSFER EQUIPMENT:

- A. Oil shall be received and measured in facilities of an approved design. The facilities shall permit the testing of each well at reasonable intervals and may be comprised of manually gauged, closed stock tanks for which the operator of the ACT system has prepared proper strapping tables, or of ACT equipment. The division shall permit ACT equipment's use only after the operator complies with the following. The operator shall file with the division form C-106 and receive approval for use of the ACT equipment prior to transferring oil through the ACT system. The carrier shall not accept delivery of oil through the ACT system until the division has approved form C-106.
 - Summary is attached to Form C-106 Notice of Intent to Utilize Automatic Custody Transfer Equipment
- **B.** The operator of the ACT system shall submit form C-106 to the appropriate division district office, which is accompanied by the following:
 - (1) plat of the lease showing all wells that the any well operator will produce into the ACT system;
 - Attached as part of Form C-106 Notice of Intent
- (2) schematic diagram of the ACT equipment, showing on the diagram all major components such as surge tanks and their capacity, extra storage tanks and their capacity, transfer pumps, monitors, reroute valves, treaters, samplers, strainers, air and gas eliminators, back pressure valves and metering devices (indicating type and capacity, *i.e.* whether automatic measuring tank, positive volume metering chamber, weir-type measuring vessel or positive displacement meter); the schematic diagram shall also show means employed to prove the measuring device's accuracy; and
 - Attached as part of Form C-106 Notice of Intent
 - (3) letter from transporter agreeing to utilization of ACT system as shown on schematic diagram.
 - Attached as part of Form C-106 Notice of Intent
- C. The division shall not approve form C-106 unless the operator of the ACT system will install and operate the ACT system in compliance with the following requirements.
- (1) Provision is made for accurate determination and recording of uncorrected volume and applicable temperature, or of temperature corrected volume. The system's overall accuracy shall equal or surpass manual methods.
 - The LACT system is more accurate when compared to a manual tank sale. It is proved per BLM
 Onshore Order #4 Measurement of Oil and API MPMS Chapter 4 Proving Systems; with a
 volumetric prover that meets the requirements set forth in Onshore Order #4. The LACT also
 has a temperature RTD which will be calibrated semi-annually, unless more frequent
 verification is requested by the division.
- (2) Provision is made for representative sampling of the oil transferred for determination of API gravity and BS&W content.
 - The LACT is equipped with a flow proportional sampler (sample probe and actuated valve). The sampled fluid is stored in a sealed cylinder that is used for API gravity and S&W determination.
- (3) Provision is made if required by either the oil's producer or the transporter to give adequate assurance that the ACT system runs only merchantable oil.
 - The LACT is equipped with a water cut analyzer that communicates with the flow computer.
 When the S&W set point is reached the divert valve will engage sending non-merchantable oil to a divert tank. The set point can be adjusted in the flow computer but only if agreed upon by both shipper and producer.

- (4) Provision is made for set-stop counters to stop the flow of oil through the ACT system at or prior to the time the allowable has been run. Counters shall provide non-reset totalizers that are visible for inspection at all times.
 - The Coriolis meter has non-resettable totalizer which is always visibly available on the LCD display.
- (5) Necessary controls and equipment are enclosed and sealed, or otherwise arranged to provide assurance against, or evidence of, accidental or purposeful mismeasurement resulting from tampering.
 - Required ports are sealed and tracked in the seal log.
- (6) The ACT system's components are properly sized to ensure operation within the range of their established ratings. All system components that require periodic calibration or inspection for proof of continued accuracy are readily accessible; the frequency and methods of the calibration or inspection shall be as set forth in Paragraph (12) of Subsection C of 19.15.18.15 NMAC.
 - The Coriolis is proved per BLM Onshore Order #4 Measurement of Oil and API MPMS Chapter 4 Proving Systems; with a volumetric prover that meets the requirements set forth in Onshore Order #4. The prover is NIST traceable and water drawn on a bi-annual basis. Proving will be consistent with Onshore Order #4, unless a variance is granted by the Division. NMOCD representatives are sent the schedule to witness if desired. The temperature transmitter is verified on a semi-annual basis, unless more frequent verification is requested by the Division. The water cut analyzer is calibrated as needed.
- (7) The control and recording system includes adequate fail-safe features that provide assurance against mismeasurement in the event of power failure, or the failure of the ACT system's component parts.
 - In the event of power failure, the divert valve mechanically goes to "failed state" and no longer sales oil but only sends it to the divert tank.
 - All of the historized volume data is stored in flow computer memory with battery backup and is
 also transmitted by SCADA, multiple times a day, to an office server. So even during a power
 failure no oil volume is lost.
 - In the event of a malfunction, the LACT unit is programmed to shut off and divert valve is forced
 to close and no longer sales oil but only sends it to the divert tank. The malfunction is also
 logged by the flow computer.
- (8) The ACT system and allied facilities include fail-safe equipment as may be necessary, including high level switches in the surge tank or overflow storage tank that, in the event of power failure or malfunction of the ACT or other equipment, will shut down artificially lifted wells connected to the ACT system and will shut in flowing wells at the well-head or at the header manifold, in which latter case the operator of the ACT system shall pressure test all flowlines to at least 1½ times the maximum well-head shut-in pressure prior to the ACT system's initial use and every two years thereafter.
 - Hi level switches are in place and will shut the well in at the inlet to the production unit in the
 event of a full tank. Flow lines were tested to 1 ½ times shut in pressure at initial construction.
 Testing will commence every two years to ensure piping integrity.
- (9) As an alternative to the requirements of Paragraph (8) of Subsection C of 19.15.18.15 NMAC the producer shall provide and at all times maintain a minimum of available storage capacity above the normal high working level of the surge tank to receive and hold the amount of oil that may be produced during maximum unattended time of lease operation.
 - N/A
- (10) In all ACT systems employing automatic measuring tanks, weir-type measuring vessels, positive volume metering chambers or any other volume measuring container, the container and allied components shall be properly calibrated prior to initial use and shall be operated, maintained and inspected as necessary to ensure against incrustation, changes in clingage factors, valve leakage or other leakage and improper action of floats, level detectors, etc.
 - N/A Coriolis Meter

- (11) In ACT systems employing positive displacement meters, the meter and allied components shall be properly calibrated prior to initial use and shall be operated, maintained and inspected as necessary to ensure against oil mismeasurement.
 - The Coriolis is proved per BLM Onshore Order #4 Measurement of Oil and API MPMS Chapter 4 Proving Systems; with a volumetric prover that meets the requirements set forth in Onshore Order #4. The prover is NIST traceable and water drawn on a bi-annual basis. Monthly proving will continue per the rule, unless a variance is granted by the Division. NMOCD representatives are sent the schedule to witness if desired. The temperature transmitter is verified on a semi-annual basis, unless more frequent verification is requested by the Division.
- (12) The operator of the ACT system shall check the measuring and recording devices of ACT systems for accuracy at least once each month unless it has obtained an exception to such determination from the division. Where applicable, the operator of the ACT system shall use API standard 1101, Measurement of Petroleum Hydrocarbons by Positive Displacement Meter. Meters may be proved against master meters, portable prover tanks or prover tanks permanently installed on the lease. If the operator of the ACT system uses permanently installed prover tanks, the distance between the opening and closing levels and the provision for determining the opening and closing readings shall be sufficient to detect variations of 5/100 of one percent. The operator of the ACT system shall file reports of determination on the division form entitled "meter test report" or on another acceptable form in duplicate with the appropriate division district office.
 - The Coriolis is proved per BLM Onshore Order #4 Measurement of Oil and API MPMS Chapter 4 Proving Systems; with a volumetric prover that meets the requirements set forth in Onshore Order #4. The prover is NIST traceable and water drawn on a bi-annual basis. Monthly proving will continue per the rule, unless a variance is granted by the Division. NMOCD representatives are sent the schedule to witness if desired. The temperature transmitter is verified on a semi-annual basis, unless more frequent verification is requested by the Division.
- (13) To obtain an exception to the requirement in Paragraph (12) of Subsection C of 19.15.18.15 NMAC that all measuring and recording devices be checked for accuracy once each month, either the producer or transporter may file a request with the director setting forth facts pertinent to the exception. The application shall include a history of the average factors previously obtained, both tabulated and plotted on a graph of factors versus time, showing that the particular installation has experienced no erratic drift. The applicant shall also furnish evidence that the other interested party has agreed to the exception. The director may then set the frequency for determination of the system's accuracy at the interval which the director deems prudent.
 - N/A
- **D.** The division may revoke its approval of an ACT system's form C-106 if the system's operator fails to operate it in compliance with 19.15.18.15 NMAC.

Chaco 2308-06H #395H, Chaco 2308-06H #396H, and Chaco 2308-06I #397H Lease Plat ACT System - Unit H (SE/NE) Sec. 6, T23N, R8W, NMPM San Juan County, NM



District I 1625 N. French Drive, Hobbs, NM 88240 Phone: (575) 393–6161 Fax: (575) 393–0720 District II 811 S. First Street, Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV 1220 S. St. Francis Drive, Santa Fe, NM 87505 Phone: (505) 476–3460 Fax (505) 476–3462

State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 1220 South St. Francis Drive Santa Fe, NM 87505

Form C-102 Revised August 1, 2011

Submit one copy to Appropriate District Office


AMENDED REPORT

AS DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

30-045-35	API Numbe 553	r		*Pool Coo 47540	1	NAGEEZI GALLUP			
'Property 313663	Code		*Property Name *Well Number CHACO 2308-06H 395H						
'OGRID 12078				*Operator Name *Elevation WPX ENERGY PRODUCTION, LLC 6927					
	¹⁰ Surface Location								
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the East/West line County		
Н	6	23N	8W		1687	NORTH	NORTH 291 EAST SAN JUAN		
	¹¹ Bottom Hole Location If Different From Surface								
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	6	23N	8W	4	380	NORTH	232	WEST	SAN JUAN
12 Dedicated Acres		4 Acres	- N/2	N/2	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION Thereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom-hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order repetitors entered by the division. 12-8 CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date Revised: SEPTEMBER 26, 2014 Date of Survey: AUGUST 25, 2014 Signature and Seal of Professional Surveyor EDWARDS MEXICO PROFESSIONAL PROFESSIONAL SAMEYOR DWARDS

15269

District I 1625 N. French Drive, Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First Street, Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV

District IV 1220 S. St. Francis Drive, Santa Fe, NM 87505 Phone: (505) 476–3460 Fax: (505) 476–3462

State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 1220 South St. Francis Drive Santa Fe. NM 87505 Form C-102 Revised August 1, 2011

Submit one copy to Appropriate District Office


__ AMENDED REPORT

AS DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

30-045-	API Number 35554	r		*Pool Cod 47540		*Pool Name NAGEEZI GALLUP				
*Property 313663	Code	*Property Name *Well Number CHACO 2308-06H 396H								
'0GRID N 12078		WPX			*Operator Name (ENERGY PRODUCTION, LLC 6927					
	¹⁰ Surface Location									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West	line	County
Н	6	23N	8W 1737 NORTH 276 EAST SAN JU				SAN JUAN			
4	¹¹ Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West	line	County
E	6	23N	8W	5	1527	NORTH	233	WES	T	SAN JUAN
¹² Dedicated Acres		7 Acres	- S/2	2 N/2	¹³ Joint or Infill	³⁴ Consolidation Code	¹⁵ Order No.			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



District I
1625 N. French Drive, Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II
811 S. First Street, Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Drive, Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 1220 South St. Francis Drive Santa Fe, NM 87505 Form C-102 Revised August 1, 2011


Submit one copy to Appropriate District Office


X AMENDED REPORT
As Drilled Plat


WELL LOCATION AND ACREAGE DEDICATION PLAT

30-045-356	PI Number			*Pool Cod 47540			Pool Nam		
Property 314227	Code			100 000	Propert			*W	all Number 397H
12078				WPX	*Operator	Name ODUCTION, LL	C	•	6899
				:	10 Surface	Location	* * *		× × ,*
.UL or lot no.	Section	Township	Range	Lot Idn	.Feet from the	North/South line	Feet from the	: East/West line	County
I	6	23N	8W		2100	SOUTH	325	EAST	SAN JUAN
1111111		11	Botton	Hole	Location I	f Different f	From Surfac	e	
UL or lot no.	Section	Township	Range	Lat Idn	Feet from the	North/South line	Feet from the	East/West line	County
a ia L	6	23N	8W	9	2414	SOUTH	458	WEST	SAN JUAN
¹² Dedicated Acres	165.6	3 Acres	- N/2	5/2	13 Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION







DIRECTIONS TO FACILITY

Depart US-550 S / NM-544 S / S Main Ave...... Turn right onto US-64 / US-550 / W Broadway Ave...... 0.3 mi Turn left onto US-550 / NM-44 / S Bloomfield Blvd................. 36.8 mi Turn Left onto County road 7800...... 1.4 mi

Arrive at location on the left

STORAGE TANK INFORMATION

Tank #1: 500 Bbl oil, 13.5' diameter Tank #2: 500 Bbl oil, 13.5' diameter Tank #3: 500 Bbl oil, 13.5' diameter Tank #4: 500 Bbl oil, 13.5' diameter

Tank #5: 500 Bbl produced water, 13.5' diameter

Tank #6: 500 Bbl oil, 13.5' diameter

Tank #7: 400 Bbl condensate, 12.0' diameter Tank #8: 120 Bbl waste, 13.5' diameter

(Below-Grade Tank)




VALVE SEAL DETAIL	DRAIN VALVES	SKIMMER VALVES	FLOW VALVES	SALES VALVES
PRODUCTION	O/C	O/C	SO	SC
RECYCLING	O/C	O/C	O/C	SC
SALES	SC	SC	SC	SO
VALVE POSITION:	SO = SEALE	OPEN; SC	= SEALED C	LOSED
	O/C = SO or	SC		


FACILITY SITE DIAGRAM

WPX Energy - San Juan Basin Chaco 2308-06H #395H PDP N36.258969, W107.714988 U/L H SEC.6 T23N R8W NMPM API: 30-045-35553 Lease #NMNM109399 - County NIM

LEGEND


-	ABOVE-GRADE EQUIPMENT		OIL DUMP LINE		DRAIN LINE
	BELOW-GRADE EQUIPMENT		FLOW LINE		FUEL GAS LINE
	SECONDARY CONTAINMENT		WATER DUMP LINE	>	GAS SALES
	FENCE	<u>-</u>	GAS BLANKET		BUYBACK GAS
	WELL HEAD		VAPOR REDUCTION LINE		GAS LIFT TO WELL






LINED, NO GRAVEL

METER SKID





GENERATOR BUILDING



From:

Hixon, Melinda

To:

Felix, Andrea; Jordan, Robert; White, Randy Riley, Heather; Casey Haga; Collier, Howard

Cc: Subject:

RE: WPX Chaco 2308-06H #395/396/397H: Western Refining LACT Unit Approval

Date:

Tuesday, December 13, 2016 7:43:00 AM

We are in agreement on using the LACT as the sales point for the Chaco 2308-06H #395/396/397H as long as the LACT will be maintained and proved in compliance with all applicable regulations."

Mindy Hixon

3303 N 1st street Bloomfield New Mexico 87413 Office 505/634-4737 Cell phone 505/320-2307 Melinda.hixon@wnr.com



From: Felix, Andrea [mailto:Andrea.Felix@wpxenergy.com]

Sent: Thursday, December 08, 2016 11:56 AM

To: Jordan, Robert < Robert. Jordan@wpxenergy.com>

Cc: Hixon, Melinda < Melinda. Hixon@wnr.com>; Riley, Heather < Heather. Riley@wpxenergy.com>;

Casey Haga <caseyhaga@eis-llc.com>

Subject: Re: WPX Chaco 2308-06H #395/396/397H: Western Refining LACT Unit Approval

This email was sent by an external sender. Please use caution when opening attachments, clicking web links, or replying until you have verified this email sender.

Thank you Mindy it is a truck LACT as Robert stated.

Andrea Felix WPX Energy

On Dec 8, 2016, at 11:48 AM, Jordan, Robert < Robert Jordan@wpxenergy.com > wrote:

I understand thank you

Sent from my iPhone

On Dec 8, 2016, at 11:47 AM, Hixon, Melinda < Melinda. Hixon@wnr.com > wrote:

Thank you did not want to approve a pipeline LACT

Mindy Hixon

3303 N 1st street
Bloomfield New Mexico 87413
Office 505/634-4737
Cell phone 505/320-2307
Melinda.hixon@wnr.com

<image001.gif>

From: Jordan, Robert [mailto:Robert.Jordan@wpxenergy.com]

Sent: Thursday, December 08, 2016 11:45 AM **To:** Hixon, Melinda < Melinda. Hixon@wnr.com>

Cc: Felix, Andrea < Andrea. Felix@wpxenergy.com >; Riley, Heather

<<u>Heather.Riley@wpxenergy.com</u>>; Casey Haga <<u>caseyhaga@eis-llc.com</u>>

Subject: Re: WPX Chaco 2308-06H #395/396/397H: Western Refining

LACT Unit Approval

This email was sent by an external sender. Please use caution when opening attachments, clicking web links, or replying until you have verified this email sender.

Yes we are moving the 112 truck LACT to the 395 pad and the 112 will go to pipe.

Sent from my iPhone

On Dec 8, 2016, at 11:42 AM, Hixon, Melinda < Melinda. Hixon@wnr.com wrote:

Is this LACT for Truck sales?

Mindy Hixon

3303 N 1st street
Bloomfield New Mexico 87413
Office 505/634-4737
Cell phone 505/320-2307
Melinda.hixon@wnr.com

<image002.gif>

From: Felix, Andrea [mailto:Andrea.Felix@wpxenergy.com]

Sent: Tuesday, December 06, 2016 3:46 PM

To: Hixon, Melinda < <u>Melinda. Hixon@wnr.com</u>>

Cc: Riley, Heather < <u>Heather.Riley@wpxenergy.com</u>>; Casey

Haga < caseyhaga@eis-llc.com >; Jordan, Robert

<Robert.Jordan@wpxenergy.com>

Subject: WPX Chaco 2308-06H #395/396/397H: Western Refining LACT Unit Approval

This email was sent by an external sender. Please use caution when opening attachments, clicking web links, or replying until you have verified this email sender.

Hi Melinda,

WPX Energy Production, LLC is planning to place a LACT unit on the Chaco 2308-06H #395H/396H location that will also serve the Chaco 2308-06I #397H. As part of the C-106 application to the NMOCD Aztec office, WPX needs a statement from Western Refining agreeing to the utilization of the LACT unit at this location. If Western Refining agrees to WPX utilizing this unit at this location, please reply to this email with your concurrence.

If you have any questions please feel free to contact me.

Thank you,

Andrea Felix, RWA

Senior Regulatory Specialist Staff San Juan Basin

Office: 505-333-1849 Cell: 505-386-8205 <image001.jpg>