District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-144 Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Proposed Alternative Method Permit or Closure Plan Application

Proposed Atternative Method Fernit of Closure Fran Application
Type of action: Below grade tank registration Permit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request
lease be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the nvironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Burlington Resources Oil & Gas Company, LP OGRID #:14538
Address: PO BOX 4289, Farmington, NM 87499
Facility or well name: SAN JUAN 29-7 UNIT 533
API Number: <u>30-039-24802</u> OCD Permit Number:
U/L or Qtr/Qtr H Section 3 Township 29N Range 7W County: Rio Arriba
Center of Proposed Design: Latitude 36.75606 °N Longitude -107.55295 °W NAD: □1927 № 1983
Surface Owner: Federal State Tribal Trust or Indian Allotment
Pit: Subsection F, G or J of 19.15.17.11 NMAC Temporary: □ Drilling □ Workover □ Permanent □ Emergency □ Cavitation □ P&A □ Multi-Well Fluid Management □ Low Chloride Drilling Fluid □ yes □ no □ Lined □ Unlined □ Liner type: Thicknessmil □ LLDPE □ HDPE □ PVC □ Other □ String-Reinforced Liner Seams: □ Welded □ Factory □ Other Volume:bbl Dimensions: L x W x D
3.
Below-grade tank: Subsection I of 19.15.17.11 NMAC
Volume: 120 bbl Type of fluid: Produced Water
Tank Construction material: Metal
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other
Liner type: Thicknessmil
4. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.
5.
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital,
institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet
Alternate. Please specify

•	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC	
Variances and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
9. <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC <i>Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptate are provided below.</i> Siting criteria does not apply to drying pads or above-grade tanks.	otable source
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. - □ NM Office of the State Engineer - iWATERS database search; □ USGS; □ Data obtained from nearby wells	☐ Yes ☐ No ☑ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	☐ Yes ☐ No
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☑ No
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☑ No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No

Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Temporary Pit Non-low chloride drilling fluid										
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
thin 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image										
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Within 300 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site										
Permanent Pit or Multi-Well Fluid Management Pit										
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No									
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:										
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number: or Permit Number:										

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the	documents are
attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H₂S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	luid Management Pit
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. In 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	☐ Yes ☐ No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	

adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	
Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17. Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	11 NMAC 15.17.11 NMAC
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and beli	ef.
Name (Print): Title:	
Signature: Date:	
e-mail address: Telephone:	
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 12128	3/901/6
Title: CWiramantal Specalist OCD Permit Number:	
19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting	the closure report
The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	
The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not	
The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	complete this

22.
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print) Crystal Walker Title: Regulatory Coordinator
Signature: Date: 12/6/16
e-mail address: <u>crystal.walker@cop.com</u> Telephone: (505) 326-9837

Burlington Resources Oil & Gas Company, LP San Juan Basin Below Grade Tank Closure Report

Lease Name: San Juan 29-7 Unit 533

API No.: 30-039-24802

NOTE: The subject well is twinned and currently shares a BGT with the San Juan 29-7 Unit 83B & 83M. The original BGT for the subject well was moved and the closure report is below.

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

General Plan:

1. BR shall close a below-grade tank within 60 days of cessation of operations per Subsection G.4 of 19.15.17.13 NMAC. This will include a) below-grade tanks that do not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC within five years, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC; b) an earlier date that the division requires because of imminent danger to fresh water, public health or the environment. For any closure, BR will file the C144 Closure Report as required.

The below-grade tank referenced above was permitted and closed within 60 days of cessation of the below-grade tanks operation.

2. BR shall remove liquids and sludge from a below-grade tank prior to implementing a closure method and shall dispose of the liquids and sludge in a division-approved facility. The facilities to be used will be Basin Disposal (Permit #NM-01-005), JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) and Envirotech Land Farm (Permit #NM-01-011). The liner after being cleaned well (Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC) will be disposed of at the San Juan County Regional Landfill located on CR 3100.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B). The liner was cleaned per Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC was disposed of at the San Juan County Regional Landfill located on CR 3100.

3. BR will receive prior approval to remove the below-grade tank and dispose of it in a division-approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.

The below-grade tank was disposed of in a division-approved manner.

4. If there is any on-site equipment associated with a below-grade tank, then BR shall remove the equipment, unless the equipment is required for some other purpose.

All on-site equipment associated with the below-grade tank was removed.

5. BR will test the soils beneath the below-grade tank to determine whether a release has occurred. BR shall collect, at a minimum, a five point, composite sample; collect individual grab samples from any area that is wet, discolored or showing other evidence of a release; and analyzed for the constituents listed in Table I of 19.15.17.13 NMAC. COPC shall notify the division of its results on form C-141.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached). Form C-141 is attached.

Components	Tests Method	Limit (mg/kg)		
Benzene	EPA SW-846 8021B or 8260B	0.2		
BTEX	EPA SW-846 8021B or 8260B	50		
TPH	EPA SW-846 418.1	100		
Chlorides	EPA 300.0	250		

6. If BR or the division determines that a release has occurred, then BR shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC, as appropriate.

A release was not determined for the above referenced well.

7. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Table I of 19.15.17.13 NMAC, then BR shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; recontour and re-vegetate the site.

The below-grade tank area passed all requirements of Paragraph (4) of Subsection E of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material.

- 8. Notice of Closure will be given prior to closure to the Aztec Division office between 72 hours and one week via email or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification was not found.

9. The surface owner shall be notified of BR's closing of the below-grade tank 72 hours, but not more than one week, prior to closure as per the approved closure plan via certified mail, return receipt requested.

The closure process notification to the landowner was not found.

10. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The below-grade tank area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping including drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

11. BR shall seed the disturbed areas the first favorable growing season following closure of a below-grade tank. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM stipulated seed mixes will be used on federally regulated lands and division-approved seed mixtures (administratively approved if required) will be utilized on all State or private lands. A uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent (50%) of pre- disturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with

administrative approval if needed. COPC will repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

12. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material, with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The below-grade tank area was backfilled and more than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

- 13. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on C-144 and incorporate the following:
 - Soil Backfilling and Cover Installation (See Report)
 - Re-vegetation application rates and seeding techniques (See Report)
 - · Photo documentation of the site reclamation (Included as an attachment)
 - Confirmation Sampling Results (Included as an attachment)
 - Proof of closure notice (Included as an attachment)

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-141
Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office to accordance with 19.15.29 NMAC.

			Rele	ease Notific	catio	on and Co	orrective A	ction	l				
						OPERATOR Initial Report Final							
				&G Company,	LP	Contact Crystal Walker							
Address 340			[Telephone No.(505) 326-9837								
Facility Nar	Facility Name: San Juan 29-7 Unit 533						e: Gas Well						
Surface Ow	Surface Owner FEDERAL Mineral Owner								API No	. 30-039-2	24802		
				LOCA	ATIC	ON OF RE	LEASE						
Unit Letter H	Section 3	Township 29N	Range 7W	Feet from the 2030	Nort	h/South Line North	Feet from the 1090		Vest Line East	County Rio Arrib	na		
				36.75606			e107.55295			1			
					URI	E OF REL							
Type of Rele	ase			11111	-	Volume of			Volume I	Recovered			
Source of Re						Date and I	Iour of Occurrence	e	Date and	Hour of Dis	covery	1	
Was Immedia	ate Notice G	riven?				If YES, To	Whom?						
Was minicula	ite Honee C		Yes [No Not Re	equire		Whom:						
By Whom?						Date and H	Iour						
Was a Water	course Reac			_		If YES, Vo	olume Impacting t	the Wate	ercourse.				
			Yes 🛛 1	No									
If a Watercou	irse was Imp	pacted, Descr	ibe Fully.	•									
N/A													
Describe Cau													
No release w	as encount	ered during	the BGT	Closure.									
- " .	4.00	1.01											
Describe Are	a Affected a	and Cleanup A	Action Tak	ten.*									
IVA													
I hereby certi	fy that the i	nformation gi	iven above	is true and comp	lete to	the best of my	knowledge and u	nderstan	d that purs	suant to NM	OCD r	rules and	
regulations a	l operators	are required to	o report ar	nd/or file certain r	elease	notifications a	nd perform correc	tive acti	ons for rel	eases which	may e	ndanger	
							arked as "Final R						
or the environ	ment. In a	ddition. NMC	OCD accer	tance of a C-141	report	does not reliev	on that pose a three the operator of	responsi	bility for c	ompliance v	vith an	v other	
federal, state,					торого					•		,	
Ciamatuma				0			OIL CON	SERV	ATION	DIVISIO)N		
Signature:	0	tal (Vel	ker									
	7					Approved by	Environmental S	pecialist	:				
Printed Name	e: Crystal W	Valker							-				
Title: Regula	tory Coordi	inator				Approval Da	te:	E	Expiration	Date:			
E-mail Addre	ee: om	ystal.walker@	on com			Conditions of	f Approval:						
E-man Addre	os. Cry	ysiai. Waiker (a	cop.com			Conditions of	Approvai.			Attached			
Date: /2/16		Phone: (505		7									
* Attach Addi	tional Shee	ts If Necess	ary										



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

November 03, 2016

Emilee Skyles Animas Environmental 604 Pinon Street Farmington, NM 87401 TEL: (505) 564-2281

FAX

RE: COPC San Juan 29-7 Unit 533

OrderNo.: 1610D07

Dear Emilee Skyles:

Hall Environmental Analysis Laboratory received 1 sample(s) on 10/26/2016 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order 1610D07

Date Reported: 11/3/2016

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Animas Environmental

Client Sample ID: BGT S-1

Project: COPC San Juan 29-7 Unit 533

Collection Date: 10/25/2016 12:52:00 PM

Lab ID: 1610D07-001

Matrix: SOIL

Received Date: 10/26/2016 7:30:00 AM

Analyses	Result	PQL Qua	Units	DF	Date Analyzed	Batch
EPA METHOD 418.1: TPH					Analyst	MAB
Petroleum Hydrocarbons, TR	ND	19	mg/Kg	1	11/1/2016 12:00:00 PM	28370
EPA METHOD 300.0: ANIONS					Analyst	LGT
Chloride	ND	30	mg/Kg	20	11/1/2016 6:23:35 PM	28393
EPA METHOD 8015M/D: DIESEL RANG	GE ORGANICS	3			Analyst:	TOM
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	10/31/2016 12:15:54 PM	1 28349
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	10/31/2016 12:15:54 PM	1 28349
Surr: DNOP	91.9	70-130	%Rec	1	10/31/2016 12:15:54 PM	1 28349
EPA METHOD 8015D: GASOLINE RAN	IGE				Analyst:	NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	10/28/2016 5:43:15 PM	28328
Surr: BFB	86.4	68.3-144	%Rec	1	10/28/2016 5:43:15 PM	28328
EPA METHOD 8021B: VOLATILES					Analyst:	NSB
Benzene	ND	0.024	mg/Kg	1	10/28/2016 5:43:15 PM	28328
Toluene	ND	0.048	mg/Kg	1	10/28/2016 5:43:15 PM	28328
Ethylbenzene	ND	0.048	mg/Kg	1	10/28/2016 5:43:15 PM	28328
Xylenes, Total	ND	0.097	mg/Kg	1	10/28/2016 5:43:15 PM	28328
Surr: 4-Bromofluorobenzene	99.7	80-120	%Rec	1	10/28/2016 5:43:15 PM	28328

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 1 of 6
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1610D07

03-Nov-16

Client:

Animas Environmental

Project:

COPC San Juan 29-7 Unit 533

Sample ID MB-28393

SampType: mblk

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Prep Date: 11/1/2016

Batch ID: 28393

PQL

RunNo: 38370

Units: mg/Kg

Analyte Chloride

Result

Analysis Date: 11/1/2016

SeqNo: 1198745 SPK value SPK Ref Val %REC LowLimit

HighLimit

%RPD

RPDLimit

Qual

Sample ID LCS-28393

Prep Date: 11/1/2016

SampType: Ics

ND

TestCode: EPA Method 300.0: Anions

Client ID: LCSS

Batch ID: 28393

RunNo: 38370

LowLimit

Units: mg/Kg

Analyte

Analysis Date: 11/1/2016

PQL SPK value SPK Ref Val %REC

1.5

95.0

SeqNo: 1198746

90

%RPD

RPDLimit

Chloride

Result 14

15.00

HighLimit 110

Qual

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Holding times for preparation or analysis exceeded H
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits R
- % Recovery outside of range due to dilution or matrix S
- Analyte detected in the associated Method Blank В
- Value above quantitation range
- J Analyte detected below quantitation limits
- Page 2 of 6

- P Sample pH Not In Range
- RLReporting Detection Limit
- Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#: 1610D07

03-Nov-16

Client:

Animas Environmental

Project:

COPC San Juan 29-7 Unit 533

Sample ID MB-28370

SampType: MBLK

TestCode: EPA Method 418.1: TPH

Client ID:

PBS

Batch ID: 28370

RunNo: 38368

Prep Date: 10/31/2016

Analyte

Analysis Date: 11/1/2016 PQL

20

SeqNo: 1197897

Units: mg/Kg

HighLimit

RPDLimit Qual

Petroleum Hydrocarbons, TR

Sample ID LCS-28370

ND

Result

TestCode: EPA Method 418.1: TPH

Client ID: LCSS

SampType: LCS Batch ID: 28370

RunNo: 38368

Prep Date: 10/31/2016

Units: mg/Kg

Analyte

Analysis Date: 11/1/2016

PQL

PQL

20

20

SeqNo: 1197898 LowLimit

HighLimit

RPDLimit

Petroleum Hydrocarbons, TR

110

110

SPK value SPK Ref Val %REC 100.0

105

SPK value SPK Ref Val %REC LowLimit

80.7

%RPD

%RPD

Qual

Qual

Sample ID LCSD-28370

Client ID: LCSS02

SampType: LCSD

Batch ID: 28370

TestCode: EPA Method 418.1: TPH RunNo: 38368

Prep Date: 10/31/2016

Analysis Date: 11/1/2016

SeqNo: 1197899

Units: mg/Kg

Analyte Petroleum Hydrocarbons, TR

SPK value SPK Ref Val %REC LowLimit 100.0

107

80.7

HighLimit 121

%RPD 1.28 **RPDLimit**

20

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit R RPD outside accepted recovery limits

% Recovery outside of range due to dilution or matrix S

Analyte detected in the associated Method Blank B

E Value above quantitation range

Analyte detected below quantitation limits

Page 3 of 6

P Sample pH Not In Range

RL Reporting Detection Limit Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1610D07

03-Nov-16

Client:

Animas Environmental

Project:

COPC San Juan 29-7 Unit 533

Sample ID MB-28349	SampTy	pe: ME	BLK	TestCode: EPA Method 8015M/D: Diesel Range Organics						
Client ID: PBS	Batch	ID: 283	349	R	tunNo: 3	8327				
Prep Date: 10/28/2016	Analysis Date: 10/31/2016 SeqNo: 1196387 Units: mg/Kg									
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10		51.5						
Notor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	8.5		10.00	*	85.2	70	130			
Sample ID LCS-28349	SampTy	pe: LC	s	Test	Code: EF	PA Method	8015M/D: Die	sel Range	Organics	
	Batch ID: 28349 RunNo: 38327									
Client ID: LCSS	Batch	ID: 28	349	R	unNo: 38	3327				
Client ID: LCSS Prep Date: 10/28/2016	Batch Analysis Da				unNo: 38 eqNo: 1		Units: mg/K	9		
			/31/2016				Units: mg/K	g %RPD	RPDLimit	Qual
Prep Date: 10/28/2016	Analysis Da	ate: 10	/31/2016	S	eqNo: 1	196504			RPDLimit	Qual

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits

Page 4 of 6

- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1610D07

03-Nov-16

Client:

Animas Environmental

Project:

COPC San Juan 29-7 Unit 533

Sample ID MB-28328

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

Client ID:

PBS

Batch ID: 28328

PQL

5.0

RunNo: 38308

Prep Date: 10/27/2016

Analysis Date: 10/28/2016

SeqNo: 1195979

Units: mg/Kg

Qual

Analyte Gasoline Range Organics (GRO) Result ND SPK value SPK Ref Val %REC

0

HighLimit LowLimit

68.3

%RPD

RPDLimit

Surr: BFB

880

1000

88.1

144

Sample ID LCS-28328

SampType: LCS

TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS

Batch ID: 28328

RunNo: 38308

%REC

Prep Date: 10/27/2016

27

950

Analysis Date: 10/28/2016

SeqNo: 1195980

Units: mg/Kg

123

144

HighLimit

RPDLimit

Analyte Gasoline Range Organics (GRO)

Surr: BFB

Result

SPK value SPK Ref Val PQL 5.0 25.00 1000

108 95.1

74.6 68.3

LowLimit

%RPD

Qual

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

RPD outside accepted recovery limits R % Recovery outside of range due to dilution or matrix

Analyte detected in the associated Method Blank B

E Value above quantitation range

Analyte detected below quantitation limits

Page 5 of 6

P Sample pH Not In Range

Reporting Detection Limit

RL

Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1610D07

03-Nov-16

Client:

Animas Environmental

Project:

COPC San Juan 29-7 Unit 533

Sample ID MB-28328	SampT	ype: ME	BLK	TestCode: EPA Method 8021B: Volatiles						20	
Client ID: PBS	Batch	ID: 28	328	RunNo: 38308							
Prep Date: 10/27/2016	Analysis D	ate: 10	0/28/2016		SeqNo: 1	195993	Units: mg/k	(g			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	ND	0.025								1	
Toluene	ND	0.050									
Ethylbenzene	ND	0.050									
Xylenes, Total	ND	0.10									
Surr: 4-Bromofluorobenzene	1.0		1.000		103	80	120				

Sample ID LCS-28328	SampT	SampType: LCS TestCode: EPA Method 8021B: Volatiles									
Client ID: LCSS	Batch	ID: 28	328	F	RunNo: 3	ınNo: 38308					
Prep Date: 10/27/2016	Analysis D	Analysis Date: 10/28/2016 SeqNo: 1195994 Units: mg/Kg									
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	0.96	0.025	1.000	0	96.4	75.2	115				
Toluene	0.98	0.050	1.000	0	97.9	80.7	112				
Ethylbenzene	0.98	0.050	1.000	0	97.5	78.9	117				
Xylenes, Total	2.9	0.10	3.000	0	96.8	79.2	115				
Surr: 4-Bromofluorobenzene	1.1		1.000		111	80	120				

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits

Page 6 of 6

- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107

Sample Log-In Check List

Website: www.hallenvironmental.com Animas Environmental RcptNo: 1 Client Name: Work Order Number: 1610D07 Received by/date Logged By: **Ashley Gallegos** 10/26/2016 7:30:00 AM Ashley Gallegos Completed By: 10/26/2016 5:34:54 PM T, 10/27/16 Reviewed By: Chain of Custody Yes | No \square Not Present 1 Custody seals intact on sample bottles? No 🗆 Not Present Yes 🗸 2. Is Chain of Custody complete? 3. How was the sample delivered? Courier Log In Yes V No 🗆 NA 🗌 4. Was an attempt made to cool the samples? NA 🗌 No 🗌 5. Were all samples received at a temperature of >0° C to 6.0°C Yes V No 🗌 Yes 🗸 6. Sample(s) in proper container(s)? No \square Yes 🗸 7. Sufficient sample volume for indicated test(s)? No 🗆 8. Are samples (except VOA and ONG) properly preserved? No 🗹 NA 🗆 Yes 9. Was preservative added to bottles? Yes No 🗌 No VOA Vials 10. VOA vials have zero headspace? Yes 🗆 No 🗸 11. Were any sample containers received broken? # of preserved bottles checked for pH: No 🗌 Yes 🗸 12. Does paperwork match bottle labels? (<2 or >12 unless noted) (Note discrepancies on chain of custody) Adjusted? No 🗌 13. Are matrices correctly identified on Chain of Custody? Yes 🗸 No 🗌 Yes 🗸 14 Is it clear what analyses were requested? Checked by: Yes 🗸 15. Were all holding times able to be met? No 🗌 (If no, notify customer for authorization.) Special Handling (if applicable) Yes No 🗆 NA V 16. Was client notified of all discrepancies with this order? Person Notified: Date By Whom: Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person Regarding: Client Instructions: 17. Additional remarks: 18. Cooler Information Cooler No Temp °C Condition Seal Intact Seal No Good 3.7 Not Present

Client: Animas Environmental Services, LL				Turn-Around Time:				HALL ENVIRONMENTAL											
Client:	Animas	Enviro	nmental Services, LLC	X Standard □ RushProject Name:					7	10000							TO		
2 A		2						www.hallenvironmental.com											
Mailing Address: 604 W Pinon St. Farmington, NM 87401 Phone #: 505-564-2281				COPC SAN JUAN 29-7 Unit 533				4901 Hawkins NE - Albuquerque, NM 87109											
				Project #:				Tel. 505-345-3975 Fax 505-345-4107											
									, 00			Analy							
Email or Fa			animasenvironmental.com	Project Manag	jer:				-				1	25					
QA/QC Paci	_		☐ Level 4 (Full Validation)		E. Skyles				1						- 1		2		
Accreditation		□ Other		Sampler: CL/S		E No											2.4.		
□ EDD (Type)				On Ice: ✓ Yes □ No Sample Temperature: ∠, ‡				_		0								ر با	
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEALING:	BTEX - 8021B	TPH - EPA 418.1	TPH - 8015	Chlorides - 300.0								Air Bubbles (Y or N)	
10/25/16	12:52	SOIL	BGT S-1	1 - 4 oz.	cool	-001	х	х	х	х									
3											1		2				100		
V.									,										
3 0 S. N.	2.0				18 7 5														
							_				_	_	-	-					
		, a "			2							-	-	-	_	o *		+-	
							-		70		-		-	+		V-			
-	<u> </u>	-			2						\dashv	+-	+	+-				3.50	
-	<u> </u>																	H	
												1	+	1				T	
Date:	Time:	Relinquish	vila	Received by: Date Time Date Dat				Remarks: Bill to Conoco Phillips WO # 21739242 Supervisor: USERID: MKSPENCE Area: 5											
9/25/16	[819	Vinu	tulibeles					Ordered by: Bobby Spearman											

Photo #1

Client: ConocoPhillips

Project Name: San Juan 29-7 Unit 533

Rio Arriba County, NM

Date Photo Taken: October 25, 2016

BGT GPS and Location: 36.75606, -107.55295

SE¼ NE¼, Section 3, T29N, R7W

Taken by: Corwin Lameman, AES



Subject: BGT sampling, October 2016

Description: Facing S, overview of entire location.

Photo #2

Client: ConocoPhillips

Project Name: San Juan 29-7 Unit 533

Rio Arriba County, NM

Date Photo Taken: October 25, 2016

BGT GPS and Location: 36.75606, -107.55295

SE¼ NE¼, Section 3, T29N, R7W

Taken by: Corwin Lameman, AES



Subject: BGT sampling, October 2016

Description: Facing N, sample location.