1625 N. French Dr., Hobbs, NM 88240 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD

١	5	765)
- 1			

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Type of action: Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method ☐ Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. Operator: BP AMERICA PRODUCTION COMPANY OGRID #: 778 Address: 200 Energy Court, Farmington, NM 87401 Facility or well name: STOREY A LS 001A 3004522401 API Number: OCD Permit Number: C Section 35.0 Township 32.0N Range 11W County: San Juan County U/L or Qtr/Qtr NAD: □1927 × 1983 Center of Proposed Design: Latitude 36.947162 -107.962265 Longitude Surface Owner: X Federal State Private Tribal Trust or Indian Allotment OIL CONS. DIV DIST. 3 Pit: Subsection F or G of 19.15.17.11 NMAC JAN 1 9 2017 Temporary: Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other ☐ String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of ☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other ☐ Lined ☐ Unlined Liner type: Thickness mil ☐ LLDPE ☐ PVC ☐ Other Liner Seams: Welded Factory Other Below-grade tank: Subsection I of 19.15.17.11 NMAC Tank ID: A 95.0 bbl Type of fluid: Produced Water Steel Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off ☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other SINGLE WALLED DOUBLE BOTTOMED SIDEWALLS NOT VISIBLE mil HDPE PVC Other Liner type: Thickness

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify							
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)							
8. Signs: Subsection C of 19.15.17.11 NMAC ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☐ Signed in compliance with 19.15.16.8 NMAC							
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.							
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approv. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pa above-grade tanks associated with a closed-loop system.							
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No						
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No						
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No						
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) Visual inspection (certification) of the proposed site: Aerial photo: Satellite image.	☐ Yes ☐ No ☐ NA						
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 							
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No						
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site □ Yes □ N							
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No						
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No						
Within a 100-year floodplain FEMA map	☐ Yes ☐ No						

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:									
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC									
and 19.15.17.13 NMAC									
☐ Previously Approved Design (attach copy of design) API Number:									
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use									
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)									
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC									
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)									
15.									
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC									

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.								
Disposal Facility Name: Disposal Facility Permit Number:								
Disposal Facility Name: Disposal Facility Permit Number:								
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operation Yes (If yes, please provide the information below) No								
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC								
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.								
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA							
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA							
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA							
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site								
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image								
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site								
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No							
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No							
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No							
Within a 100-year floodplain FEMA map	☐ Yes ☐ No							
18. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC								

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.								
Name (Print): Title:								
Signature:								
e-mail address: Telephone:								
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: //3///7 Title: Louisonmental Spec								
Title: TNU TONMENTAL Spec OCD Permit Number:								
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.								
✓ Closure Completion Date: U1\18\2017								
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.								
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Disposal Facility Permit Number: Disposal Facility Name: Disposal Facility Permit Number: Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique								
Closure Report Attachment Checklist: _Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. □ Proof of Closure Notice (surface owner and division) □ Proof of Deed Notice (required for on-site closure) □ Plot Plan (for on-site closures and temporary pits) ☑ Confirmation Sampling Analytical Results (if applicable) □ Waste Material Sampling Analytical Results (required for on-site closure) ☑ Disposal Facility Name and Permit Number ☑ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique ☑ Site Reclamation (Photo Documentation) On-site Closure Location: Latitude 36.947162 Longitude -107.962265 NAD: □1927 ▼ 1983								
25. Operator Closure Certification:								
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.								
Name (Print): Steve Moskal Title: Field Environmental Coordinator								
Signature:								
e-mail address: steven.moskal@bp.com Telephone: 505-326-9497								

BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

Storey A LS # 1A - Tank ID: A API #: 3004522401 Unit Letter C, Section 35, T32N, R11W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

- 1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.
 - Notice is attached.
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.
 - Notice was provided and documented in the attached email.
- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)
 - f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
 - g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
 - h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
 - i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
 - j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
 - k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and/or sludge within the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for recycling.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample		
		(mg/Kg)	Results		
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	< 0.034		
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.068		
TPH	US EPA Method SW-846 418.1	100	< 50		
Chlorides	US EPA Method 300.0 or 4500B	250 or background	<30		

Notes:

mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil beneath the BGT was sampled for TPH, BTEX, and chloride. All test parameters were below the stated limits. A field and laboratory reports are attached.

- 7. BP shall notify the division District III office of its results on form C-141. C-141 is attached.
- 8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results reveal no evidence of a release has occurred.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, nonwaste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area.

Sampling results reveal no evidence of a release has occurred. Area was backfilled with clean, earthen material and is within the active well pad.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.

- 13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.
 - The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.
- 14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves re-vegetation.

BP will notify NMOCD when re-vegetation is successfully completed.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

Closure report on C-144 form is included & contains a photo of the reclamation completion.

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Release Notification and Corrective Action													
			Kei	ease Nounc	atio			cuon				Final Repor	
							OPERATOR ☐ Initial Report ☐						
				on Company		Contact Ste		105					
		Court, Fari		NM 87401			No. (505) 326-9						
Facility Na	ne STOR	EYALSU	ЛА			Facility Typ	e Natural Gas	weii					
Surface Ow	ner Feder	al		Mineral C	wner	Federal			API No	. 3004522	463		
				LOCA	TIO	N OF RE	LEASE						
Unit Letter	Section	Township	Range	Feet from the		/South Line	Feet from the	East/W	est Line	County			
C	35	32N	11W	600	1	NORTH	1,700	W	EST		SAN JU	JAN	
						-							
				Latitude 36.9	47162	2_Longitud	e107.96226	65					
				NAT	URF	OF REL	EASE						
Type of Rele	ase NONE	- BGT CON	FIRMAT	TION SAMPLING			Release N/A		Volume	Recovered	N/A		
Source of Re			LE (N/A)				lour of Occurrenc	e N/A	Date and	Hour of D	iscover	y N/A	
Was Immedia	ate Notice G		Yes [No Not Re	quired	If YES, To	Whom?						
By Whom?						Date and H	lour						
Was a Water	course Reac		v N	Lar		If YES, Vo	lume Impacting t	the Water	course.				
			Yes 🛚	No									
If a Watercou	ırse was Imp	pacted, Descr	ibe Fully.	k									
D " C	an 11	1.5		m									
				n Taken.* <u>NO INI</u> SARY. SAMPLIN									
LABORATO					G BEIT	LATIT DOT W	AS CONDUCTED	HVHVIEL	IAILLI	T I EK KEN	IOTAL	. TIELD C	
Describe Are	a Affected a	nd Cleanup A	Action Tak	ten.* NO CLEAN	UP AC	TION NECESS	ARY. FINAL LA	BORATO	DRY RESU	LTS SUPPO	ORT CL	OSURE OF	
THE BGT LC	CATION.												
				is true and compl									
				nd/or file certain re									
				e of a C-141 repo investigate and re									
				tance of a C-141									
federal, state, or local laws and/or regulations.													
							OIL CONS	SERV	ATION	DIVISIO	N		
Signature: Alisano													
					Approved by	Environmental Sp	pecialist:						
Printed Name	: Steve Mo	skal			-								
Title: Enviro	nmental Fi	ield Coordin	ator			Approval Dat	e:	Е	xpiration I	Date:			
E '' 4 11		1.101	**********			0 1111							
E-mail Addre	ss: steven.i	moskal@bp.o	com			Conditions of	Approval:			Attached	ached		
Date: January 18, 2017 Phone: (505) 326-9497													

^{*} Attach Additional Sheets If Necessary

RE: BP Pit Close Notification - STOREY A LS 001A

11/03/16 at 7:54 AM

From:

Moskal, Steven < Steven.Moskal@bp.com>

To:

Smith, Cory, EMNRD, Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us), 11thomas@blm.gov

CC: jeffcblagg@aol.com, blagg_njv@yahoo.com, Salazar, Augustine T

The BGT is scheduled to be removed tomorrow at 2:00 PM.

Steve Moskal

BP Lower 48 – San Juan – Farmington
Field Environmental Coordinator

Office: (505) 326-9497

Cell: (505) 330-9179

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

From: Railsback, Farrah (CH2M HILL)

Sent: Monday, October 31, 2016 4:04 PM

To: Smith, Cory, EMNRD; Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us)

Cc: jeffcblagq@aol.com; blagq_njv@yahoo.com; Moskal, Steven

Subject: BP Pit Close Notification - STOREY A LS 001A

BP America Production Company 200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: CORY.SMITH@STATE.NM.US; VANESSA.FIELDS@STATE.NM.US

October 31, 2016

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

STOREY A LS 001A API 30-045-22401 (C) Section 35 – T32N – R11W San Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 95bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around November 4, 2016.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Steven Moskal BP Field Environmental Coordinator

(505) 326-9497

Farrah Railsback

BGT Project Support 970-946-9199 -cell

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

bp



BP America Production Company 200 Energy Court Farmington, NM 87401

October 31, 2016

Bureau of Land Management Whitney Thomas 6251 College Suite A Farmington, NM 87402

VIA EMAIL

Re: Notification of plans to close/remove a below grade tank

Well Name: STOREY A LS 001A

API#: 3004522401

Dear Mrs. Thomas,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about November 4, 2016. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required please contact me for a specific time (505)-326-9497.

Sincerely,

Steven Moskal

BP America Production Company

CLIENT: BP	BLAGG E P.O. BOX 87, B (50	API #: 3004522401 TANK ID (if applicble): A									
FIELD REPORT:		PAGE #: 1	of 1								
SITE INFORMATION QUAD/UNIT: C SEC: 35 TWP:	NM		1/04/16								
QUAD/UNIT: C SEC: 35 TWP: 1/4 -1/4/FOOTAGE: 600'N / 1,700		t: NM CNTY: SJ ST: TYPE: FEDERAL/STATE/FEE/IN		DATE FINISHED:							
		ENVIRONMENTAL SPECIALIST(S):	NJV								
REFERENCE POINT		STRIKE BP-J. GONZALE S COORD.: 36.94709 X 107		GL ELEV.:	6,342'						
95 BGT (SW/DB)				RING FROM W.H.: 76', I							
2)	GPS COORD.:		DISTANCE/BEAF	RING FROM W.H.:							
3)	GPS COORD.:		DISTANCE/BEAF	RING FROM W.H.:							
	GPS COORD.:		DISTANCE/BEAF	RING FROM W.H.:	OVM						
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # 0		_		READING (ppm)						
1) SAMPLE ID: 5PC - TB @ 5'					NA						
2) SAMPLE ID:											
3) SAMPLE ID:											
		SAMPLE TIME: LAB ANALYSIS									
SOIL COLOR: COHESION (ALL OTHERS): NON COHESIVE SLIGHTLY CONSISTENCY (NON COHESIVE SOILS): LC MOISTURE: DRY/SLIGHTLY MOIST MOIST WA	COHESION (ALL OTHERS): NON COHESIVE SLIGHTLY COHESIVE / COHESIVE / COHESIVE / COHESIVE / COHESIVE CONSISTENCY (NON COHESIVE SOILS): LOOSE FIRM DENSE VERY DENSE DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD HC ODOR DETECTED: YES NO EXPLANATION - SAMPLE TYPE: GRAB COMPOSITE # OF PTS. 5 ANY AREAS DISPLAYING WETNESS: YES NO EXPLANATION -										
SITE OBSERVATION APPARENT EVIDENCE OF A RELEASE OBSERVE EQUIPMENT SET OVER RECLAIMED AREA: OTHER: NMOCD OR BLM REP. NOT PRES	LOST INTEGRITY OF EQUIPMENT ED AND/OR OCCURRED: YES NO EXPL YES NO EXPLANATION - 105 BB	PLANATION: SL SHALLOW LOW PROFILE ABOVE-GRA	ADE TANK	TO BE SET ATOP BGT LO	CATION.						
SOIL IMPACT DIMENSION ESTIMATION:				IMATION (Cubic Yards) :	NA						
OUTE OLICETOLI	IEAREST WATER SOURCE: >1,000		NMOC	D TPH CLOSURE STD:	1,000 ppm						
SITE SKETCH	BGT Located : off on sit		OVM	CALIB. READ. = NA CALIB. GAS = NA NA am/pm DATE:	ppm RF = 0.52						
SEPARATOR	BERM	TO W.H.	w	1,000,00	JIEO						
COMPRESSOR	PBGTL T.B. ~ 5' B.G. PROL TANK	K	VI Pc Pe OC Tan ID A	J#: ermit date(s): 06/ CD Appr. date(s): 05/ k OVM = Organic Vapor ppm = parts per millio	/14/10 /02/16 Meter						
NOTES: BGT = BELOW-GRADE TANK; E.D. = EXCAVATIO T.B. = TANK BOTTOM; PBGTL = PREVIOUS BELO APPLICABLE OR NOT AVAILABLE; SW-SINGLE	OW-GRADE TANK LOCATION; SPD = SAMPLE F E WALL; DW - DOUBLE WALL; SB - SINGLE BOT	POINT DESIGNATION; R.W. = RETAINING WALL; NA - N	HEAD;	BGT Sidewalls Visible: Y	/ N						

Analytical Report

Lab Order 1611281

Date Reported: 11/8/2016

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Client Sample ID: 5PC-TB@5'(95)

Project: Storey A LS 1A

Collection Date: 11/4/2016 1:15:00 PM

Lab ID: 1611281-001

Matrix: MEOH (SOIL) Received Date: 11/5/2016 8:30:00 AM

Analyses	Result	PQL Q	ual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	LGT
Chloride	ND	30	mg/Kg	20	11/7/2016 1:26:34 PM	28508
EPA METHOD 8015M/D: DIESEL RANGE	ORGANIC	S			Analyst	: TOM
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	11/7/2016 12:05:16 PM	28497
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	11/7/2016 12:05:16 PM	28497
Surr: DNOP	102	70-130	%Rec	1	11/7/2016 12:05:16 PM	28497
EPA METHOD 8015D: GASOLINE RANG	E				Analyst	NSB
Gasoline Range Organics (GRO)	ND	3.4	mg/Kg	1	11/7/2016 11:08:52 AM	G38497
Surr: BFB	94.4	68.3-144	%Rec	1	11/7/2016 11:08:52 AM	G38497
EPA METHOD 8021B: VOLATILES					Analyst	NSB
Benzene	ND	0.034	mg/Kg	1	11/7/2016 11:08:52 AM	B38497
Toluene	ND	0.034	mg/Kg	1	11/7/2016 11:08:52 AM	B38497
Ethylbenzene	ND	0.034	mg/Kg	1	11/7/2016 11:08:52 AM	B38497
Xylenes, Total	ND	0.068	mg/Kg	1	11/7/2016 11:08:52 AM	B38497
Surr: 4-Bromofluorobenzene	105	80-120	%Rec	1	11/7/2016 11:08:52 AM	B38497

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 1 of 6
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Ch	nain-c	of-Cus	stody Record	Turn-Around	Time:	SAME		ı	il	Н	A	LL	EI	NV	TF	20	NI	ME	NT	ΓΑΙ	L	
ient: BLAGG ENGR. / BP AMERICA		☐ Standard	☑ Rush _	DAY	ANALYSIS LABORATORY																	
				Project Name	· ·	The state of the s																
ailing A	ddress:	P.O. BO	X 87	S	TOREY A LS	# 1A		www.hallenvironmental.com 4901 Hawkins NE - Albuquerque, NM 87109														
		BLOOM	FIELD, NM 87413	Project #:].	Τe	el. 50)5-34	5-39	975	F	ax 5	505-	345	-410°	7				
none #:		(505) 63	2-1199					Analysis Request														
nail or F	ax#:			Project Manag	ger:	The state of the s								4)				300.1)				
A/QC Pa	_		Level 4 (Full Validation)		NELSON VE	ELEZ	HMB*s (8021B)	TPH (Gas only)	/ MRO)			(5)		PO ₄ ,SO	PCB's			1 1			Ф	
ccreditat	tion:			Sampler:	NELSON VE	ELEZ 973		(Ga	DRO	1.	ਜ਼	OSIN		102,	/ 8082			300.0 / water			sample	
NELAF		☐ Other		On ice:	∠ Yes		#	ם	-	418	504	827	s	103,1	es /		OA)	300.0	. 1	-	te sa	or N
EDD (ype)	T		Sample Temp	erature: / i		4	BE	3 (GF	hod	hod	0 or	leta	CI,N	ticid	OA)	h-i-V	- lios		ble	posi	λ) ς;
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEALNO. 1	BTEX 1	BTEX + MTBE	TPH 8015B (GRO	TPH (Method 418.1)	EDB (Method 504.1)	PAH (8310 or 8270SIMS)	RCRA 8 Metals	Anions (F,Cl,NO ₃ ,NO ₂ ,PO ₄ ,SO ₄)	8081 Pesticides	8260B (VOA)	8270 (Semi-VOA)	Chloride (soil		Grab sample	5 pt. composite	Air Bubbles (Y or N)
1/04/16	1315	SOIL	5PC-TB@ 5 '(95)	4 oz 1	Cool	-001	٧		٧									٧		\Box	V	
																					\neg	
											7									\neg		
							\top													\neg		
							\top										\Box		\neg	_		
A.A.M.							1				7									\dashv	\dashv	
							+	 			\dashv		\dashv		_					\dashv	\dashv	
					-		+				\dashv							\Box		\dashv		$\overline{}$
Marketon							+			\Box	\dashv				-			\Box		-		П
								\vdash	-			\dashv			\vdash		\vdash	\vdash		\dashv	-	
							+				\dashv	_						\vdash		1	-	\Box
							+				_	\dashv					\vdash		\vdash	\dashv	-	
ate: , Time: , Relinquished by:		Received by		Date Time	Rer	nark	<u> </u> 5:	BILL D	HRECT	TLY TO	BPU	JSING	THE	CIRCL	ED CO	ONTAC	T WIT	<u> </u>				
ate: Time: Relinquished by:		RMILA.	4	1/4/10 1/04		CORRESPONDING VID & REFERENCE # WHEN AP								4 0 × 5	-							
ate:	Time:	Reinquishe	ed by:	Received by:	1	Date Time	-	Vance Hixon Steve Moskal John Ritchie VID: VHIXONEVB2 VMOS6HQFEC VRITCJWFEC														
14/14/14	1152	1/UM	et Write			16 0830		eren		_	P - 6	665		-				_			_	
, -	If necessary	, samples sub	mitted to Hall Environmental may be su	bcontracted to other	accredited laboratorie	es. This serves as notice	e of this	possi	oility.	Any su	b-conf	tracted	d data	will b	e cle	arly no	tated	on the	analyti	cal re	port.	

Hall Environmental Analysis Laboratory, Inc.

WO#:

1611281

08-Nov-16

Client:

Blagg Engineering

Project:

Storey A LS 1A

Sample ID MB-28508

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 28508

RunNo: 38499

HighLimit

%RPD

Prep Date: 11/7/2016

Analysis Date: 11/7/2016

SeqNo: 1202354

Units: mg/Kg

RPDLimit

Qual

Analyte Chloride

Result ND

1.5 SampType: LCS

TestCode: EPA Method 300.0: Anions

Client ID: LCSS

Batch ID: 28508

PQL

1.5

RunNo: 38499

Prep Date: 11/7/2016

Sample ID LCS-28508

SeqNo: 1202355

Units: mg/Kg

Analyte

Analysis Date: 11/7/2016

HighLimit

Result

SPK value SPK Ref Val %REC

92.2

RPDLimit Qual

Page 2 of 6

Chloride

0

SPK value SPK Ref Val %REC LowLimit

90

LowLimit

110

%RPD

14

15.00

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Η Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Detection Limit

Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1611281

08-Nov-16

Client:

Blagg Engineering

Project:

Storey A LS 1A

Project: Storey A	LS 1A			
Sample ID MB-28497	SampType: MBLK	TestCode: EPA	A Method 8015M/D: Diesel Rai	nge Organics
Client ID: PBS	Batch ID: 28497	RunNo: 384	492	
Prep Date: 11/7/2016	Analysis Date: 11/7/2016	SeqNo: 120	02220 Units: mg/Kg	
Analyte	Result PQL SPK va	lue SPK Ref Val %REC	LowLimit HighLimit %RPI	O RPDLimit Qual
Diesel Range Organics (DRO)	ND 10			
Motor Oil Range Organics (MRO)	ND 50			
Surr: DNOP	9.6	.00 95.5	70 130	
Sample ID MB-28470	SampType: MBLK	TestCode: EP/	A Method 8015M/D: Diesel Rar	nge Organics
Client ID: PBS	Batch ID: 28470	RunNo: 384	494	
Prep Date: 11/4/2016	Analysis Date: 11/7/2016	SeqNo: 120	02336 Units: %Rec	
Analyte	Result PQL SPK va	lue SPK Ref Val %REC	LowLimit HighLimit %RPI	D RPDLimit Qual
Surr: DNOP	9.3 10	.00 93.1	70 130	
Sample ID 1611281-001AMS	SampType: MS	TestCode: EP/	A Method 8015M/D: Diesel Rar	nge Organics
Client ID: 5PC-TB@5'(95)	Batch ID: 28497	RunNo: 384	492	
Prep Date: 11/7/2016	Analysis Date: 11/7/2016	SeqNo: 120	02419 Units: mg/Kg	
Analyte	Result PQL SPK va	lue SPK Ref Val %REC	LowLimit HighLimit %RPI	D RPDLimit Qual
Diesel Range Organics (DRO)	51 9.9 49	.65 0 103	51.6 130	
Surr: DNOP	5.1 4.9	103	70 130	
Sample ID LCS-28470	SampType: LCS	TestCode: EP/	A Method 8015M/D: Diesel Rar	nge Organics
Client ID: LCSS	Batch ID: 28470	RunNo: 384	194	
Prep Date: 11/4/2016	Analysis Date: 11/7/2016	SeqNo: 120	02420 Units: %Rec	
Analyte	Result PQL SPK va	lue SPK Ref Val %REC	LowLimit HighLimit %RPI	D RPDLimit Qual
Surr: DNOP	4.4 5.0	000 87.3	70 130	
Sample ID LCS-28497	SampType: LCS	TestCode: EPA	A Method 8015M/D: Diesel Rar	nge Organics
Client ID: LCSS	Batch ID: 28497	RunNo: 384	194	
Prep Date: 11/7/2016	Analysis Date: 11/7/2016	SeqNo: 120	02427 Units: mg/Kg	
Analyte	Result PQL SPK va	lue SPK Ref Val %REC	LowLimit HighLimit %RPD	O RPDLimit Qual
Diesel Range Organics (DRO)	40 10 50	00 0 79.1	62.6 124	
Surr: DNOP	4.3 5.0	000 86.5	70 130	
Sample ID 1611281-001AMSI	D SampType: MSD	TestCode: EPA	A Method 8015M/D: Diesel Rar	nge Organics

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Client ID: 5PC-TB@5'(95)

Prep Date: 11/7/2016

Diesel Range Organics (DRO)

H Holding times for preparation or analysis exceeded

Batch ID: 28497

Analysis Date: 11/7/2016

PQL

10

Result

56

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

LowLimit

51.6

Units: mg/Kg

130

%RPD

9.16

HighLimit

E Value above quantitation range

RunNo: 38492

112

SeqNo: 1202428

J Analyte detected below quantitation limits

Page 3 of 6

Qual

RPDLimit

20

P Sample pH Not In Range

SPK value SPK Ref Val %REC

49.95

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1611281

08-Nov-16

Client:

Blagg Engineering

Project:

Storey A LS 1A

Sample ID 1611281-001AMSD

SampType: MSD

TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: 5PC-TB@5'(95) Batch ID: 28497

RunNo: 38492

Prep Date: 11/7/2016

Analysis Date: 11/7/2016

SeqNo: 1202428

Units: mg/Kg

Analyte

Result

SPK value SPK Ref Val %REC

LowLimit

HighLimit

%RPD

RPDLimit

Qual

105

130

0

Surr: DNOP

5.3

4.995

70

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit ND

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix В Analyte detected in the associated Method Blank

E Value above quantitation range

Analyte detected below quantitation limits

Page 4 of 6

Sample pH Not In Range

Reporting Detection Limit

Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1611281

08-Nov-16

Client:

Blagg Engineering

Project:

Storey A LS 1A

Sample ID RB

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

68.3

Client ID:

PBS

Batch ID: G38497

RunNo: 38497

Prep Date:

Analysis Date: 11/7/2016

Result

ND

900

SeqNo: 1202486

Units: mg/Kg

144

Analyte

5.0

SPK value SPK Ref Val

1000

%REC LowLimit HighLimit

%RPD

RPDLimit Qual

Gasoline Range Organics (GRO)

Surr: BFB

SampType: LCS

89.8 TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS

Sample ID 2.5UG GRO LCS

Batch ID: G38497

RunNo: 38497

%REC

Prep Date:

Analysis Date: 11/7/2016

POL

5.0

3.4

3.4

SeqNo: 1202487

Units: mg/Kg

123

144

HighLimit Qual

Gasoline Range Organics (GRO)

Result 25 980

SPK value SPK Ref Val 25.00 1000

98.2 97.7

74.6 68.3

%RPD **RPDLimit**

Surr: BFB

Analyte

Sample ID 1611281-001AMS

SampType: MS

TestCode: EPA Method 8015D: Gasoline Range

Client ID: Prep Date: 5PC-TB@5'(95)

Batch ID: G38497

RunNo: 38497

LowLimit

61.3

68.3

LowLimit

144

Analyte

Analysis Date: 11/7/2016 Result PQL SPK value

0

SPK Ref Val

SeqNo: 1202491

Units: mg/Kg

HighLimit %RPD 150

RPDLimit Qual

Qual

Gasoline Range Organics (GRO) Surr: BFB

630

15

678.4

16.96

678.4

92.7

91.3

%REC

TestCode: EPA Method 8015D: Gasoline Range

Client ID: Prep Date:

5PC-TB@5'(95)

Sample ID 1611281-001AMSD

SampType: MSD Batch ID: G38497

RunNo: 38497 SeqNo: 1202492

Units: mg/Kg

HighLimit %RPD **RPDLimit**

Analyte Gasoline Range Organics (GRO)

Surr: BFB

Result PQL

17

640

Analysis Date: 11/7/2016

SPK value SPK Ref Val 16.96 0

%REC 102

94.0

LowLimit 61.3 68.3

150 144

11.3

20 0 0

Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded

% Recovery outside of range due to dilution or matrix

- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits R
- B Analyte detected in the associated Method Blank
- Value above quantitation range E
- Analyte detected below quantitation limits
 - Sample pH Not In Range
- Reporting Detection Limit RL

P

Sample container temperature is out of limit as specified

Page 5 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#:

1611281

08-Nov-16

Client:

Blagg Engineering

Project:

Client ID:

Prep Date:

Storey A LS 1A

Sample ID	RB
Client ID:	PBS
Pren Date	

SampType: MBLK

TestCode: EPA Method 8021B: Volatiles

Batch ID: B38497

RunNo: 38497

SPK value SPK Ref Val %REC LowLimit

Analysis Date: 11/7/2016

SeqNo: 1202495

Units: mg/Kg

120

%RPD

HighLimit

%RPD **RPDLimit**

RPDLimit

Qual

Qual

Analyte	Result	PQL
Benzene	ND	0.025
Toluene	ND	0.050
Ethylbenzene	ND	0.050
Xylenes, Total	ND	0.10
Surr: 4-Bromofluorobenzene	1.0	

Surr: 4-Bromofluorobenzene

Sample ID 100NG BTEX LCS

LCSS

SampType: LCS

TestCode: EPA Method 8021B: Volatiles

80

RunNo: 38497

101

Batch ID: B38497 Analysis Date: 11/7/2016

SeqNo: 1202496 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit 1.000 75.2 Benzene 1.0 0.025 0 99.6 115 Toluene 1.0 0.050 1.000 0 99.8 80.7 112 0.91 0.050 1.000 0 91.2 78.9 Ethylbenzene 117 Xylenes, Total 2.7 3.000 0 88.4 79.2 0.10 115 Surr: 4-Bromofluorobenzene 0.99 1.000 99.4 80 120

1.000

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Holding times for preparation or analysis exceeded H
- Not Detected at the Reporting Limit ND
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- В Analyte detected in the associated Method Blank
- Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- Reporting Detection Limit
- Sample container temperature is out of limit as specified

Page 6 of 6



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107

Website: www.hallenvironmental.com

Sample Log-In Check List

Work Order Number: 1611281 RcptNo: 1 Client Name: BLAGG Received by/date: Logged By: 11/5/2016 8:30:00 AM Lindsay Mangin 11/7/2016 7:20:16 AM Completed By: **Lindsay Mangin** A-11/07/16 Reviewed By: Chain of Custody No 🗌 Not Present 1. Custody seals intact on sample bottles? No | Not Present Yes V 2. Is Chain of Custody complete? 3. How was the sample delivered? Courier Log In No 🗌 NA 🗌 Yes 🗸 4. Was an attempt made to cool the samples? Yes 🗸 No NA 🗌 5. Were all samples received at a temperature of >0° C to 6.0°C No 🗌 Yes V 6. Sample(s) in proper container(s)? No 🗌 Yes 🗸 7. Sufficient sample volume for indicated test(s)? No 8. Are samples (except VOA and ONG) properly preserved? Yes 🗌 No V NA 🗌 9. Was preservative added to bottles? No 🗌 No VOA Vials Yes 10. VOA vials have zero headspace? Yes 🗆 No V 11. Were any sample containers received broken? # of preserved bottles checked for pH: Yes 🗸 No _ 12. Does paperwork match bottle labels? (<2 or >12 unless noted) (Note discrepancies on chain of custody) Adjusted? No 🗌 13. Are matrices correctly identified on Chain of Custody? No 🗌 Yes 🗸 14. Is it clear what analyses were requested? Checked by: Yes V No 🗌 15. Were all holding times able to be met? (If no, notify customer for authorization.) Special Handling (if applicable) Yes NA 🗸 No _ 16. Was client notified of all discrepancies with this order? Person Notified: Date Via: eMail Phone Fax In Person By Whom: Regarding: Client Instructions: 17. Additional remarks: 18. Cooler Information Temp °C | Condition Seal Intact Seal No Cooler No 1.3 Good Yes



