District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

1 Toposed Michael Vermit of Closure I lan Application	
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop sy below-grade tank, or proposed alternative method	/stem,
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative r	_
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water invironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulation	
I. Operator: BP AMERICA PRODUCTION COMPANY OGRID #: 778	
Address: 200 Energy Court, Farmington, NM 87401	
Facility or well name: WARREN LS 010	
API Number: 3004520280 OCD Permit Number:	
U/L or Qtr/Qtr P Section 13.0 Township 28.0N Range 09W County: San Juan County	
Center of Proposed Design: Latitude 36.65809 Longitude -107.73387 NAD: 192	7 × 1983
Surface Owner: ▼ Federal ☐ State ☐ Private ☐ Tribal Trust or Indian Allotment	
2. OIL CONS. DIV DIST	. 3
Pit: Subsection F or G of 19.15.17.11 NMAC	. 0
Temporary: Drilling Workover FEB 1 4 2017	
Permanent Emergency Cavitation P&A	
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other	_
☐ String-Reinforced	
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W	x D
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Seams: Welded Factory Other	
Selow-grade tank: Subsection I of 19.15.17.11 NMAC Tank ID: A	
5.	
Alternative Method:	
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration o	f approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	hospital,
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
8. Signs: Subsection C of 19.15.17.11 NMAC ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☐ Signed in compliance with 19.15.16.8 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accematerial are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	opriate district approval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number:
above ground steet tains or radi-off one and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
 □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

		nore than two						
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No								
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	requirements of Subsection H of 19.15.17.13 NMAO I of 19.15.17.13 NMAC	C						
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may require considered an exception which must be submitted to the Santa Fe Environmental demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC f	e administrative approval from the appropriate distr Bureau office for consideration of approval. Justi,	rict office or may be						
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	☐ Yes ☐ No ☐ NA						
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	☐ Yes ☐ No ☐ NA						
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	☐ Yes ☐ No ☐ NA						
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site								
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image								
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site								
Within incorporated municipal boundaries or within a defined municipal fresh wate adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approve		Yes No						
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visua	l inspection (certification) of the proposed site	☐ Yes ☐ No						
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining	and Mineral Division	Yes No						
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology Society; Topographic map	& Mineral Resources; USGS; NM Geological	☐ Yes ☐ No						
Within a 100-year floodplain FEMA map		☐ Yes ☐ No						
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Protocols and Procedures - based upon the appropriate requirements of 19.15 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and disposal Facility Name and Permit Number (for liquids, drilling fluids and disposal Facility Name and Permit Number (for liquids, drilling fluids and disposal Facility Name and Permit Number (for liquids). Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection.	sirements of 19.15.17.10 NMAC Subsection F of 19.15.17.13 NMAC propriate requirements of 19.15.17.11 NMAC ad) - based upon the appropriate requirements of 19.1 .17.13 NMAC sirements of Subsection F of 19.15.17.13 NMAC Subsection F of 19.15.17.13 NMAC rill cuttings or in case on-site closure standards cannot for 19.15.17.13 NMAC of 19.15.17.13 NMAC	5.17.11 NMAC						

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address:Telephone:
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
21. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: _Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. □ Proof of Closure Notice (surface owner and division) □ Proof of Deed Notice (required for on-site closure) □ Plot Plan (for on-site closures and temporary pits) □ Confirmation Sampling Analytical Results (if applicable) □ Waste Material Sampling Analytical Results (required for on-site closure) □ Disposal Facility Name and Permit Number □ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique □ Site Reclamation (Photo Documentation) On-site Closure Location: Latitude
25. Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Steve Moskal Title: Field Environmental Coordinator
Signature:
e-mail address: steven.moskal@bp.com

BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

Warren LS # 10 - Tank ID: A
API #: 3004520280
Unit Letter P, Section 13, T28N, R09W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

- 1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.
 - Notice is attached.
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice was provided and documented in the attached email.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)
 - f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
 - g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
 - h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
 - i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
 - j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
 - k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and/or sludge within the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for recycling.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
		(mg/Kg)	Results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	< 0.025
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.10
TPH	US EPA Method SW-846 418.1	100	<48
Chlorides	US EPA Method 300.0 or 4500B	250 or background	<30

Notes:

mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil beneath the BGT was sampled for TPH, BTEX, and chloride. All test parameters were below the stated limits. A field and laboratory reports are attached.

- 7. BP shall notify the division District III office of its results on form C-141. **C-141 is attached.**
- 8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results reveal no evidence of a release has occurred.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, nonwaste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area.

Sampling results reveal no evidence of a release has occurred. Area was backfilled with clean, earthen material and is within the active well pad. This area will be reclaimed since the gas well has been plugged & abandoned.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area over the BGT will be part of the final reclamation since the gas well has been plugged & abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area over the BGT will be part of the final reclamation since the gas well has been plugged & abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area over the BGT will be part of the final reclamation since the gas well has been plugged & abandoned.

- 13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.
 - The area over the BGT will be part of the final reclamation since the gas well has been plugged & abandoned.
- 14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves re-vegetation.

BP will notify NMOCD when re-vegetation is successfully completed.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

<u>Closure report on C-144 form is included & contains a photo of the reclamation completion.</u>

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Release Notification and Corrective Action												
						OPERA	TOR		Initia	al Report	\boxtimes	Final Report
Name of Co	ompany B	Contact Steve Moskal										
Address 20	0 Energy	Court, Fari	NM 87401		Telephone 1	No. (505) 326-9	497					
Facility Na	me WAR	REN LS 010			Facility Typ	e Natural Gas	Well					
Surface Ow	ner Feder	ral	Mineral O	wner l	Federal			API No	. 3004520	280		
				LOCA	TION	N OF RE	LEASE					
Unit Letter P	Section 13	Township 28N	Range 09W	Feet from the 1,180	North/	North/South Line SOUTH 830 East/West Line County SAN JUA						
	Latitude 36.65809 Longitude -107.73387											
						OF REL						
				TON SAMPLING	G		Release N/A	27/1		Recovered		27/1
Was Immedia		APPLICAB	LE (N/A)			If YES, To	Hour of Occurrence	e N/A	Date and	l Hour of Di	scovery	N/A
was infinedia	ate Notice (Yes [No Not Re	quired	11 1 ES, 10	whom?					
By Whom?						Date and F	Iour					
Was a Water	course Read	ched?					olume Impacting t	he Water	rcourse.			
			Yes 🛚	No			, ,					
If a Watercou	ırse was Im	pacted, Descri	ibe Fully.*	k								
Describe Cause of Problem and Remedial Action Taken.* NO INDICATION OF ANY INTEGRITY &/OR MAINTENANCE PROBLEMS WITH THE BGT, THEREFORE NO REMEDIAL ACTION NECESSARY. SAMPLING BENEATH BGT WAS CONDUCTED IMMEDIATELY AFTER REMOVAL. FIELD & LABORATORY ANALYTICAL REPORTS ARE ATTACHED.												
Describe Are THE BGT LO		and Cleanup A	Action Tak	en.* <u>NO CLEAN</u>	UP ACT	ION NECESS	SARY. FINAL LA	BORATO	ORY RESU	LTS SUPPO	RT CLO	OSURE OF
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.									danger liability nan health			
							OIL CONS	SERVA	ATION	DIVISIO	N	
Signature:	Mic	mn										
Printed Name	e: Steve Mo	oskal			1	Approved by Environmental Specialist:						
Title: Enviro	onmental F	ield Coordina	ator		A	Approval Dat	e:	Е	xpiration I	Date:		
E-mail Addre	ess: steven.	moskal@bp.c	com			Conditions of	Approval:		Attached			
Date: Februa	ry 9, 2017		Phone:	(505) 326-9497								

^{*} Attach Additional Sheets If Necessary

BP Pit Close Notification – WARREN LS 010

12/02/16 at 2:02 PM

From: Moskal, Steven < Steven. Moskal@bp.com>

Smith, Cory, EMNRD, Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us), I1thomas@blm.gov

jeffcblagg@aol.com blagg_njv@yahoo.com Beebe, Sabre Webber, Trenton gekosi@gobrainstorm.net Railsback, Farrah

(CH2M HILL)

CC:

BP America Production Company

200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: CORY.SMITH@STATE.NM.US; VANESSA.FIELDS@STATE.NM.US; I1thomas@blm.gov

December 2, 2016

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

WARREN LS 010 API 30-045-20280 (P) Section 13 – T28N – R09W San Juan County, New Mexico

Dear Mr. Cory Smith, Mrs. Vanessa Fields and Mrs. Whitney Thomas,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close one 21bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around December 5, 2016.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely.

Steven Moskal BP Field Environmental Coordinator

(505) 326-9497

Steve Moskal

BP Lower 48 – San Juan – Farmington Field Environmental Coordinator Office: (505) 326-9497 Cell: (505) 330-9179



This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

CLIENT: BP	P.O. BOX 87, B	NGINEERING LOOMFIELD, 95) 632-1199	-	API #: 3004520 TANK ID (if applicble): A	280					
FIELD REPORT:	(circle one): BGT CONFIRMATION	RELEASE INVESTIGATION	ON / OTHER:	PAGE#: 1 of	1					
SITE INFORMATION	: SITE NAME: WARRE	N LS #10		DATE STARTED: 12/0	5/16					
QUAD/UNIT: P SEC: 13 TWP:	28N RNG: 9W PM:	NM CNTY:	SJ ST: NM	DATE FINISHED:						
1/4-1/4/FOOTAGE: 1,180'S / 830	D'E SE/SE LEASE T			ENVIRONMENTAL						
LEASE #: SF077123	PROD. FORMATION: PC CO	ONTRACTOR: KELL	.EY O.F.S. .EY - K. JOHNSON	SPECIALIST(S):	JV					
REFERENCE POINT: Well HEAD (W.H.) GPS COORD.: 36.65811 X 107.73383 GL ELEV.: 5,883'										
21 BGT (SW/DB)	GPS COORD.: 36	.65809 X 107.773	387 DISTANCE/BE	ARING FROM W.H.: 17', S38						
2)	GPS COORD.:			ARING FROM W.H.:						
3)	GPS COORD.:		DISTANCE/BE	ARING FROM W.H.:						
4)	GPS COORD.:		DISTANCE/BE/	ARING FROM W.H.:						
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # C	OR LAB USED:	HALL		OVM READING (ppm)					
1) SAMPLE ID: 5PC - TB @ 6'	(21) SAMPLE DATE: 12/05/	116 SAMPLE TIME: 11	110 LAB ANALYSIS: 801	5B/8021B/300.0 (CI)	NA					
2) SAMPLE ID:	SAMPLE DATE:	SAMPLE TIME:	LAB ANALYSIS:							
3) SAMPLE ID:	SAMPLE DATE:	SAMPLE TIME:	LAB ANALYSIS:	A SA TON						
4) SAMPLE ID:	SAMPLE DATE:	SAMPLE TIME:	LAB ANALYSIS:							
SOIL DESCRIPTION	SOIL TYPE: SAND SILTY SAND (SILT / SILTY CLAY / CLAY /	GRAVEL OTHER MINOR	AMOUNT OF IMPORTED RO	AD BASE.					
	RK YELLOWISH BROWN COHESIVE / COHESIVE / HIGHLY COHESIVE	PLASTICITY (CLAYS): NON I DENSITY (COHESIVE CL		COHESIVE / MEDIUM PLASTIC / HIGHL / STIFF / VERY STIFF / HARD						
MOISTURE: DRY/SLIGHTLYMOIST MOIST WE	T / SATURATED / SUPER SATURATED									
SAMPLE TYPE: GRAB COMPOSITE # DISCOLORATION/STAINING OBSERVED: YES N		ANY AREAS DISPLAYING V	METNESS: YES NO EXPLA	NATION -						
SITE OBSERVATION		VECTO EVELANATION								
APPARENT EVIDENCE OF A RELEASE OBSERVE										
EQUIPMENT SET OVER RECLAIMED AREA:	YES NO EXPLANATION -									
OTHER: GAS WELL RECENTLY PLUGGE	D & ABANDONED (P&A). NMOC	D OR BLM REPS. NO	T PRESENT TO WITNESS	S CONFIRMATION SAMPLING	э					
SOIL IMPACT DIMENSION ESTIMATION:	NA ft. X NA	ft. X NA f	ft. EXCAVATION ES	TIMATION (Cubic Yards) :	NA					
DEPTH TO GROUNDWATER: >100' N	EAREST WATER SOURCE: >1,000'	NEAREST SURFACE W	VATER: <1,000' NMO	CD TPH CLOSURE STD: 1,00	00 ppm					
SITE SKETCH	BGT Located : off on site	PLOT PLAN	circle: attached OVA	M CALIB. READ. = NA ppm	RF =0.52					
			↑ OVA	I CALIB. GAS = NA ppm						
			N I TIMI	E: NA am/pm DATE:	NA					
				MISCELL. NOT	ES					
	P&A MARKER	METER RUN	Ιv	VO:						
PROTI	\oplus		-	FE #: X7-006LX-E:RE	ST					
PBGTL T.B. ~ 6'			V	ID: VBEEBS0PLG						
B.G.	BERM		<u> </u>	IJ#:						
	$(\overset{x}{\underset{x}{x}})$		P	ermit date(s): 06/09						
				OCD Appr. date(s): 02/08	/16					
			1	ppm = parts per million						
FENCE				BGT Sidewalls Visible: Y / N						
MATER DOT DELOWER DETERMINE	Upppppalau pa a a a a a a a a a a a a a a a a a		X - S.P.D.	BGT Sidewalls Visible: Y / N BGT Sidewalls Visible: Y / N						
NOTES: BGT = BELOW-GRADE TANK; E.D. = EXCAVATIO T.B. = TANK BOTTOM; PBGTL = PREVIOUS BELO APPLICABLE OR NOT AVAILABLE; SW - SINGLE	W-GRADE TANK LOCATION; SPD = SAMPLE P	OINT DESIGNATION; R.W. = RET		Magnetic declination: 10						
NOTES: GOOGLE EARTH IMAGE	RY DATE: 3/16/2016.	ONSITE: 1	2/05/16							

Analytical Report

Lab Order 1612195

Date Reported: 12/7/2016

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Client Sample ID: 5PC-TB @ 6' (21)

Project: Warren LS 10 Collection Date: 12/2/2016 11:10:00 AM

1612195-001 Lab ID:

Matrix: MEOH (SOIL)

Received Date: 12/6/2016 8:00:00 AM

Analyses	Result	PQL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	LGT
Chloride	ND	30	mg/Kg	20	12/6/2016 11:45:14 AM	29019
EPA METHOD 8015D MOD: GASOLINE	RANGE				Analyst	DJF
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	12/6/2016 10:38:51 AM	29000
Surr: BFB	93.1	70-130	%Rec	1	12/6/2016 10:38:51 AM	29000
EPA METHOD 8015M/D: DIESEL RANG	E ORGANICS	1			Analyst	TOM
Diesel Range Organics (DRO)	ND	9.5	mg/Kg	1	12/6/2016 10:15:45 AM	29013
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	12/6/2016 10:15:45 AM	29013
Surr: DNOP	99.3	70-130	%Rec	1	12/6/2016 10:15:45 AM	29013
EPA METHOD 8260B: VOLATILES SHO	RT LIST				Analyst	DJF
Benzene	ND	0.025	mg/Kg	1	12/6/2016 10:38:51 AM	29000
Toluene	ND	0.050	mg/Kg	1	12/6/2016 10:38:51 AM	29000
Ethylbenzene	ND	0.050	mg/Kg	1	12/6/2016 10:38:51 AM	29000
Xylenes, Total	ND	0.10	mg/Kg	1	12/6/2016 10:38:51 AM	29000
Surr: 1,2-Dichloroethane-d4	97.9	70-130	%Rec	1	12/6/2016 10:38:51 AM	29000
Surr: 4-Bromofluorobenzene	87.2	70-130	%Rec	1	12/6/2016 10:38:51 AM	29000
Surr: Dibromofluoromethane	105	70-130	%Rec	1	12/6/2016 10:38:51 AM	29000
Surr: Toluene-d8	99.5	70-130	%Rec	1	12/6/2016 10:38:51 AM	29000

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank
- E Value above quantitation range
- Analyte detected below quantitation limits Page 1 of 5 J
 - Sample pH Not In Range
- RL Reporting Detection Limit

P

Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1612195

07-Dec-16

Client:

Blagg Engineering

Project:

Warren LS 10

Sample ID MB-29019

SampType: MBLK

TestCode: EPA Method 300.0: Anions

LowLimit

Client ID:

Batch ID: 29019

PQL

RunNo: 39203

Prep Date: 12/6/2016 Analysis Date: 12/6/2016 Result

SeqNo: 1226607

SPK value SPK Ref Val %REC

Units: mg/Kg HighLimit

%RPD

%RPD

RPDLimit Qual

Analyte Chloride

ND 1.5

Sample ID LCS-29019

SampType: LCS

TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 29019

RunNo: 39203

Units: mg/Kg

Prep Date: 12/6/2016 Analysis Date: 12/6/2016

SeqNo: 1226608

Analyte PQL SPK value SPK Ref Val 1.5

%REC

HighLimit

RPDLimit Qual

Chloride

Result 14

15.00

93.1

0

LowLimit

90 110

Qualifiers:

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

Η Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit

RPD outside accepted recovery limits R

% Recovery outside of range due to dilution or matrix

Analyte detected in the associated Method Blank

Value above quantitation range E

Analyte detected below quantitation limits

Sample pH Not In Range

Reporting Detection Limit RL

Sample container temperature is out of limit as specified

Page 2 of 5

Hall Environmental Analysis Laboratory, Inc.

ND

ND

8.4

10

50

10.00

WO#:

1612195

07-Dec-16

Client:

Blagg Engineering

Project:

Diesel Range Organics (DRO)

Surr: DNOP

Motor Oil Range Organics (MRO)

Warren LS 10

Troject. Warren	123 10						
Sample ID LCS-29013	SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics						
Client ID: LCSS	Batch ID: 29013	RunNo: 39168					
Prep Date: 12/6/2016	Analysis Date: 12/6/2016	Analysis Date: 12/6/2016 SeqNo: 1225423 Units: mg/Kg					
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit Qual			
Diesel Range Organics (DRO)	54 10 50.00	0 107 62.6	124				
Surr: DNOP	4.3 5.000	86.8 70	130				
Sample ID MB-29013	SampType: MBLK	TestCode: EPA Method	8015M/D: Diesel Range	Organics			
Client ID: PBS	Batch ID: 29013	RunNo: 39168					
Prep Date: 12/6/2016	Analysis Date: 12/6/2016	SeqNo: 1225426	Units: mg/Kg				
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit Qual			

84.2

70

130

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits

Page 3 of 5

- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1612195

07-Dec-16

Client:

Blagg Engineering

Project:

Warren LS 10

Sample ID mb-29000	SampT	ype: ME	BLK	Tes	TestCode: EPA Method 8260B: Volatiles Short List					
Client ID: PBS	Batch	1D: 29	000	F	RunNo: 39179					
Prep Date: 12/5/2016	Analysis D	Analysis Date: 12/6/2016			SeqNo: 1226570 Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 1,2-Dichloroethane-d4	0.47		0.5000		94.4	70	130			
Surr: 4-Bromofluorobenzene	0.43		0.5000		86.1	70	130			
Surr: Dibromofluoromethane	0.50		0.5000		99.2	70	130			
Surr: Toluene-d8	0.49		0.5000		97.2	70	130			
Sample ID Ics-29000	SampType: LCS TestCode: EPA Method 8260B: Volatiles Short List									

Sample ID Ics-29000	SampType: LCS TestCode: EPA Method					8260B: Vola	tiles Short	List		
Client ID: LCSS	Batch	n ID: 29	000	F	RunNo: 39179					
Prep Date: 12/5/2016	Analysis D	Analysis Date: 12/6/2016			SeqNo: 1226571 Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.1	0.025	1.000	0	109	70	130			
Toluene	1.1	0.050	1.000	0	112	70	130			
Ethylbenzene	1.1	0.050	1.000	0	113	70	130			
Xylenes, Total	3.3	0.10	3.000	0	111	70	130			
Surr: 1,2-Dichloroethane-d4	0.48		0.5000		95.3	70	130			
Surr: 4-Bromofluorobenzene	0.45		0.5000		90.4	70	130			
Surr: Dibromofluoromethane	0.49		0.5000		97.7	70	130			
Surr: Toluene-d8	0.50		0.5000		99.9	70	130			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Page 4 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#:

1612195

07-Dec-16

Client:

Blagg Engineering

Project:

Warren LS 10

Sample ID mb-29000

SampType: MBLK

TestCode: EPA Method 8015D Mod: Gasoline Range

Client ID:

PBS

Batch ID: 29000

RunNo: 39179

Prep Date:

LowLimit

70

Units: mg/Kg

Analyte

12/5/2016

Analysis Date: 12/6/2016

SeqNo: 1226728 %REC

HighLimit

RPDLimit Qual

Gasoline Range Organics (GRO)

Result ND 470

500.0

SPK value SPK Ref Val

SPK value SPK Ref Val

93.5

130

Surr: BFB

PQL

TestCode: EPA Method 8015D Mod: Gasoline Range

%RPD

Sample ID Ics-29000 Client ID:

LCSS

SampType: LCS Batch ID: 29000

RunNo: 39179

Prep Date: 12/5/2016

Analysis Date: 12/6/2016

SeqNo: 1226729

Units: mg/Kg

Analyte Gasoline Range Organics (GRO) Result PQL

25.00

%REC 118 96.1

62.9

123

HighLimit

%RPD

RPDLimit Qual

Page 5 of 5

Surr: BFB

30 480 5.0 500.0

70

LowLimit

130

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- H Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- % Recovery outside of range due to dilution or matrix S
- В Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- Sample container temperature is out of limit as specified





Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107

Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: BLAGG Work On	der Number: 1612195		RcptNo: 1
Received by/date:	2/06/16	11.	
Logged By: Ashley Galleges 12/6/2016	8:00:00 AM	AZ	
U	8:40:07 AM	A	
Reviewed By: 10 12/06/66	,	0	
Chain of Custody	* 10 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		
Custody seals intact on sample bottles?	Yes 🗌	No 📋	Not Present
2. Is Chain of Custody complete?	Yes 🗸	No 🗌	Not Present
3. How was the sample delivered?	Courier		
<u>Log In</u>			
4. Was an attempt made to cool the samples?	Yes 🗹	No []	NA L.
5. Were all samples received at a temperature of >0° C to	6.0°C Yes	No []	NA L.I
6. Sample(s) in proper container(s)?	Yes 🗸	No 🗌	
7. Sufficient sample volume for indicated test(s)?	Yes 🗸	No 🗔	
8. Are samples (except VOA and ONG) properly preserved	? Yes	No	
9. Was preservative added to bottles?	Yes [No 🗸	NA
10 VOA vials have zero headspace?	Yes [No 🗌	No VOA Vials
11. Were any sample containers received broken?	Yes	No 🗸	# of accounted
			# of preserved bottles checked
12. Does paperwork match bottle labels? (Note discrepancies on chain of custody)	Yes 🗹	No 📗	for pH: (<2 or >12 unless noted)
13. Are matrices correctly identified on Chain of Custody?	Yes 🗹	No []	Adjusted?
14, is it clear what analyses were requested?	Yes 🗹	No [
15. Were all holding times able to be met? (If no, notify customer for authorization.)	Yes 🔽	No [Checked by:
Special Handling (if applicable)			
16. Was client notified of all discrepancies with this order?	Yes []	No [_]	NA [✔]
Person Notified:	Date	was communicated and the desired and the sector	
By Whom:	Via: eMail P	hone 🔲 Fax	[] In Person
Regarding:			geographic Alberton Laboratory Commence and Alberton Commence and
Client Instructions:			
17. Additional remarks:			
18. Cooler Information Cooler No Temp °C Condition Seal Intact S 1 1.0 Good Yes	Seal No Seal Date	Signed By	





Chain-of-Custody Record				Turn-Around Time: SAME						н	AL	LE	N	/IF	80	N	ИE	NT	ΓΑΙ	L	
ent:	BLAG	G ENGR.	/ BP AMERICA	☐ Standard ☑ RushDAY					HALL ENVIRONMENTAL ANALYSIS LABORATORY												
				Project Name:				www.hallenvironmental.com													
ailing Address: P.O. BOX 87			WARREN LS # 10			4901 Hawkins NE - Albuquerque, NM 87109															
BLOOMFIELD, NM 87413				Project #:			Tel. 505-345-3975 Fax 505-345-4107														
ione #:		(505) 63	2-1199									Ana	lysis	Re	ques	st					
nail or F	ax#:			Project Manager:								T	4				300.1)				
VQC Package: Standard □ Level 4 (Full Validation)		NELSON VELEZ			FMB*s (8021B)	+ MTBE + TPH (Gas only)	/ MRO)		10	2	PO4,50	PCB's			water - 300			e			
credita	tion:			Sampler:	NELSON VI	ELEZ ny	<u>s</u>	(Ga	DRO	17	504.1)		102	8082			/ wa			ldmi	
NELAF		□ Other		On-lice:	YZYes :		*	TPH	_	418.1)	504	S	000	se/se		(AC	300.0 /			te sa	or N
EDD (Гуре)	т——		Sample Temp	erature: / (1	BE +	(GR	pou .	5 5	etal	C,N	icide	(A)	j-K	1 1		ple	oosit	S (Y
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL No.	BTEX +**	BTEX + MT	TPH 8015B (GRO	TPH (Method	EDB (Method 504.1)	RCRA 8 Metals	Anions (F,Cl,NO ₃ ,NO ₂ ,PO ₄ ,SO ₄)	8081 Pesticides /	8260B (VOA)	8270 (Semi-VOA)	Chloride (soll		Grab sample	5 pt. composite sample	Air Bubbles (Y or N)
2/2/15	1110	SOIL	5PC-TB@ (0 '(21)	4 oz 1	Cool	-001	٧		٧								٧			٧	
													T								
																		П			
											\top										
																		\Box			
																			\neg	\neg	
Mar III V											\top	T									
											\top		 					\Box	\dashv	\dashv	
												+	1						\exists		
											\top	+	+	T							
								 		\vdash	+	+	+	_					-		
ate: /	Time:	Relinquishe	ed by:	Received by: Date Time			Ren	narks	5:	BILL DI	RECTLY	TO BE	CIRCL	LED CONTACT WITH							
ate: Time: Relinquished by: 15/16 1517 Man 1		Cn V 1	Christinal notores 25/1. 1517			CORRESPONDING Vance Hixon						VID & REFERENCE # WHEN APPLICABLE; Steve Moskal John Ritchie									
ate:	Time:	Relinquished by:		Received by: Date Time		Valice Hixon VID: VHIXONEVB2						A H					RITCJ			į	
15/14	1849	John	othe Wallers of	1	12	06/iu 0801	5	Α	FE#			X7-006LX-E:REST									
		samples sub	mitted to Hall Environmental may be su	acontracted to other			of this	possil	oility.	Any sub-	-contra	cted da	ata will	be cle	arly no	tated	on the	analyt	ical re	port.	