District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

1

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or	
Proposed Alternative Method Permit or Closure Plan Application	
5849 Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Olosure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,	
below-grade tank, or proposed alternative method	
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade lank or alternative request	
environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinance	es.
Derator: BP AMERICA PRODUCTION COMPANY OGRID #: 778	
Address: 200 Energy Court, Farmington, NM 87401	
Facility or well name: BARNES LS 007A	
API Number: 3004522458 OCD Permit Number:	
U/L or Qtr/Qtr C Section 23.0 Township 32.0N Range 11W County: San Juan County	_
Center of Proposed Design: Latitude 36.975282 Longitude -107.962778 NAD: 1927 🗷 1983	
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment	
2.	
<u>Pit</u> : Subsection F or G of 19.15.17.11 NMAC	
Temporary: Drilling Workover	
Permanent Finergency Cavitation P&A	
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other	
Lined Dunlined Liner type: Thicknessmil DLLDPE HDPE PVC Other String-Reinforced	
I contacted billine billi	
I contacted Deviation revi LinedUnlined Liner type: ThicknessmilLLDPEHDPEPVCOther String-Reinforced Liner Seams:WeldedFactoryOtherVolume:bbl Dimensions: L x W x D 3.	_
Closed-loop System: Subsection H of 19.15.17.11 NMAC	_
I contacted is the left of the line of the l	
Image: String-Reinforced Image: String-Reinforced Image: String-Reinforced Image: Subsection H of 19.15.17.11 NMAC String-Reinforced: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other	
Image: Intergency is curvation is reverted in the intervence of the int	
I terminent [] Entrigency [] Cavitation [] Terminent Lined [] Unlined Liner type: Thicknessmil [] LLDPE [] HDPE [] PVC [] Other String-Reinforced Liner Seams: [] Welded [] Factory [] OtherVolume:bbl Dimensions: Lx Wx D 3. [] Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: [] P&A [] Drilling a new well [] Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) [] Drying Pad [] Above Ground Steel Tanks [] Haul-off Bins [] Other	
a. I chinatchi and the provided and the provide	
a. Closed-loop System: Subsection H of 19.15.17.11 NMAC B. Drying Pad Above Ground Steel Tanks Haul-off Bins Other B. Liner Seams: Welded Factory Other	
a Interface Interface Interface b a Interface Interface Interface c Interface Interface Interface Interface Interface c Interface Interface Interface Interface Interface Interface c Interface Interface Interface Interface Interface Interface Interface	
a	
4. * <t< td=""><td></td></t<>	
I remated Lined Unlined Liner type: Thickness Mil LLDPE HDPE PVC Other String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions: Liner Seams: Welded Packa Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Liner Seams: Welded Factory Other Dimensions: Dimensions: Liner Seams: Welded Factory Other Dimensions: Dimensions: Dimensions: Dimensions: Dimensions: Dimensions: Dimensions: Dimensions: Dimensions	
4. 4. 7. 1. Lined	
a line line line line line line line line	
Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other	

 6. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	l, hospital,
 ^{7.} <u>Netting</u>: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible) 	
 8. Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC 	
 <u>Administrative Approvals and Exceptions:</u> Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. <i>Please check a box if one or more of the following is requested, if not leave blank:</i> Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureat consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. 	u office for
^{10.} Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acc material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appl office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to due above-grade tanks associated with a closed-loop system.	eptable source ropriate district approval. ying pads or
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site: Aerial photo: Satellite image	☐ Yes ☐ No ☐ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits)	□ Yes □ No □ NA
 Visual inspection (certification) of the proposed site; Aerial photo; Saterite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗋 Yes 🗌 No
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality 	Yes No
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes No
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	🗌 Yes 🗌 No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗋 Yes 🗋 No
Within a 100-year floodplain. - FEMA map	Yes No

11. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:
12. Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
13. Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Hydrogeore Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Emergency Response Plan Oil Field Waste Stream Characterization Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14. Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) 15. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Reservegetation Plan - Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

۰.

4

16.	
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13. Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.	D NMAC) more than two
Disposal Facility Name: Disposal Facility Permit Number:	
Disposal Facility Name: Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future ser Ves (If yes, please provide the information below) No	vice and operations?
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	С
^{17.} <u>Siting Criteria (regarding on-site closure methods only)</u> : 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sou provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate dist considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Just demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	rce material are rict office or may be ifications and/or
 Ground water is less than 50 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	□ Yes □ No □ NA
 Ground water is between 50 and 100 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	□ Yes □ No □ NA
 Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	□ Yes □ No □ NA
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗋 Yes 🗌 No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	Yes No
 Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality 	🗌 Yes 🗌 No
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes No
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	🗋 Yes 🗌 No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗌 Yes 🗌 No
Within a 100-year floodplain. - FEMA map	Yes No
 18. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC 	an. Please indicate, 15.17.11 NMAC

Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)

Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

^{19.} Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
20. OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature:
21. <u>Closure Report (required within 60 days of closure completion)</u> : Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date:
22.
Closure Method: X Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
^{23.} <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
24. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. □ Proof of Closure Notice (surface owner and division) □ Proof of Deed Notice (required for on-site closure) □ Plot Plan (for on-site closures and temporary pits) ⊠ Confirmation Sampling Analytical Results (if applicable) □ Waste Material Sampling Analytical Results (required for on-site closure) ☑ Disposal Facility Name and Permit Number ☑ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique ☑ Site Reclamation (Photo Documentation) On-site Closure Location: Latitude 36.975282 Longitude -107.962778 NAD: □1927 🗙 1983
25.
Uperator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Steve Moskal Title: Field Environmental Coordinator
Signature: <u>Harman</u> Date: 02\01\2017
e-mail address: steven.moskal@bp.com Telephone: 505-326-9497

•.

BP AMERICA PRODUCTION COMPANY SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

<u>Barnes LS # 7A – Tank ID: A</u> <u>API #: 3004522458</u> Unit Letter C, Section 23, T32N, R11W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

- BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement. Notice is attached.
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice was provided and documented in the attached email.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)
 - f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
 - g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
 - h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
 - i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
 - j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
 - k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and/or sludge within the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for recycling.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
		(mg/Kg)	Results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	< 0.017
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.066
TPH	US EPA Method SW-846 418.1	100	<46
Chlorides	US EPA Method 300.0 or 4500B	250 or background	<30

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil beneath the BGT was sampled for TPH, BTEX, and chloride. All test parameters were below the stated limits. A field and laboratory reports are attached.

- BP shall notify the division District III office of its results on form C-141. C-141 is attached.
- If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.
 Sampling results reveal no evidence of a release has occurred.
- 9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area.

Sampling results reveal no evidence of a release has occurred. Area was backfilled with clean, earthen material and is within the active well pad.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.

- 12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation. The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.
- BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover. <u>The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.</u>
- Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves re-vegetation.
 BP will notify NMOCD when re-vegetation is successfully completed.
- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

<u>Closure report on C-144 form is included & contains a photo of the reclamation</u> <u>completion.</u>

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.



Form C-141

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Revised August 8, 2011

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Santa Fe, NM 87505

Release Notification and Corrective Action

	OPERATOR	Initial Report	Final Report
Name of Company BP America Production Company	Contact Steve Moskal		
Address 200 Energy Court, Farmington, NM 87401	Telephone No. (505) 326-9497		
Facility Name BARNES LS 007A	Facility Type Natural Gas Well		

Surface Owner Private/Fee

Mineral Owner Private/Fee

API No. 3004522458

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
C	23	32N	11W	960	NORTH	1,500	WEST	SAN JUAN

Latitude <u>36.975282</u> Longitude <u>-107.962778</u>

NATURE OF RELEASE

Type of Release NONE - BGT CONFIRMATION SAMPLING	Volume of Release N/A	Volume 1	Recovered N/A	
Source of Release NOT APPLICABLE (N/A)	Date and Hour of Occurrence N/A	Date and	Hour of Discovery N/A	
Was Immediate Notice Given?	If YES, To Whom?			
Yes No X Not Required				
By Whom?	Date and Hour			
Was a Watercourse Reached?	If YES, Volume Impacting the War	ercourse.		
Yes X No				
If a Watercourse was Impacted, Describe Fully.*				
Describe Cause of Duchlam and Demodial Action Takan * NO INDICAT	ION OF ANY INTECDITY & OD MAIN	TENANCE	DODI EMS WITH THE DOT	
THEREFORE NO REMEDIAL ACTION NECESSARY SAMPLING BEN	FATH BGT WAS CONDUCTED IMME	DIATELY A	FTER REMOVAL. FIELD &	
LABORATORY ANALYTICAL REPORTS ARE ATTACHED.				
		CODU DECU	TO OURDORT OF OCURE OF	
Describe Area Affected and Cleanup Action Taken.* <u>NO CLEANUP AC</u>	TION NECESSARY, FINAL LABORA	IORY RESU	LIS SUPPORT CLOSURE OF	
THE BOT LOCATION.				
I hereby certify that the information given above is true and complete to	the best of my knowledge and understa	nd that pursu	ant to NMOCD rules and	
regulations all operators are required to report and/or file certain release	notifications and perform corrective ac	tions for rele	ases which may endanger	
public health or the environment. The acceptance of a C-141 report by the	ne NMOCD marked as "Final Report"	does not relie	eve the operator of liability	
should their operations have failed to adequately investigate and remedia	te contamination that pose a threat to g	round water,	surface water, human health	
federal state or legal laws and/or regulations	does not relieve the operator of respons	sibility for co	mphance with any other	
rederal, state, of local laws and/of regulations.	OIL CONSERV	ATION	DIVISION	
11 12	OIL CONSERV	ATION	DIVISION	
Signature:				
	Approved by Environmental Specialis	st:		
Printed Name: Steve Moskal	· · · · · · · · · · · · · · · · · · ·			
Title: Environmental Field Coordinator	Expiration L	Date:		
E mail Addresses ateven magical@hr corr	Conditions of Approval			
E-man Address. steven.moskai@pp.com	- Conditions of Approval. Attac		Attached	
Date: February 1, 2017 Phone: (505) 326-9497				

* Attach Additional Sheets If Necessary

RE: BP Pit Close Notification - BARNES LS 007A

From: Moskal, Steven <Steven.Moskal@bp.com>

To: Smith, Cory, EMNRD, Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us) CC: jeffcblagg@aol.com, blagg_njv@yahoo.com, Railsback, Farrah (CH2M HILL), Salazar, Augustine T

The BGT is scheduled to be removed on Monday 11/21/16 at 9:00 AM.

Thank you,

Steve Moskal

BP Lower 48 – San Juan – Farmington Field Environmental Coordinator Office: (505) 326-9497 Cell: (505) 330-9179

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

From: Railsback, Farrah (CH2M HILL) Sent: Thursday, November 17, 2016 11:55 AM To: Smith, Cory, EMNRD; Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us) Cc: jeffcblagg@aol.com; blagg_njv@yahoo.com; Moskal, Steven Subject: BP Pit Close Notification - BARNES LS 007A

> BP America Production Company 200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: CORY.SMITH@STATE.NM.US; VANESSA.FIELDS@STATE.NM.US

November 17, 2016

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

BARNES LS 007A API 30-045-22458 (C) Section 23 – T32N – R11W San Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close two 45bbl BGT's that will no longer be operational at this well site. We anticipate this work to start on or around November 21, 2016.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Steven Moskal BP Field Environmental Coordinator

(505) 326-9497

Farrah Railsback

BGT Project Support 970-946-9199 -cell

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited

bp

.



BP America Production Company 200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

November 17, 2016

Maddox Properties LLC PO Box 40713 Albuquerque, NM 87196-0713

VIA CERTIFIED MAIL – RETURN RECEIPT REQUESTED

Re: Notification of plans to close/remove a below grade tank Well Name: BARNES LS 007A

To Whom It May Concern,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about November 21, 2016. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

Unless you have questions about this notice, there is no need to respond to this letter. If you do have any questions or concerns, please contact me at (505) 326-9497.

Sincerely,

Steven Moskal BP Field Environmental Coordinator

	BLAGG ENGINEERING, INC.	API #: 3004522458
CLIENT:	(505) 632-1199	TANK ID (if applicble):
FIELD REPORT:	(circle one): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER:	PAGE #: 1 of 1
SITE INFORMATION	SITE NAME: BARNES LS #7A	DATE STARTED: 11/22/16
QUAD/UNIT: C SEC: 23 TWP:	32N RNG: 11W PM: NM CNTY: SJ ST: NM	DATE FINISHED:
1/4 -1/4/FOOTAGE: 960'N / 1,500	W NE/NW LEASE TYPE: FEDERAL / STATE (FEE) INDIAN	
LEASE #: F	PROD. FORMATION: INV CONTRACTOR: BP - A. SALAZAR	SPECIALIST(S): JCD
REFERENCE POINT	WELL HEAD (W.H.) GPS COORD.: 36.97513 X 107.9751	3 GL ELEV.: 6,326'
1) 45 BGT (SW/DB) - A	GPS COORD.: 36.975282 X 107.962778 DISTANCE/	3EARING FROM W.H.: 124', N61.5W
2)	GPS COORD.: DISTANCE/E	3EARING FROM W.H.:
3)	GPS COORD.: DISTANCE/E	3EARING FROM W.H.:
4)	GPS COORD.: DISTANCE/E	3EARING FROM W.H.:
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # OR LAB USED: HALL	READING (ppm)
1) SAMPLE ID: 45 BGT (A) 5-pt.	(00.5° SAMPLE DATE: 11/22/16 SAMPLE TIME: 1141 LAB ANALYSIS: 80	015B/8021B/300.0 (CI) NA
2) SAMPLE ID:	SAMPLE DATE: SAMPLE TIME: LAB ANALYSIS:	
3) SAMPLE ID:	SAMPLE DATE: SAMPLE TIME: LAB ANALYSIS:	
4) SAMPLE ID:	SAMPLE DATE: SAMPLE TIME: LAB ANALYSIS:	
DISCOLORATION/STAINING OBSERVED: YES INC SITE OBSERVATION APPARENT EVIDENCE OF A RELEASE OBSERVED EQUIPMENT SET OVER RECLAIMED AREA: Y OTHER: MMOCD REP. NOT PRESENT TO W	S: LOST INTEGRITY OF EQUIPMENT: YES NO EXPLANATION -	
SOIL IMPACT DIMENSION ESTIMATION:	NA ft. X NA ft. X NA ft. EXCAVATION E	STIMATION (Cubic Yards) : NA
	AREST WATER SOURCE: _>1,000' NEAREST SURFACE WATER: _<1,000' NM	OCD TPH CLOSURE STD: ppm
(45)-A PBGTL T.B.~5' B.G.	PROD. TANK FENCE	M CALIB. READ. = <u>NA</u> ppm <u>RF = 0.52</u> M CALIB. GAS = <u>NA</u> ppm <u>IME</u> IME: <u>NA</u> am/pm DATE: <u>NA</u> MISCELL. NOTES WO:
	RUN	REF #: P - 668
BERM	w.н.	VID: VHIXONEVB2
	~	PJ #:
DEDA	COMPRESSOR	Permit date(s): 06/14/10
BERN		OCD Appr. date(s): 04/03/16 Tank OVM = Organic Vapor Meter
(A5) B	SEPARATOR	ID ppm = parts per million A BGT Sidewalls Visible: Y / N
- d- (<i>c</i> +)		BGT Sidewalls Visible: Y / N
NOTES: BGT = BELOW-GRADE TANK; E.D. = EXCAVATION	V DEPRESSION; B.G. = BELOW GRADE; B = BELOW; T.H. = TEST HOLE; ~ = APPROX.; W.H. = WELL HEAD;	BGT Sidewalls Visible: Y / N
T.B. = TANK BOTTOM; PBGTL = PREVIOUS BELO APPLICABLE OR NOT AVAILABLE; SW - SINGLE	W-GRADE TANK LOCATION; SPD = SAMPLE POINT DESIGNATION; R.W. = RETAINING WALL; NA - NOT WALL; DW - DOUBLE WALL; SB - SINGLE BOTTOM; DB - DOUBLE BOTTOM.	Magnetic declination: 10° E
NOTES: GOOGLE EARTH IMAGE	RY DATE: 3/15/2015. ONSITE: 11/22/16	

revised: 11/26

Hall Er	vironmental Analys	sis Labora	tory, Inc.			Lab Order 1611C31 Date Reported: 11/30	/2016
CLIENT:	Blagg Engineering			Client Sampl	e ID: 45	BGT (A) 5-pt@5'	
Project:	Project: Barnes LS 7A Collection Date: 11/22/2016 11:41:00 AM						Μ
Lab ID:	1611C31-002	Matrix: MEOH (SOIL) Received Date: 11/23/2016 7:40:00 AM				1	
Analyses		Result	PQL Qual	Units	DF	Date Analyzed	Batch
EPA MET	HOD 300.0: ANIONS					Analy	st: LGT
Chloride		ND	30	mg/Kg	20	11/23/2016 10:13:07	AM 28841
EPA MET	HOD 8015M/D: DIESEL RAN	GE ORGANICS	S			Analy	st: TOM
Diesel Ra	ange Organics (DRO)	ND	9.2	mg/Kg	1	11/23/2016 12:31:58	PM 28837
Motor Oil	Range Organics (MRO)	ND	46	mg/Kg	1	11/23/2016 12:31:58	PM 28837
Surr: D	NOP	88.8	70-130	%Rec	1	11/23/2016 12:31:58	PM 28837
EPA MET	HOD 8015D: GASOLINE RAI	NGE				Analy	st: NSB
Gasoline	Range Organics (GRO)	ND	3.3	mg/Kg	1	11/23/2016 10:35:41	AM 28824
Surr: B	FB	86.1	68.3-144	%Rec	1	11/23/2016 10:35:41	AM 28824
EPA MET	HOD 8021B: VOLATILES					Analy	st: NSB
Benzene		ND	0.017	mg/Kg	1	11/23/2016 10:35:41	AM 28824
Toluene		ND	0.033	mg/Kg	1	11/23/2016 10:35:41	AM 28824
Ethylbenz	zene	ND	0.033	mg/Kg	1	11/23/2016 10:35:41	AM 28824
Xylenes,	Total	ND	0.066	mg/Kg	1	11/23/2016 10:35:41	AM 28824
Surr: 4	-Bromofluorobenzene	102	80-120	%Rec	1	11/23/2016 10:35:41	AM 28824

Analytical Report

• .

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	В	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits Page 2 of 6
	ND	Not Detected at the Reporting Limit	Р	Sample pH Not In Range
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	% Recovery outside of range due to dilution or matrix	W	Sample container temperature is out of limit as specified

Cl Client:	hain-o BLAC	of-Cus	. / BP AMERICA	Turn-Around	Time:	SAME DAY				H			E	NV SIS	/IF 5 L	RO Al	NI	ME R/	NT		L Y
				Project Name					100		www	w.ha	llen	vico	mm	enta	Loor	n		_	
Mailing A	ddress:	P.O. BO	X 87	1 E	BARNES LS	#7A	Chart Sector	49	01 H	anki	ns N	JF -	All		era	ue l	UNA S	2710	٥		
and the second s		BLOOM	IFIELD, NM 87413	Project #:			-	Te	1 50	5.74	5.20	175	in the second se	av I	505-	-225	.410	17			
Shone #		(505) 63	32-1199	-						0.01		A	nal	vsis	Rei	que	st				
email or f	Fax#;			Project Mana	ger													1	1	ľ	
QA/QC Pa	ackage lard	e			NELSON V	ELEZ	0218)	(λ _i uo :	(MRO)			IS)		O4,504	PCB's			ter - 300			π.
Accredita	tion			Sampler:	NELSON V	ELEZ		(Gas	RO	1	-	SIM		0,1	082			i wal	1000 au		up(e
	5	T Other		On Ice:	Yes	D No	Hon	HdT	0/0	118.	504.	3270		Q,N	5 / 8		(V)	000			e sal
	Type)	-		Sample Temp	érature:		1 H	+ 35	(GRC	po	po	OI &	stals	N'ID	cide	R	i VC	il - 3		0	osito
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL NO.	BIEX -ME	BTEX + MIT	TPH 80158	PH (Meth	EDB (Meth	7AH (8310	3CRA 8 Me	Anions (F,	3081 Pesti	3260B (VO	3270 (Sem	blaride (so		Grab samp	t pt. comp
122 hours	1.4.	· ·		il and			1							-	~						** •
**	nui	11	45 70 - TON 5-02- 105"			-007	×		1				_		_				=+	+	
		1	13 601 (A) > F C 3			- 002	-		<u>×</u>									×			
												-	_						-		
-		1														<u> </u>					
				<u> </u>		an generation (Leaver A)													-+	_	
							-													_	
-			1				-				_		_		_						
												an or more the		_							
2		For	2HIMMUC		1							i.									
Voj zolo	Time: 22	Relinquish	der Black	Received by:		Date Time	Rem	iarks		CORRE	RECT	NDING	GVID	S RE	FERE	CIRCL	ED CO WHEN		r with Licabi	L E:	-1
Date	Time:	Relptquish	ed by	Received by		Jate Time	-		VID:	VHI D	IXO!	NEVB	32	-46)RIN	KWJ	A1	-1.14	IOS61	IQ FE	ф Ф

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited taboratoriles. This serves as autice of this possibility. Any sub-contracted data will be clearly notated by the analytical report

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

Client: Blagg Engineering Project: Barnes LS 7A

• .

Sample ID MB-28841 Client ID: PBS	SampType: MBLK Batch ID: 28841	TestCode: EPA Method RunNo: 38972	300.0: Anions	
Prep Date: 11/23/2016	Analysis Date: 11/23/2016	SeqNo: 1218674	Units: mg/Kg	
Analyte	Result PQL SPK value ND 1.5	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit Qual
Sample ID LCS-28841	SampType: LCS	TestCode: EPA Method	300.0: Anions	
Sample ID LCS-28841 Client ID: LCSS	SampType: LCS Batch ID: 28841	TestCode: EPA Method RunNo: 38972	300.0: Anions	
Sample ID LCS-28841 Client ID: LCSS Prep Date: 11/23/2016	SampType: LCS Batch ID: 28841 Analysis Date: 11/23/2016	TestCode: EPA Method RunNo: 38972 SeqNo: 1218675	300.0: Anions Units: mg/Kg	
Sample ID LCS-28841 Client ID: LCSS Prep Date: 11/23/2016 Analyte	SampType: LCS Batch ID: 28841 Analysis Date: 11/23/2016 Result PQL SPK value	TestCode: EPA Method RunNo: 38972 SeqNo: 1218675 SPK Ref Val %REC LowLimit	300.0: Anions Units: mg/Kg HighLimit %RPD	RPDLimit Qual

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Page 3 of 6

WO#: 1611C31 30-Nov-16

QC SUMMARY REPORT	
Hall Environmental Analysis Laboratory,	Inc.

WO#: 1611C31

Page 4 of 6

Client:	Blagg Er	gineering									
Project:	Barnes L	S 7A									
Sample ID	MB-28837	Samp	Type: Mi	BLK	Tes	tCode: E	PA Method	8015M/D: D	iesel Rang	e Organics	
Client ID:	PBS	Batc	h ID: 28	837	F	RunNo: 3	8942				
Prep Date:	11/23/2016	Analysis [Date: 1	1/23/2016	5	SeqNo: 1	217836	Units: mg/I	Kg		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range	Organics (DRO)	ND	10								
Motor Oil Rang	e Organics (MRO)	ND	50								
Surr: DNOP		11		10.00		107	70	130			
Sample ID	LCS-28837	Samp	Type: LC	s	Tes	tCode: El	PA Method	8015M/D: Di	esel Rang	e Organics	
Client ID:	LCSS	Batc	h ID: 28	837	F	RunNo: 3	8942				
Prep Date:	11/23/2016	Analysis [Date: 1	1/23/2016	5	SeqNo: 1	217847	Units: mg/l	٢g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range	Organics (DRO)	43	10	50.00	0	85.9	62.6	124			
Surr: DNOP		4.3		5.000		86.0	70	130			
Sample ID	1611C31-001AMS	Samp	Гуре: М	S	Tes	tCode: El	PA Method	8015M/D: Di	esel Rang	e Organics	
Client ID:	45 BGT (B) 5-pt@	6' Batc	h ID: 28	837	F	RunNo: 3	8942				
Prep Date:	11/23/2016	Analysis E	Date: 14	1/23/2016	5	SeqNo: 1	217890	Units: mg/l	٢g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range (Organics (DRO)	43	9.6	47.85	2.409	84.6	51.6	130			
Surr: DNOP		4.4		4.785		92.3	70	130			
Sample ID	1611C31-001AMS	D Samp	Гуре: МЗ	SD	Tes	tCode: E	A Method	8015M/D: Di	esel Range	e Organics	
Client ID:	45 BGT (B) 5-pt@	6' Batcl	h ID: 28	837	R	RunNo: 3	8942				
Prep Date:	11/23/2016	Analysis E	Date: 11	1/23/2016	S	SeqNo: 1	217891	Units: mg/h	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range (Organics (DRO)	43	9.6	48.17	2.409	84.8	51.6	130	0.893	20	
Surr: DNOP		4.4		4.817		91.4	70	130	0	0	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

30-Nov-16

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

WO#: 1611C31

Page 5 of 6

30-Nov-16

Client:	Blagg En	gineering									
Project:	Barnes L	S 7A									
Sample ID	MB-28824	SampT	ype: M	BLK	Tes	tCode: E	PA Method	8015D: Gase	oline Rang	e	
Client ID:	PBS	Batch	h ID: 28	824	F	RunNo: 3	8948				
Prep Date:	11/22/2016	Analysis D	Date: 1	1/23/2016	5	SeqNo: 1	218275	Units: mg/l	٢g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Rang	ge Organics (GRO)	ND	5.0								
Surr: BFB		840		1000		83.5	68.3	144			
Sample ID	LCS-28824	SampT	ype: LC	s	Tes	tCode: E	PA Method	8015D: Gase	oline Rang	e	
Client ID:	LCSS	Batch	n ID: 28	824	F	RunNo: 3	8948				
Prep Date:	11/22/2016	Analysis D	ate: 1	1/23/2016	5	SeqNo: 1	218276	Units: mg/k	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Rang	ge Organics (GRO)	24	5.0	25.00	0	94.8	74.6	123			
Surr: BFB		890		1000		89.3	68.3	144			
Sample ID	1611C31-001AMS	SampT	уре: М	S	Tes	tCode: El	PA Method	8015D: Gase	line Rang	e	
Client ID:	45 BGT (B) 5-pt@6	Batch	n ID: 28	824	F	RunNo: 3	8948				
Prep Date:		Analysis D	ate: 1	1/23/2016	5	SeqNo: 1	218277	Units: mg/h	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Rang	ge Organics (GRO)	16	3.6	18.03	0	88.6	61.3	150			
Surr: BFB		710		721.0		98.4	68.3	144			
Sample ID	1611C31-001AMS	SampT	ype: MS	SD	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	e	
Client ID:	45 BGT (B) 5-pt@6	Batch	n ID: 28	824	F	RunNo: 3	8948				
Prep Date:		Analysis D	ate: 1	1/23/2016	5	SeqNo: 1	218278	Units: mg/H	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Analyte Gasoline Rang	ge Organics (GRO)	Result 16	PQL 3.6	SPK value 18.03	SPK Ref Val 0	%REC 91.2	LowLimit 61.3	HighLimit 150	%RPD 2.89	RPDLimit 20	Qual

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

Client: Blagg Engineering

Project: Barnes LS 7A

Sample ID MB-28824 SampType: MBLK				TestCode: EPA Method 8021B: Volatiles						
Client ID: PBS	h ID: 28	824	F	RunNo: 3	8948					
Prep Date: 11/22/2016	Analysis [Date: 1	1/23/2016	5	SeqNo: 1	218290	Units: mg/k	٢g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Delizene	ND	0.020								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: A-Bromofluorobenzene	0 99		1 000		98.6	80	120			
Sun. 4-bromonuorobenzene	0.00		1.000		00.0					
Sample ID LCS-28824	Samp	Гуре: LC	S	Tes	tCode: El	PA Method	8021B: Vola	tiles		
Sample ID LCS-28824 Client ID: LCSS	Samp [¬] Batc	Гуре: LC h ID: 28	S 824	Tes	tCode: El	PA Method 8948	8021B: Vola	tiles		
Sample ID LCS-28824 Client ID: LCSS Prep Date: 11/22/2016	Samp Batc Analysis E	Гуре: LC h ID: 28 Date: 11	S 824 1/23/2016	Tes F S	tCode: El RunNo: 3 SeqNo: 1	PA Method 8948 218291	8021B: Vola Units: mg/F	tiles		
Sample ID LCS-28824 Client ID: LCSS Prep Date: 11/22/2016 Analyte	Samp Batcl Analysis I Result	Гуре: LC h ID: 28 Date: 1 1 PQL	824 1/23/2016 SPK value	Tes F S SPK Ref Val	tCode: El RunNo: 3 SeqNo: 1 %REC	PA Method 8948 218291 LowLimit	8021B: Vola Units: mg/k HighLimit	tiles (g %RPD	RPDLimit	Qual
Sample ID LCS-28824 Client ID: LCSS Prep Date: 11/22/2016 Analyte Benzene	Samp Batcl Analysis I Result 0.95	Type: LC h ID: 28 Date: 11 PQL 0.025	824 824 SPK value 1.000	Tes F S SPK Ref Val 0	tCode: El RunNo: 3 SeqNo: 1 %REC 95.3	PA Method 8948 218291 LowLimit 75.2	8021B: Vola Units: mg/k HighLimit 115	tiles (g %RPD	RPDLimit	Qual
Sample ID LCS-28824 Client ID: LCSS Prep Date: 11/22/2016 Analyte Benzene Toluene	Samp Batc Analysis E Result 0.95 0.88	Fype: LC h ID: 28 Date: 11 PQL 0.025 0.050	S 824 1/23/2016 SPK value 1.000 1.000	Tes F S SPK Ref Val 0 0	tCode: El RunNo: 3 SeqNo: 1 %REC 95.3 88.4	PA Method 8948 218291 LowLimit 75.2 80.7	8021B: Vola Units: mg/k HighLimit 115 112	tiles (g %RPD	RPDLimit	Qual
Sample ID LCS-28824 Client ID: LCSS Prep Date: 11/22/2016 Analyte Benzene Toluene Ethylbenzene	Samp [¬] Batcl Analysis E Result 0.95 0.88 0.86	Type: LC h ID: 28 Date: 11 PQL 0.025 0.050 0.050	S 824 1/23/2016 SPK value 1.000 1.000 1.000	Tes F S SPK Ref Val 0 0 0	tCode: El RunNo: 3 SeqNo: 1 %REC 95.3 88.4 85.8	PA Method 8948 218291 LowLimit 75.2 80.7 78.9	8021B: Vola Units: mg/k HighLimit 115 112 117	tiles (g %RPD	RPDLimit	Qual
Sample ID LCS-28824 Client ID: LCSS Prep Date: 11/22/2016 Analyte Benzene Toluene Ethylbenzene Xylenes, Total	Samp ^T Batcl Analysis E Result 0.95 0.88 0.86 2.6	Type: LC h ID: 28 Date: 11 PQL 0.025 0.050 0.050 0.10	S 824 1/23/2016 SPK value 1.000 1.000 1.000 3.000	Tes F S SPK Ref Val 0 0 0 0 0	tCode: El RunNo: 3 SeqNo: 1 %REC 95.3 88.4 85.8 86.0	PA Method 8948 218291 LowLimit 75.2 80.7 78.9 79.2	8021B: Vola Units: mg/F HighLimit 115 112 117 115	tiles (g %RPD	RPDLimit	Qual

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Page 6 of 6

WO#: 1611C31 30-Nov-16

HALL ENVIRONMENTAL ANALYSIB LABORATORY	Hull Environmenial A -Ubuq IEL: 505-545-3975 F Website: www.hath	aalysi 1901 werqu A.V. 5 enviro	s Laboratory Hawkins NE e NM 87109 05315-4107 irmental.com	S	am	ple Log-In Check List
Client Name: BLAGG	Work Order Number	1611	C31			ReptNo: 1
Received by/date	11/23/14					
Logged By- Lindsay Mangin 1	1/23/2016 7:40:00 AM		6	Jest.	P	
Completed By Lindsay Mangin 1	1/23/2016 7:49:49 AM		1	-	il go	
Reviewed By: UTS \	1123/16					
Chain of Custody						
1, Custody sea's mtact on sample bottles?		Yes	Ē.	No	Ţ	Not Present
2. Is Chain of Custody complete?		Yes	Y	No		No: Present
3. How was the sample delivered?		Cour	ier			
<u>Loa In</u>						
4. Was an attempt made to cool the samples?		Yes	Ý	No		NA I
5 Were all samples received at a temperature of	f >0° C to 6.0°C	Yes	¥1	Na	ļ	NA
6. Sample(s) in proper container(s)?		Yes	2	No		
7 Sufficient sample volume for indicated test(s)?		Yes	9	No		
8. Are samples (except VOA and ONG) property	preserved?	Yes	V	No	0	
9 Was preservative added to bottles?		Yes	<u> </u>	No	×	NA
10.VOA vials have zero headspace?		Yes	F.	No	(_)	No VOA Vials V
11, Were any sample containers received broken	7	Yeş		Na	Ý	if of suscended
						bottles checked
12. Does paperwork match bottle labels? (Note discrepances on chain of custody)		Yes	V	No		for pll: (<2 of >12 unless no
13. Are matrices correctly identified on Chain of G	ustady?	Yes	N.	No		Adjusted?
14 Is it clear what analysis were requested?		Yea	V	No		
 Were all holding times able to be met? (If the, notify sustainer for authorization.) 		Yes	×	No	1 1	Checked by:
Special Handling (if applicable)						
16. Was client notified of all discrepancies with this	e order?	Yes	_!	No		NA 🗹
Person Notified	Date					
By Whom.	Via:	6M	ail 🗋 Pho	ne 📋	Fax	_ In Person
Regarding						
Client Instructions:	100 I I 100 I I					a 74
17. Additional remarks:						
18, <u>Cooler Information</u> <u>Cooler No</u> Temp ⁴ C Condition Seal 1 1.7 Good Yes	Intact Seal No S	eal Di	ale S)	gned B	v	
Page 1 of 1						

• •



