Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018 5. Lease Serial No. N0G98111311

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					140030111011	
					If Indian, Allottee or Tribe Name EASTERN NAVAJO	
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No. NMNM103020	
Type of Well ☐ Oil Well ☐ Gas Well ☐ Other: COAL BED METHANE					8. Well Name and No. MARILYN COM 1	
2. Name of Operator Contact: MICHAEL T HANSON COLEMAN OIL & GAS INCORPORATE Mail: mhanson@cog-fmn.com					9. API Well No. 30-045-29976-00-S1	
3a. Address FARMINGTON, NM 87499	(include area code) 7-0356 Ext: 106 7-9425		10. Field and Pool or Exploratory Area BASIN FRUITLAND COAL			
4. Location of Well (Footage, Sec., T.	0120		11. County or Parish, State			
Sec 19 T26N R11W SWSW 1 36.469152 N Lat, 108.051342			SAN JUAN COUNTY, NM			
12. CHECK THE AF	PROPRIATE BOX(ES)	TO INDICA	ΓΕ NATURE OI	F NOTICE,	REPORT, OR OTHE	R DATA
TYPE OF SUBMISSION	TYPE OF ACTION					
☐ Notice of Intent	☐ Acidize			☐ Production (Start/Resume)		☐ Water Shut-Off
☑ Subsequent Report	☐ Alter Casing	☐ Hydraulic Fracturing		☐ Reclama		☐ Well Integrity
	☐ Casing Repair	_		☐ Recomp		☐ Other
☐ Final Abandonment Notice			and Abandon		arily Abandon	
Convert to Injection Plug Back 13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting.				□ Water D		
If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. See the attached P&A Report for the Marilyn Com #1. Dry hole marker installed. Access and location have been reclaimed.						
OIL CONS. DIV DIST. 3						
FÉB 27 2017						017
14. I hereby certify that the foregoing is true and correct. Electronic Submission #365089 verified by the BLM Well Information System For COLEMAN OIL & GAS INCORPORATED, sent to the Farmington Committed to AFMSS for processing by ABDEL GADIR ELMADANI on 02/23/2017 (17JWS0007SE)						
Name (Printed/Typed) MICHAEL	Title ENGINE					
Signature (Electronic S	Suhmission)		Date 01/26/20	017		
THIS SPACE FOR FEDERAL OR STATE OFFICE USE						
Approved By ACCEPTED			ABDELGAI TitlePETROLEI	DIR ELMAD		Date 02/23/2017
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			Office Farmington			
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.						

(Instructions on page 2) ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **





A-PLUS WELL SERVICE, INC.

P.O. BOX 1979 Farmington, New Mexico 87499 505-325-2627 *fax: 505-325-1211

Coleman Oil & Gas Inc.

Marilyn Com 1

November 15, 2016 Page 1 of 1

1000' FSL and 800' FWL, Section 19, T-26-N, R-11-W San Juan County, NM Lease Number: NOG98111311 API #30-045-29976

Plug and Abandonment Report Notified NMOCD and BLM on 11/11/16

Plug and Abandonment Summary:

Plug #1 with 48 sxs (56.64 cf) Class B cement from 1237' to 595' to cover the Pictured Cliffs and Fruitland perforations and tops. Tag TOC at 597'.

Plug #2 with 28 sxs (33.04 cf) Class B cement from 324' to surface to cover the Kirtland and Ojo Alamo tops and surface casing shoe.

Plug #3 with 20 sxs Class B cement top off casings and install P&A marker with coordinates N 36° 28' 09" / W 108° 3' 05".

Plugging Work Details:

- 11/14/16 Rode rig and equipment to location. Spot in and RU. Check well pressures: tubing and bradenhead 0 PSI, casing 10 PSI. Blow well down. X-over to rod tools. PU on rods, unseat pump. LD 1 polish rod, 1 4-3/4" pony, 37 ¾" plain, 6 ¾" guided, 3 1" sinker bars and 1 -1 ½" top hold down pump. X-over to 2-3/8" tools. ND wellhead. NU A-Plus 7-5/8" companion flange. NU BOP and function test, OK. PU on tubing hanger. PU 3 jnts and tag with 23' stick up tag fill at 1305'. Spot plug #1 with calculated TOC at 595'. SI well. WOC overnight. SDFD.
- 11/15/16 Travel to location. Open up well; no pressures. TIH and tag TOC at 597'. Circulate well clean. Pressure test casing to 800 PSI, OK. Pressure test bradenhead pump 1 bbl (48') started coming out of ground. Spot plug #2 with TOC at surface. ND BOP and companion flange. Dig out wellhead. Write Hot Work Permit. Cut off wellhead. Spot plug #3 to top off casings and install P&A marker with coordinates N 36° 28' 09" / W 108° 3' 05". SI well. SDFD.

Bobby Espinoza, Coleman O&G representative, was on location. Mike Gilbreath, BLM representative, was on location.