## State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez

Governor

Ken McQueen Cabinet Secretary-Designate David R. Catanach, Division Director
Oil Conservation Division



Matthias Sayer Deputy Cabinet Secretary

New Mexico Oil Conservation Division approval and conditions listed below are made in accordance with OCD Rule 19.15.7.11 and are in addition to the actions approved by BLM on the following 3160-5 form.

Operator Signature Date: Original APD 5/24/2013 Sundry Extension Date 2/9/2017

API WELL#	Well Name	Well #	Operator Name	Туре	Stat	County	Surf_Owner	UL	Sec	Twp	N/S	Rng W/E
30-045-35640- 00-00	CHACO 2308 06I		WPX ENERGY PRODUCTION, LLC	0	N	San Juan	F	I	6	23	N	8 W

Conditions of Approval:

(See the below checked and handwritten conditions)

- ✓ Notify Aztec OCD 24hrs prior to casing & cement.
- ✓ Hold C-104 for directional survey & "As Drilled" Plat
- ✓ Hold C-104 for NSL, NSP, DHC,
- O Spacing rule violation. Operator must follow up with change of status notification on other well to be shut in or abandoned
- Regarding the use of a pit, closed loop system or below grade tank, the operator must comply with the following as applicable:
  - A pit requires a complete C-144 be submitted and approved prior to the construction or use of the pit, pursuant to 19,15,17,8,A
  - ✓ A closed loop system requires notification prior to use, pursuant to 19.15.17.9.A
  - A below grade tank requires a registration be filed prior to the construction or use of the below grade tank, pursuant to 19.15.17.8.C
- Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
- Submit Gas Capture Plan form prior to spudding or initiating recompletions operations.
- Regarding Hydraulic Fracturing, review EPA Underground Injection Control Guidance 84
- Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system.

Well-bore communication is regulated under 19.15.29 NMAC. This requires well-bore Communication to be reported in accordance with 19.15.29.8.

Comply with current regulations at time of spud
Prior to production operator needs to be in compliance with RULE 19.15.5.9

NMOCD Approved by Signature

Kitheric Parker

3/8/17

Date

## RECEIVED

Form 3160-5 (February 2005)

(Instructions on page 2)

UNITED STATES FEB 1 4 2017

DEPARTMENT OF THE INTERIOR

IT Farmington Field Office

FORM APPROVED OMB No. 1004-0137 Expires: March 31, 2007

BU	REAU OF LAND MA	ANAGEMENT Fam	nington Field On	ice	2.1.01.01.01.01.01.01.01.01.01.01.01.01.0			
SUNDRY N	P1519 Pease Serial No. NMNM109399							
Do not use this to abandoned well.	6. If Indian, Allottee or Tribe Name							
	IIT IN TRIPLICATE – Oth	er instructions on page 2	2.	7. If Unit o	of CA/Agreement, Name and/or No.			
1. Type of Well								
Oil Well Ga	8. Well Name and No. CHACO 2308-06I #398H							
Name of Operator     WPX Energy Production, LLC					045-35640			
3a. Address PO Box 640 Aztec, NM 8	rea code)	10. Field and Pool or Exploratory Area NAGEEZI GL						
4. Location of Well (Footage, Sec., SHL: 2079' FSL & 318' FEL SEC BHL: 1158' FSL& 230' FWL SEC	6 23N 8W	tion)		11. Country or Parish, State SAN JUAN, NM				
12. CHECK T	HE APPROPRIATE BOX(I	ES) TO INDICATE NATU	RE OF NOTICE, R	EPORT OR (	OTHER DATA			
TYPE OF SUBMISSION		T	YPE OF ACTION					
Notice of Intent	Acidize	Deepen	Produ (Start/Resu		Water Shut-Off			
	Alter Casing	Fracture Treat	$\equiv$	mation	Well Integrity			
Subsequent Report	Casing Repair	New Construction	Recon	•	Other APD Extension			
Subsequent Report	Change Plans	Plug and Abandon	L Tempo Abandon	orarily				
Final Abandonment Notice  13. Describe Proposed or Completed	Convert to Injection	Plug Back	The state of the s	Disposal				
all pertinent markers and zones subsequent reports must be file recompletion in a new interval, requirements, including reclam	Attach the Bond under wh d within 30 days following of a Form 3160-4 must be file ation, have been completed	ich the work will be perfor completion of the involved d once testing has been cor and the operator has detern	med or provide the E operations. If the op npleted. Final Aband nined that the site is	Sond No. on a eration result donment Noti ready for fina	ts in a multiple completion or ices must be filed only after all al inspection.)			
*								
		INDITIONS OF A			OIL CONS. DIV DIS			
	Adh	nere to previously issu	ed stipulations		MAD			
APO extension	approved	un til	2/25/1	9	7 2017			
14. I hereby certify that the foregoing i Name ( <i>Printed/Typed</i> )	s true and correct.							
LACEY GRANILLØ	NG TECH	<u> </u>						
Signature Date 2/13/17 THIS SPACE FOR FEDERAL OR STATE OFFICE USE								
Approved by	HIS SPACE FO	R FEDERAL OR S	TATE OFFICE	USE				
Approved by  A G S/malav  Conditions of approval, if any, are attacthe applicant holds legal or equitable tit				Ξ	Date 3/6/17			
applicant to conduct operations thereon		t lease which would entitle t	he Office	FO				
Title 18 U.S.C. Section 1001 and Title United States any false, fictitious or fra				to make to ar	ny department or agency of the			