1 (A) P
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office. For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or			
Proposed Alternative Method Permit or Closure Plan Application			
Type of action: Below grade tank registration Permit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank,			
or proposed alternative method			
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.			
1. OIL CONS. DIV DIST. 3			
Operator: <u>Burlington Resources Oil & Gas Company, LP</u> OGRID #: <u>14538</u>			
Address: PO BOX 4289, Farmington, NM 87499 APR 0 5 2017			
Facility or well name: <u>NEUDECKER 6E</u>			
API Number:			
U/L or Qtr/Qtr Section14 Township29N Range10W County: San Juan			
Center of Proposed Design: Latitude <u>36.73079</u> N Longitude <u>-107.85810</u> NAD: 1927 I 1983 Surface Owner: Federal State Private Tribal Trust or Indian Allotment			
2. 2. 2. 3. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4.			
3.			
Below-grade tank: Subsection I of 19.15.17.11 NMAC			
Volume: 120 bbl Type of fluid: Produced Water			
Tank Construction material: Metal Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off			
□ Visible sidewalls and liner □ Visible sidewalls only □ Other			
Liner type: Thickness mil			
4. Alternative Method:			
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.			
5.			
5. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)			
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital,			
institution or church)			
Four foot height, four strands of barbed wire evenly spaced between one and four feet			
Alternate. Please specify			

.....

8.

9.

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

Screen Netting Other

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

Variances and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.

General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank	□ Yes □ No ⊠ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ⊠ NA
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) Written confirmation or verification from the municipality; Written approval obtained from the municipality 	🗌 Yes 🗌 No
 Within the area overlying a subsurface mine. (Does not apply to below grade tanks) Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	Yes No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗌 Yes 🗌 No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	Yes No
Below Grade Tanks	
 Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🛛 No
 Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🛛 No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
 Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No

r ,				
 Within 100 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 				
Temporary Pit Non-low chloride drilling fluid				
 Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No			
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No			
 Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No			
 Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes No			
Permanent Pit or Multi-Well Fluid Management Pit				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).				
 Topographic map; Visual inspection (certification) of the proposed site 	Yes No			
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 				
 Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 				
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 				
10.				
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC 				
and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:				
11. Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Previously Approved Design (attach copy of design) API Number: or Permit Number:				

· ,		
^{12.} <u>Permanent Pits Permit Application Checklist</u> : Subsection B of 19.15.17.9 NMAC <i>Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the of</i>	documents are	
attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.13 NMAC		
<u>Proposed Closure</u> : 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well Fl	uid Management Pit	
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)		
 On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial 		
Alternative Closure Method		
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be a closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC More that the appropriate requirements of Subsection C of 19.15.17.13 NMAC Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	nttached to the	
15.		
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. P. 19.15.17.10 NMAC for guidance.		
 Ground water is less than 25 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	□ Yes □ No □ NA	
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA	
 Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 		
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) Topographic map; Visual inspection (certification) of the proposed site		
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No	
 Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No	
Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗌 No	
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance		
Form C-144 Oil Conservation Division Page 4 of 6	5	

- Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No		
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 			
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗌 Yes 🗌 No		
Within a 100-year floodplain. - FEMA map	Yes No		
 16. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure play a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17. Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cann Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 	.11 NMAC 15.17.11 NMAC		
Derator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and bel Name (Print): Title:			
Signature: Date:			
e-mail address: Telephone:			
e-mail address: Telephone: <u>OCD Approva</u> l: Permit Application (including closure plan) OCD Representative Signature: Approval Date: <u>4</u>	ront		
18. OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature:	the closure report.		
18. OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature:	the closure report.		
 18. OCD Approval: Permit Application (including closure plan) closure Plan (only) OCD Conditions (see attachment) F OCD Representative Signature: Approval Date: 4111 Title: 101:00000 CD Conditions (see attachment) F OCD Permit Number: 19. 19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed. 	the closure report.		

Oil Conservation Division

22. Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print) Crystal Walker	Title: <u>Regulatory Coordinator</u>	
Signature: John Walk	Date:	4/5/2017
e-mail address: <u>crystal.walker@cop.com</u> Te	ephone: (505) 326-9837	-

Burlington Resources Oil & Gas Company, LP San Juan Basin Below Grade Tank Closure Report

Lease Name: Neudecker 6E API No.: 30-045-26605

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the below-grade tank referenced above. All proper documentation regarding closure activities is being included with the C-144.

General Plan:

 BR shall close a below-grade tank within 60 days of cessation of operations per Subsection G.4 of 19.15.17.13 NMAC. This will include a) below-grade tanks that do not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC; b) an earlier date that the division requires because of imminent danger to fresh water, public health or the environment. For any closure, BR will file the C144 Closure Report as required.

The below-grade tank referenced above was permitted and closed within 60 days of cessation of the below-grade tanks operation.

 BR shall remove liquids and sludge from a below-grade tank prior to implementing a closure method and shall dispose of the liquids and sludge in a division-approved facility. The facilities to be used will be Basin Disposal (Permit #NM-01-005), JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) and Envirotech Land Farm (Permit #NM-01-011). The liner after being cleaned well (Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC) will be disposed of at the San Juan County Regional Landfill located on CR 3100.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B). The liner was cleaned per Subsection D, Paragraph 1, Subparagraph (m) of 19.15.9.712 NMAC was disposed of at the San Juan County Regional Landfill located on CR 3100.

3. BR will receive prior approval to remove the below-grade tank and dispose of it in a division-approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.

The below-grade tank was disposed of in a division-approved manner.

4. If there is any on-site equipment associated with a below-grade tank, then BR shall remove the equipment, unless the equipment is required for some other purpose.

All on-site equipment associated with the below-grade tank was removed.

5. BR will test the soils beneath the below-grade tank to determine whether a release has occurred. BR shall collect, at a minimum, a five point, composite sample; collect individual grab samples from any area that is wet, discolored or showing other evidence of a release; and analyzed for the constituents listed in Table I of 19.15.17.13 NMAC. COPC shall notify the division of its results on form C-141.

A five point composite sample was taken of the below-grade tank using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached). Form C-141 is attached.

Components	Tests Method	Limit (mg/kg)
Benzene	EPA SW-846 8021B or 8260B	0.2
BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA SW-846 418.1	100
Chlorides	EPA 300.0	250

6. If BR or the division determines that a release has occurred, then BR shall comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC, as appropriate.

A release was not determined for the above referenced well.

7. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Table I of 19.15.17.13 NMAC, then BR shall backfill the excavation with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover; recontour and re-vegetate the site.

The below-grade tank area passed all requirements of Paragraph (4) of Subsection E of 19.15.17.13 NMAC and was backfilled with compacted, non-waste containing, earthen material.

- 8. Notice of Closure will be given prior to closure to the Aztec Division office between 72 hours and one week via email or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

9. The surface owner shall be notified of BR's closing of the below-grade tank 72 hours, but not more than one week, prior to closure as per the approved closure plan via certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached) (Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

10. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The below-grade tank area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping including drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

11. BR shall seed the disturbed areas the first favorable growing season following closure of a below-grade tank. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM stipulated seed mixes will be used on federally regulated lands and division-approved seed mixtures (administratively approved if required) will be utilized on all State or private lands. A uniform vegetative cover has been established that reflects a life-form ratio of plus or minus fifty percent (50%) of pre- disturbance levels and a total percent plant cover of at least seventy percent (70%) of pre-disturbance levels, excluding noxious weeds. If alternate seed mix is required by the state, private owner or tribe, it will be implemented with administrative approval if needed. COPC will repeat seeding or planting will be continued until successful vegetative growth occurs. Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

12. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material, with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The below-grade tank area was backfilled and more than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

- 13. All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on C-144 and incorporate the following:
 - Soil Backfilling and Cover Installation (See Report)
 - Re-vegetation application rates and seeding techniques (See Report)
 - Photo documentation of the site reclamation (Included as an attachment)
 - Confirmation Sampling Results (Included as an attachment)
 - Proof of closure notice (Included as an attachment)

Walker, Crystal

From: Sent: To: Cc: Subject:	Busse, Dollie L Wednesday, March 15, 2017 8:31 AM Smith, Cory, EMNRD; Vanessa.Fields@state.nm.us; 'Brandon.Powell@state.nm.us' Spearman, Bobby E; clameman@animasenvironmental.com; Prasanna, Sonu; Walker, Crystal; Brock, Christine FW: 2017 BGT Resample Project Schedule AES
Subject: Importance:	High
importance.	right

Good morning,

The following locations are scheduled to be sampled as noted below. Please let me know if you have any questions or need additional information.

Thanks! Dollie

From: Corwin Lameman [mailto:clameman@animasenvironmental.com]
Sent: Friday, March 10, 2017 8:43 AM
To: Spearman, Bobby E <Robert.E.Spearman@conocophillips.com>
Cc: Elizabeth McNally <emcnally@animasenvironmental.com>; Sam Glasses <sglasses@animasenvironmental.com>; Busse, Dollie L <Dollie.L.Busse@conocophillips.com>
Subject: [EXTERNAL]2017 BGT Resample Project Schedule AES

Good Morning Bobby,

The one-calls for all the locations have been submitted. We plan to head out to the sites next week on Monday and Tuesday. The sites will be split up in two days as follow:

Location Name	Order	Day
Newberry A 4-3004512185	1	
Bruington 15G-3004535115	2	
Neudecker 6E-3004526605	3	3/20/17
Jackson Com 1E-3004525592	4	
Grambling A 3-3004507169	5	

Location Name	Order	Day
SJ 29-6 Unit 86M-		
3003926443	1	
SJ 29-6 Unit 94M-		
3003926339	2	
SJ 29-6 Unit 29B-		3/21/17
3003926179	3	5/21/1/
SJ 29-5 Unit 19B-		
3003929203	4	
SJ 27-5 Unit 181-		
3003920811	5	

The days may change depending on weather and time to get between locations. If anything changes we will let you know. Just a few questions. Would there be any gates with locks or codes to access a Site? Are any of the sites P&A'd? Any difficulties getting to any of the sites? Thanks Bobby.

Corwin Lameman Staff Geologist/ Draft Technician (Cell) 505.486.4062 Animas Environmental Services, LLC. <u>www.animasenvrionmental.com</u> 604 W Pinon St, Farmington NM (Tel) 505.564.2281 1911 N Main St, Ste 206, Durango CO (Tel) 970.403.3084

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office to accordance with 19.15.29 NMAC.

1220 S. St. Fran	icis Dr., Santa	a Fe, NM 87505		Sa	anta F	e, NM 875	505					
			Rel	ease Notifi	catio	n and Co	orrective A	ction				
						OPERA	ГOR		🗌 Initia	al Report	\boxtimes	Final Report
				D&G Company	, LP		ystal Walker					
		th St, Farmin	gton, NM	1			No.(505) 326-98	837				
Facility Nat	me: Neude	cker 6E				Facility Typ	e: Gas Well					
Surface Ow	mer FEDE	ERAL		Mineral (Owner	er FEDERAL API No. 30-045-20						-
				LOCA	ATIO	N OF RE	LEASE					
Unit Letter	Section	ection Township Range Feet from the North/South Line Feet from the Ea							est Line	County		
С	14	29N	10W	940		North	1465		Vest	San Juan		
			Latitud	e <u>36.73079</u>		Longitud	e <u>-107.85810</u>)	_			
				NAT	FURE	OF REL	and the second s					
Type of Rele Source of Re						Volume of	Release Hour of Occurrence	20	Volume F	Recovered Hour of Dis	coveru	
Source of Re	lease					Date and F	four of Occurrence		Date allu	Hour of Dis	covery	
Was Immedi	ate Notice (Yes [No 🛛 Not R	equired	If YES, To	Whom?					
By Whom?						Date and H	Iour					
Was a Water	course Read						olume Impacting	the Wate	rcourse.			
			Yes 🛛	No								
N/A		pacted, Descr										
		em and Reme tered during										
Describe Are N/A	ea Affected	and Cleanup /	Action Tal	ken.*								
regulations a public health should their o or the enviro	Il operators or the envi operations h nment. In a	are required to ronment. The nave failed to a	o report an acceptant adequately OCD accept	nd/or file certain i ce of a C-141 report investigate and i	release r ort by th remedia	notifications a ne NMOCD m te contaminati	knowledge and u nd perform correc arked as "Final R ion that pose a thr e the operator of	ctive action deport" do reat to gro	ons for rele oes not reli ound water	eases which eve the open , surface wa	may er rator of iter, hu	ndanger Fliability man health
Signature:			10	(OIL CON	SERV	ATION	DIVISIC	DN	
C C	Jos	fal U	Jal,	Ker								
Printed Name	e: Crystal V	Walker				Approved by	Environmental S	pecialist	:			
Title: Regula	atory Coord	inator				Approval Da	te:	E	Expiration	Date:		
E-mail Addre	ess: cry	vstal.walker@	cop.com			Conditions of Approval: Attached						
Date: 4/5/17 Phone: (505) 326-9837												

* Attach Additional Sheets If Necessary



March 27, 2017

Corwin Lameman

Animas Environmental 604 Pinon Street Farmington, NM 87401 TEL: (505) 564-2281 FAX

RE: COPC Neudecker 6E

Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

OrderNo.: 1703A38

Dear Corwin Lameman:

Hall Environmental Analysis Laboratory received 1 sample(s) on 3/21/2017 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to <u>www.hallenvironmental.com</u> or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

andig

Andy Freeman Laboratory Manager 4901 Hawkins NE Albuquerque, NM 87109

Analytical Report
Lab Order 1703A38

Date Reported: 3/27/2017

Hall Environmental Analysis Laboratory, Inc.

Client Sample ID: BGT S-1 **CLIENT:** Animas Environmental **Project:** COPC Neudecker 6E Collection Date: 3/20/2017 12:14:00 PM Received Date: 3/21/2017 7:53:00 AM Lab ID: 1703A38-001 Matrix: SOIL Analyses Result **PQL** Qual Units **DF** Date Analyzed Batch EPA METHOD 418.1: TPH Analyst: MAB 30830 Petroleum Hydrocarbons, TR 25 20 mg/Kg 3/22/2017 1 EPA METHOD 300.0: ANIONS Analyst: LGT 20 3/24/2017 1:32:32 PM 30888 ND Chloride 30 mg/Kg Analyst: TOM EPA METHOD 8015M/D: DIESEL RANGE ORGANICS

Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	3/22/2017 6:20:38 PM	30829
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	3/22/2017 6:20:38 PM	30829
Surr: DNOP	101	70-130	%Rec	1	3/22/2017 6:20:38 PM	30829
EPA METHOD 8015D: GASOLINE RANGE					Analyst:	NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	3/23/2017 5:45:19 PM	30809
Surr: BFB	95.4	54-150	%Rec	1	3/23/2017 5:45:19 PM	30809
EPA METHOD 8021B: VOLATILES					Analyst:	NSB
Benzene	ND	0.025	mg/Kg	1	3/23/2017 5:45:19 PM	30809
Toluene	ND	0.050	mg/Kg	1	3/23/2017 5:45:19 PM	30809
Ethylbenzene	ND	0.050	mg/Kg	1	3/23/2017 5:45:19 PM	30809
Xylenes, Total	ND	0.099	mg/Kg	1	3/23/2017 5:45:19 PM	30809

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers: *	*	Value exceeds Maximum Contaminant Level.	В	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
H Holding times for preparation or analysis exceeded		J	Analyte detected below quantitation limits Page 1 of 6	
	ND	Not Detected at the Reporting Limit	Р	Sample pH Not In Range
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	% Recovery outside of range due to dilution or matrix	W	Sample container temperature is out of limit as specified

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

Client: Animas Environmental **Project:** COPC Neudecker 6E

Sample ID MB-30888	SampType: MBLK	TestCode: EPA Method		
Client ID: PBS	Batch ID: 30888	RunNo: 41638		
Prep Date: 3/24/2017	Analysis Date: 3/24/2017	SeqNo: 1306997	Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit Qual
Chloride	ND 1.5			
Sample ID LCS-30888	SampType: LCS	TestCode: EPA Method	300.0: Anions	
Sample ID LCS-30888 Client ID: LCSS	SampType: LCS Batch ID: 30888	TestCode: EPA Method RunNo: 41638	300.0: Anions	
	1 31		300.0: Anions Units: mg/Kg	
Client ID: LCSS	Batch ID: 30888 Analysis Date: 3/24/2017	RunNo: 41638		RPDLimit Qual

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit ND
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- В Analyte detected in the associated Method Blank
- Е Value above quantitation range
- J Analyte detected below quantitation limits
- Р Sample pH Not In Range
- RL **Reporting Detection Limit**
- W Sample container temperature is out of limit as specified

Page 2 of 6

27-Mar-17

WO#: 1703A38

Hall	Environmental	Analysis	Laboratory.	Inc.

WO#: 1703A38 27-Mar-17

Client: Project:		Environmental Neudecker 6E							
Sample ID	MB-30830	0 SampType: MBLK			tCode: EPA Meth				
Client ID:	PBS	Batch ID:	30830	F	RunNo: 41573				
Prep Date:	3/21/2017	Analysis Date:	3/22/2017	5	SeqNo: 1303946	Units: mg/Kg			
Analyte		Result P	QL SPK value	SPK Ref Val	%REC LowLir	nit HighLimit	%RPD	RPDLimit	Qual
Petroleum Hyd	rocarbons, TR	ND	20						
Sample ID	LCS-30830	SampType	LCS	Tes	tCode: EPA Meth	od 418.1: TPH			
Client ID:	LCSS	Batch ID:	30830	RunNo: 41573					
Prep Date:	3/21/2017	Analysis Date:	3/22/2017	5	SeqNo: 1303947	Units: mg/Kg	Units: mg/Kg		
Analyte		Result P	QL SPK value	SPK Ref Val	%REC LowLir	nit HighLimit	%RPD	RPDLimit	Qual
Petroleum Hyd	rocarbons, TR	120	20 100.0	0	120 61	.7 138			
Sample ID	LCSD-30830	SampType	LCSD	Tes	tCode: EPA Meth	od 418.1: TPH			
Client ID:	LCSS02	Batch ID:	30830	F	RunNo: 41573				
Prep Date:	3/21/2017	Analysis Date:	3/22/2017	S	SeqNo: 1303948	Units: mg/Kg			
Analyte		Result P	QL SPK value	SPK Ref Val	%REC LowLir	nit HighLimit	%RPD	RPDLimit	Qual
Petroleum Hyd	rocarbons, TR	110	20 100.0	0	111 61	.7 138	7.83	20	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Holding times for preparation or analysis exceeded Η
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- В Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- Р Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified
- Page 3 of 6

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

Animas Environmental **Client: Project:** COPC Neudecker 6E

SampT	ype: LC	S	TestCode: EPA Method 8015M/D: Diesel Range Organics							
Batch	ID: 30	829	F	RunNo: 41566						
Analysis Date: 3/22/2017			S	SeqNo: 1	304016	Units: mg/k	(g			
Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
48	10	50.00	0	95.6	63.8	116				
4.9		5.000		97.1	70	130				
SampT	ype: ME	BLK	Tes	tCode: El	PA Method	8015M/D: Di	esel Range	e Organics		
	ype: ME			tCode: El RunNo: 4		8015 <mark>M</mark> /D: Di	esel Rang	e Organics		
	ID: 308		F		1566	8015M/D: Di	U	e Organics		
Batch	ID: 308	829 22/2017	F	RunNo: 4	1566		U	e Organics RPDLimit	Qual	
Batch Analysis D	ID: 308 ate: 3/	829 22/2017	F	RunNo: 4 SeqNo: 1	1566 304017	Units: mg/k	(g	5	Qual	
Batch Analysis D Result	ID: 308 ate: 3/2 PQL	829 22/2017	F	RunNo: 4 SeqNo: 1	1566 304017	Units: mg/k	(g	5	Qual	
	Batch Analysis D Result 48	Batch ID: 30 Analysis Date: 3/ Result PQL 48 10	ResultPQLSPK value481050.00	Batch ID: 30829 F Analysis Date: 3/22/2017 S Result PQL SPK value SPK Ref Val 48 10 50.00 0	Batch ID: 30829 RunNo: 4 Analysis Date: 3/22/2017 SeqNo: 1 Result PQL SPK value SPK Ref Val %REC 48 10 50.00 0 95.6	Batch ID: 30829 RunNo: 41566 Analysis Date: 3/22/2017 SeqNo: 1304016 Result PQL SPK value SPK Ref Val %REC LowLimit 48 10 50.00 0 95.6 63.8	Batch ID: 30829 RunNo: 41566 Analysis Date: 3/22/2017 SeqNo: 1304016 Units: mg/# Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit 48 10 50.00 0 95.6 63.8 116	Batch ID: 30829 RunNo: 41566 Analysis Date: 3/22/2017 SeqNo: 1304016 Units: mg/Kg Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD 48 10 50.00 0 95.6 63.8 116	Batch ID: 30829 RunNo: 41566 Analysis Date: 3/22/2017 SeqNo: 1304016 Units: mg/Kg Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit 48 10 50.00 0 95.6 63.8 116 10	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- Holding times for preparation or analysis exceeded Η
- Not Detected at the Reporting Limit ND
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank В
- Е Value above quantitation range
- Analyte detected below quantitation limits J
- Р Sample pH Not In Range
- RL **Reporting Detection Limit**
- W Sample container temperature is out of limit as specified

Page 4 of 6

WO#: 1703A38 27-Mar-17

QC SUMMARY REPORT

	Environmental Jeudecker 6E							
Sample ID MB-30809	SampType: MBLK	TestCode: EPA Method 8015D: Gasoline Range						
Client ID: PBS	Batch ID: 30809	RunNo: 41576						
Prep Date: 3/21/2017	Analysis Date: 3/22/2017	SeqNo: 1304546	Units: mg/Kg					
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual					
Gasoline Range Organics (GRO)	ND 5.0							
Surr: BFB	810 1000	80.7 54	150					
Sample ID LCS-30809	SampType: LCS	TestCode: EPA Method	8015D: Gasoline Range					
Client ID: LCSS	Batch ID: 30809	RunNo: 41576						
Prep Date: 3/21/2017	Analysis Date: 3/22/2017	SeqNo: 1304548	Units: mg/Kg					
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual					
Gasoline Range Organics (GRO)	29 5.0 25.00	0 116 76.4	125					
Surr: BFB	970 1000	97.1 54	150					
Sample ID MB-30837	SampType: MBLK	TestCode: EPA Method	8015D: Gasoline Range					
Client ID: PBS	Batch ID: 30837	RunNo: 41605						
Prep Date: 3/22/2017	Analysis Date: 3/23/2017	SeqNo: 1305591	Units: %Rec					
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual					
Surr: BFB	980 1000	97.8 54	150					
Sample ID LCS-30837	SampType: LCS	TestCode: EPA Method	8015D: Gasoline Range					
Client ID: LCSS	Batch ID: 30837	RunNo: 41605						
Prep Date: 3/22/2017	Analysis Date: 3/23/2017	SeqNo: 1305592	Units: %Rec					
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual					

Hall Environmental Analysis Laboratory, Inc.

WO#: 1703A38

27-Mar-17

1200 1000 116 54

Qualifiers:

Surr: BFB

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank

150

Page 5 of 6

- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

	s Environment									
Project: COPC	Neudecker 6E	2								
Sample ID MB-30809	SampTy	pe: MI	BLK	TestCode: EPA Method 8021B: Volatiles						
Client ID: PBS	Batch	ID: 30	809	R						
Prep Date: 3/21/2017	Analysis Date: 3/22/2017			S	eqNo: 1	1304564	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.90		1.000		90.0	66.6	132			
Sample ID LCS-30809	SampTy	pe: LC	s	Test	Code: E	PA Method	8021B: Volat	tiles		
	Batch ID: 30809			R						
Client ID: LCSS	Batch	D: 30	809		unNo: 4					
Client ID: LCSS Prep Date: 3/21/2017	Batch Analysis Da				eqNo: 1		Units: mg/K	g		
			22/2017				Units: mg/K HighLimit	g %RPD	RPDLimit	
Prep Date: 3/21/2017	Analysis Da	te: 3/	22/2017	S	eqNo: 1	1304565			RPDLimit	
Prep Date: 3/21/2017 Analyte	Analysis Da Result	te: 3/ PQL	22/2017 SPK value	SPK Ref Val	eqNo: 1 %REC	LowLimit	HighLimit		RPDLimit	
Prep Date: 3/21/2017 Analyte Benzene	Analysis Da Result 1.0	te: 3/ PQL 0.025	22/2017 SPK value 1.000	SPK Ref Val	eqNo: 1 %REC 101	1304565 LowLimit 80	HighLimit 120		RPDLimit	
Prep Date: 3/21/2017 Analyte Benzene Toluene	Analysis Da Result 1.0 1.0	te: 3/ PQL 0.025 0.050	22/2017 SPK value 1.000 1.000	SPK Ref Val 0 0	eqNo: 1 %REC 101 103	1304565 LowLimit 80 80	HighLimit 120 120		RPDLimit	
Prep Date: 3/21/2017 Analyte Benzene Toluene Ethylbenzene	Analysis Da Result 1.0 1.0 1.0	te: 3/ PQL 0.025 0.050 0.050	22/2017 SPK value 1.000 1.000 1.000	SPK Ref Val 0 0 0	eqNo: 1 %REC 101 103 104	LowLimit 80 80 80	HighLimit 120 120 120		RPDLimit	
Prep Date: 3/21/2017 Analyte Benzene Toluene Ethylbenzene Xylenes, Total	Analysis Da Result 1.0 1.0 1.0 3.2	te: 3/ PQL 0.025 0.050 0.050 0.10	22/2017 SPK value 1.000 1.000 1.000 3.000 1.000	SPK Ref Val 0 0 0 0 0	eqNo: 1 %REC 101 103 104 108 95.9	LowLimit 80 80 80 80 80 80 66.6	HighLimit 120 120 120 120	%RPD	RPDLimit	
Prep Date: 3/21/2017 Analyte Benzene Toluene Ethylbenzene Xylenes, Total Surr: 4-Bromofluorobenzene	Analysis Da Result 1.0 1.0 1.0 3.2 0.96	te: 3/ PQL 0.025 0.050 0.050 0.10	22/2017 SPK value 1.000 1.000 1.000 3.000 1.000 BLK	SPK Ref Val 0 0 0 0 0 Test	eqNo: 1 %REC 101 103 104 108 95.9	LowLimit 80 80 80 80 80 66.6	HighLimit 120 120 120 120 120 132	%RPD	RPDLimit	

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	1.1		1.000		108	66.6	132			
Sample ID LCS-30837 SampType: LCS				Tes	tCode: El	PA Method	8021B: Volat	tiles		
Client ID: LCSS	Batch	Batch ID: 30837			RunNo: 41605					
Prep Date: 3/22/2017	Analysis D	ate: 3/	23/2017	SeqNo: 1305612 Units: %Rec						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	1.1		1.000		111	66.6	132			

Qualifiers:

- Value exceeds Maximum Contaminant Level. *
- D Sample Diluted Due to Matrix
- Η Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit ND
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- В Analyte detected in the associated Method Blank
- Е Value above quantitation range
- J Analyte detected below quantitation limits
- Р Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

WO#:

Qual

Qual

Page 6 of 6

1703A38 27-Mar-17

HALL ENVIRONMENTAL ANALYSIS LABORATORY	Hall Environmental A Albuq TEL: 505-345-3975 F Website: www.hall	4901 Juerqu FAX: 5	Hawkins N e, NM 8710 05-345-410	e 9 S 7	am	ple Log-In (Check List
Client Name: Animas Environmental W	ork Order Number:	1703/	A38			RcptNo	x 1
Received by/date:	F			-			
Logged By: Lindsay Mangin 3/21/	/2017 7:53:00 AM		C	July 1	# ₆ 0		
Completed By: Lindsay Mangin 3/21/	/2017 9:00:37 AM		(+y	#		
Reviewed By:							
Chain of Custody							
1. Custody seals intact on sample bottles?		Yes		No		Not Present	
2. Is Chain of Custody complete?		Yes	\checkmark	No		Not Present	
3. How was the sample delivered?		Cour	ier				
Log In							
4. Was an attempt made to cool the samples?		Yes	\checkmark	No		NA 🗌	
5. Were all samples received at a temperature of >0	0° C to 6.0°C	Yes	\checkmark	No			
6. Sample(s) in proper container(s)?		Yes		No			
7. Sufficient sample volume for indicated test(s)?		Yes		No			
8. Are samples (except VOA and ONG) properly pre-	served?	Yes		No			
9. Was preservative added to bottles?		Yes		No	V	NA 🗌	
10.VOA vials have zero headspace?		Yes		No		No VOA Vials 🗹	
11. Were any sample containers received broken?		Yes		No	2	# of preserved	
12. Does paperwork match bottle labels? (Note discrepancies on chain of custody)		Yes		No		bottles checked for pH:	or >12 unless noted)
13. Are matrices correctly identified on Chain of Custo	ody?	Yes		No		Adjusted?	
14. Is it clear what analyses were requested?		Yes		No			
 Were all holding times able to be met? (If no, notify customer for authorization.) 		Yes		No	-	Checked by:	
Special Handling (If applicable)							
16. Was client notified of all discrepancies with this or	der?	Yes		No		NA 🗹	
Person Notified:	Date						
By Whom:	Via:] eMa	il 🗌 Pho	ne 🗌	Fax	In Person	
Regarding:			COMPANY OF A DAMAGE AND A			indiandhisenniatathathathathathathathathat	
Client Instructions:							
17. Additional remarks:							
	act Seal No Seal No	eal Da	ite Si	igned B	у		
1 4.2 Good Yes					I		
Page 1 of 1							

a a

Client:			tody Record nmental Services, LLC	Turn-Around T X Standard Project Name	🗆 Rusi	h				A	NA	LY	'S I	S	RO	BO	RA			
Mailing Ad	dress:	604 W	Pinon St.	-	COPC Neud	Jecker 6E		40	01 L						nenta erque			00		
			gton, NM 87401	Project #:			1				45-39				505-3			09		
Phone #:	505-564			1											eques		107			
Email or F	ax#:	clamema	an@animasenvironmental.c	Project Manag	jer:															
QA/QC Pac X Standar	-		Level 4 (Full Validation)		C. Lamemai	n/ E. McNally														
Accreditati		Other	,	Sampler: On Ice:	CL/DJ 121 Yes	D No														
EDD (T	ype)			Sample Temp				+		0										or N
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	heal.no 1703A38	BTEX - 8021B	TPH - EPA 418.1	TPH - 8015	Chlorides - 300.0										Air Bubbles (Y or N)
3/20/17	12:14	SOIL	BGT S-1	1 - 4 oz.	cool	-001	x	х	х	х										
														_				_	-	
														_					\perp	
													_	_		_	+		-	
							-					-	_	-		_	+			-
								-	_				-	-		+	+		+	+
		-					-	-				-	-			-	+	-	+	+
Date: 3-20-17 Date:	Time: 1636 Time:	Relinquish	- lm	Received by:	- 03	Date Time	WO Sup USE Area	# 21 ervis ERID a: 3	1972 sor: C : BR	132 Chris ADL	Neue RY y Spe	ensci	hwar					_ [_		-

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.




Photo #2	
Client: ConocoPhillips	
Project Name: Neudecker 6E	
San Juan County, NM	
Date Photo Taken: March 20, 2017	
BGT GPS and Location: 36.73079, -107.85810	
NE¼ NW¼, Section 14, T29N, R10W	
Taken by:	Subject: BGT sampling, March 2017
Corwin Lameman, AES	Description: Facing W, proposed sample location indicated by white flags.

Photo #3	
Client: ConocoPhillips	
Project Name: Neudecker 6E	
San Juan County, NM	
Date Photo Taken: March 20, 2017	
BGT GPS and Location: 36.73079, -107.85810	
NE¼ NW¼, Section 14, T29N, R10W	
Taken by:	Subject: BGT sampling, March 2017
Corwin Lameman,	
AES	Description: Facing NE, attempted sol boring sample locations.

1 1

Photo #4	
Client: ConocoPhillips	
Project Name: Neudecker 6E	
San Juan County, NM	
Date Photo Taken: March 20, 2017	
BGT GPS and Location: 36.73079, -107.85810	
NE¼ NW¼, Section 14, T29N, R10W	
Taken by:	Subject: BGT sampling, March 2017
Corwin Lameman,	Description: Facing N, attempted sol boring sample locations and sample
AES	location.