District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application
Type of action: Below grade tank registration Permit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: BP America Production Company OGRID #: 778
Address: 200 Energy Court, Farmington, NM 87401
Facility or well name: ELLIOTT GAS COM G 001
API Number: 3004508910 OCD Permit Number:
U/L or Qtr/Qtr N Section 33 Township 30N Range 09W County: San Juan
Center of Proposed Design: Latitude 36.76412 Longitude -107.78923 NAD: □1927 ☑ 1983 Surface Owner: ☑ Federal □ State □ Private □ Tribal Trust or Indian Allotment
Pit: Subsection F, G or J of 19.15.17.11 NMAC Temporary:
3.
■ Below-grade tank: Subsection I of 19.15.17.11 NMAC TANK B
Volume: 45 bbl Type of fluid: Produced water Tank Construction material: Steel
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other Single wall/ Double bottom; visible sidewalls
Liner type: Thicknessmil
4. Alternative Method:

OIL CONS. DIV DIST. 3

MAY 0 1 2017

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet	hospital,
Alternate. Please specify	
6. Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC	
Variances and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
9. <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC <i>Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accematerial are provided below.</i> Siting criteria does not apply to drying pads or above-grade tanks.	ptable source
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. - □ NM Office of the State Engineer - iWATERS database search; □ USGS; □ Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	☐ Yes ☐ No
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No

Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	☐ Yes ☐ No
 application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit Non-low chloride drilling fluid	
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Permanent Pit or Multi-Well Fluid Management Pit	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.	
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the document of the standard of the following items must be attached to the application.	
attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC	
Previously Approved Design (attach copy of design) API Number: or Permit Number:	
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.12 NMAC	
and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
☐ Previously Approved Design (attach copy of design) API Number: or Permit Number:	

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the	documents are
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H₂S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	luid Management Pit
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
Site Reclamation Plan - based upon the appropriate requirements of Subsection Fi of 19.13.17.13 NWAC	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. In 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	

adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	Yes No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan of the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.13 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cann Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	.11 NMAC .15.17.11 NMAC
Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and bel	ief.
Name (Print): Title:	
Name (Print):	
Signature: Date:	
Signature: Date: e-mail address: Telephone:	
Signature: e-mail address: Telephone: OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Representative Signature: Approval Date: Title: OCD Permit Number: 19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	the closure report.
Signature:	the closure report.
Signature: e-mail address: Telephone: OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Representative Signature: Approval Date: Title: OCD Permit Number: 19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	the closure report.

22.	
Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this closure repo- belief. I also certify that the closure complies with all applicable closure requirement	
Name (Print): Steve Moskal	Title: Field Environmental Coordinator
Signature: Shows Miles	Date:April 28, 2017
e-mail address: steven.moskal@bp.com	Telephone: (505) 326-9497

BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

ELLIOTT GAS COM G 001 API No. 3004508910 Unit Letter N, Section 33, T30N, R09W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

- 1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.

 Notice is attached.
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

 Notice was provided and is attached.
- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for recycling.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	45 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	< 0.014
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.055
TPH	US EPA Method SW-846 418.1 or 8015 extended	100	<49
Chlorides	US EPA Method 300.0 or 4500B	250 or background	<30

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled for TPH, BTEX and chloride with all concentrations below the stated limits. The field report and laboratory reports are attached.

7. BP shall notify the division District III office of its results on form C-141. **C-141 is attached.**

8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results indicates no had occurred. Attached is a laboratory report and C-141.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

Sampling results indicates no release had occurred. Attached is a laboratory report and field report. The location will be reclaimed when the well is plugged and abandoned.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area has been backfilled. The location will be reclaimed when the well is plugged and abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The location will be reclaimed when the well is plugged and abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The location will be reclaimed when the well is plugged and abandoned.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

The location will be reclaimed when the well is plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

The location will be reclaimed when the well is plugged and abandoned.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

 Closure report on C-144 form is included including photos of reclamation completion.
- 16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Form C-141

Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

			Rele	ease Notific	atio	n and Co	rrective A	ction					
						OPERA'	ΓOR		Initia	al Report	\boxtimes	Final Report	
Name of Co						Contact: Ste							
		Court, Farmi				Telephone No.: 505-326-9497							
Facility Nar	ne: ELLO	ITT GAS CO	OM G 00	1		Facility Typ	e: Natural gas v	well				a 110)	
Surface Ow	ner: Feder	al		Mineral C	wner:	Federal			API No	. 3004508	910		
				LOCA	OIT	N OF RE	LEASE						
Unit Letter N	Section 33	Township 30N	Range 09W	Feet from the 990	North South	/South Line	Feet from the 1.650	East/V West	Vest Line	County: S	an Juar	1	
IN	33	30IN											
			La	titude 36.76			de107.789	923°					
				NAT	URE	OF REL					7/1		
Type of Rele		v grade tank –	45 1-1				Release: unknow lour of Occurrence			Recovered: 1			
Source of Re	lease: belov	v grade tank –	45 001			none	iour of Occurrenc	e:	Date and	Hour of Dis	covery	: none	
Was Immedia	ate Notice (If YES, To	Whom?						
			Yes 🗵	No Not Re	quired								
By Whom? Was a Water	Daniero Danie	had?				Date and H	lour olume Impacting t	the Wate	roource				
was a water	course Reac		Yes 🛛	No		II IES, VC	nume impacting t	ine wate	reourse.				
If a Watercou	irse was Im	pacted, Descri	ibe Fully.	k									
			•										
				n Taken.* Sampli tandards. Sampli									
Describe Are	a Affected	and Cleanup A	Action Tak	ten.* No action ne	ecessary	7. Final labora	tory analysis dete	ermined i	no remedia	l action is re	equired		
regulations at public health should their of or the environ	Il operators or the envir operations h nment. In a	are required to conment. The ave failed to a	o report ar acceptance adequately OCD accep	is true and comp ad/or file certain rue of a C-141 repo investigate and rutance of a C-141	elease rate by the emediate	notifications as the NMOCD mate contamination	nd perform correct arked as "Final R on that pose a thr	ctive acti eport" de eat to gr	ons for rele oes not reli ound water	eases which eve the ope , surface wa	may er rator of iter, hu	ndanger `liability man health	
Signature:	May N	hu)					OIL CON	SERV	ATION	DIVISIO	<u>N</u>		
Printed Name	e: Steve Mo	skal				Approved by	Environmental S	pecialist	:				
Title: Field E	nvironment	al Coordinato	r			Approval Dat	e:	E	Expiration l	Date:			
E-mail Addre	ess: steven.r	noskal@bp.co	om			Conditions of	Approval:			Attached			
Date: April 1	9, 2017		Phone: 50	5-326-9497									

^{*} Attach Additional Sheets If Necessary

Moskal, Steven

From:

Buckley, Farrah (CH2M HILL)

Sent:

Thursday, February 09, 2017 10:45 AM

To:

'Smith, Cory, EMNRD'; 'Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us)'

Cc:

'jeffcblagg@aol.com'; 'blagg_njv@yahoo.com'; Moskal, Steven

Subject:

BP Pit Close Notification - ELLIOTT GAS COM G 001

BP America Production Company

200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: CORY.SMITH@STATE.NM.US; VANESSA.FIELDS@STATE.NM.US

February 9, 2017

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

ELLIOTT GAS COM G 001 API 30-045-08910 (N) Section 33 – T30N – R09W San Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 95bbl BGT and a 45bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around February 16, 2017.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Steven Moskal BP Field Environmental Coordinator

(505) 326-9497

Farrah Buckley BGT Project Support 970-946-9199 -cell

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

bp



BP America Production Company 200 Energy Court Farmington, NM 87401

February 9, 2017

Bureau of Land Management Whitney Thomas 6251 College Suite A Farmington, NM 87402

VIA EMAIL

Re: Notification of plans to close/remove a below grade tank

Well Name: ELLIOTT GAS COM G 001

API #: 3004508910

Dear Mrs. Thomas,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about February 16, 2017. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required please contact me for a specific time (505)-326-9497.

Sincerely,

Steven Moskal

BP America Production Company

CLIENT: BP	P.O. BOX 87, I	BLOOMFIELD, NM		API #:3004508 TANK ID (if applicble):B	910
FIELD REPORT:	(circle one): BGT CONFIRMATION]/ RELEASE INVESTIGATION / OT	THER:	PAGE#: 1 of	_1_
SITE INFORMATION	I: SITE NAME: ELLIO	TT GC G #1		DATE STARTED: 02/1	6/17
			ST: NM	DATE FINISHED:	
(\$505) 632-1199 (\$7505) 632-1					
LEASE #: SF078139					JV
P.O. BOX 87, BLOOMFIELD, NM 87413 (circle one): BGT CONFIRMATION: RELEASE INVESTIGATION / OTHER PAGE #: 1 of 1 DATE STARTED D2/16/17 D					
4)	GPS COORD.:		DISTANCE/BEA	RING FROM W.H.:	
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S)	FOR LAB USED: HALL			READING
1) SAMPLE ID: 5PC - TB @ 6' (4	15) - B SAMPLE DATE: 02/1	6/17 SAMPLETIME: 1210	LAB ANALYSIS: 801	5B/8021B/300.0 (CI)	
2) SAMPLE ID:	SAMPLE DATE:	SAMPLE TIME:	LAB ANALYSIS:		
3) SAMPLE ID:	SAMPLE DATE:	SAMPLE TIME:	LAB ANALYSIS:		
4) SAMPLE ID:	SAMPLE DATE:	SAMPLE TIME:	LAB ANALYSIS:		
SOIL DESCRIPTION	SOIL TYPE: SAND SILTY SAND	SILT / SILTY CLAY / CLAY / GRAVE	L / OTHER		
				OHESIVE / MEDIUM PLASTIC / HIGHL	Y PLASTIC
			,		
			EXPLANATION -		
			S: YES NO EXPLAI	NATION -	
		PLANATION:			
		MATION SAMPLING.			
CON INTRACT DIA FENDIONI ESTIMATIONI	NA A V NA	a V NA a	TYO AL VATIONI EQ.	FIRSTION (Oubin Varda)	NIA
.1001					•
OITE OILE TOTT	BGT LOCALEGE. OIL / OIL /	PLOTPLAN GIG	A		10 -0.02
	FENCE		N		
		45\-R			ES
	BERM (x x x)	BGTL			
FENCE					
					/10
IA		Ð		CD Appr. date(s): 02/07	/17
BERM :	*		Tar	nk OVM = Organic Vapor Mete	er
					1
		X	- S.P.D.	BGT Sidewalls Visible: Y / N	1
		BELOW; T.H. = TEST HOLE; ~ = APPROX.; V	V.H. = WELL HEAD;		
T.B. = TANK BOTTOM; PBGTL = PREVIOUS BEL APPLICABLE OR NOT AVAILABLE; SW - SINGLI			NALL; NA - NOT N	lagnetic declination: 10	E
NOTES: GOOGLE EARTH IMAG		ONSITE: 02/16/1	7		

Analytical Report

Lab Order 1702781

Date Reported: 2/20/2017

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Client Sample ID: 5PC-TB @ 6' (45)-B

Project: Elliott GC G 1

Collection Date: 2/16/2017 12:10:00 PM

Lab ID: 1702781-002 Matrix: MEOH (SOIL) Received Date: 2/17/2017 6:00:00 AM

Analyses	Result	PQL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	: LGT
Chloride	ND	30	mg/Kg	20	2/17/2017 10:39:49 AM	30276
EPA METHOD 8015M/D: DIESEL RANG	SE ORGANICS				Analyst	MAB
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	2/17/2017 10:22:28 AM	30267
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	2/17/2017 10:22:28 AM	30267
Surr: DNOP	91.6	70-130	%Rec	1	2/17/2017 10:22:28 AM	30267
EPA METHOD 8015D: GASOLINE RAN	IGE				Analyst	NSB
Gasoline Range Organics (GRO)	ND	2.7	mg/Kg	1	2/17/2017 10:38:36 AM	G40829
Surr: BFB	85.5	54-150	%Rec	1	2/17/2017 10:38:36 AM	G40829
EPA METHOD 8021B: VOLATILES					Analyst	NSB
Benzene	ND	0.014	mg/Kg	1	2/17/2017 10:38:36 AM	B40829
Toluene	ND	0.027	mg/Kg	1	2/17/2017 10:38:36 AM	B40829
Ethylbenzene	ND	0.027	mg/Kg	1	2/17/2017 10:38:36 AM	B40829
Xylenes, Total	ND	0.055	mg/Kg	1	2/17/2017 10:38:36 AM	B40829
Surr: 4-Bromofluorobenzene	96.4	80-120	%Rec	1	2/17/2017 10:38:36 AM	B40829

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 2 of 6
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

CI	hain-d	of-Cus	stody Record	Turn-Around	Time:	SAME					44		F	MV	/TE	20	MI	ME	N	ГА		
Client:	BLAG	G ENGR	. / BP AMERICA	☐ Standard	Rush	DAY)	7		S										AT			,
				Project Name						-							l.con				•	
Mailing A	ddress:	P.O. BO	X 87	EI	LLIOTT GC	G #1		49	01 F	lawk								'' 8710	9			
		BLOOM	FIELD, NM 87413	Project #:			1			05-34							410					
Phone #:		(505) 63	32-1199	1										ysis								
email or	Fax#:	(,		Project Mana	ger:													न				
QA/QC Pa			Level 4 (Full Validation)		NELSON V	ELEZ	(80218)	(Ajuo	/ MRO)			(S)		04,504	PCB's			ter - 300		İ	40	
Accredita	tion:			Sampler:	NELSON V	ELEZ 97Y	10 (8)	(Gas	RO,	ਜ	11	SIM		100	3082			/ wa			du	
□ NELAF	•	□ Other		On ice	· 文·/在公本。	No.	1	TPH	0/0	118.	8	3270		03,N	s/8		Æ	00.0			e sa	S
□ EDD (Type)			Sample Temp	erature 1	9 4	1	E +	(GRC	7 po	В	or	tals	N,	cide	F	1	E.		9	osit	2
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL No 1703781	BTEX +-MIR	BTEX + MTBE + TPH (Gas only)	TPH 80158 (GRO / DRO	TPH (Method 418.1)	EDB (Method 504.1)	PAH (8310 or 8270SIMS)	RCRA 8 Metals	Anions (F,Cl,NO ₃ ,NO ₂ ,PO ₄ ,SO ₄)	8081 Pesticides / 8082 PCB's	8260B (VOA)	8270 (Semi-VOA)	Chloride (soil - 300.0 / water - 300.1)		Grab sample	5 pt. composite sample	Air Bubbles (Y or N)
116/11	1230	SOIL	EPO TO @ 5 1051 A	4 ozi 1	Cool	001	*		*									*			*	
							П									ī.		\Box	\neg			
2/16/17	120	SOIL	5PC - TB @ 6 '(45) - B	4 oz 1	Cool	7002	٧		٧									٧			٧	
																		П		- 1	П	
																			\neg			
																			\neg	\Box		
																			\dashv	\neg	\neg	
												\neg						\Box	\dashv	\dashv	\neg	
											\neg							\neg	\dashv	\neg	\neg	
									_		\dashv			\exists				\dashv	\dashv	\dashv	\neg	
											_		\dashv			\neg		\dashv	+	\dashv	\dashv	
								_	-		\dashv		\dashv					\dashv	+	\dashv	-	
Date;	Time:	Relinquishe	at pi:	Received by:	,	Date Time	Rem	arks	:	BILL D	IRECT	ILY TO	BPL	ISING	THE	CONT	ACT W	пно	ORRES	SPON	DING	VID
4/16/17	1500	96	luly	Mest	thet 2	/10/n 1500	CC	ONTA		& REF							N					
Date: 2/1.1-1	Time:	Relinquishe	ed by:	Received by:	21112	02 Htt 17/17	0-6		VID:	VHD		EVB2										
1/4/(1	If necessary.	samples sub	mitted to Hall Environmental may be sui	beontracted to other	ocredited laworatorie	B. This serves as notice of				Any su	_		data	will be	e clear	rly not	ated o	n the i	analyti	cal re	port.	

Hall Environmental Analysis Laboratory, Inc.

WO#:

1702781

20-Feb-17

Client:

Blagg Engineering

Project:

Elliott GC G 1

Sample ID MB-30276

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 30276

RunNo: 40822

Units: mg/Kg

Prep Date:

2/17/2017

Analysis Date: 2/17/2017

SeqNo: 1279310

Qual

Analyte

Result

PQL

SPK value SPK Ref Val %REC LowLimit

HighLimit

%RPD **RPDLimit**

Chloride

ND

TestCode: EPA Method 300.0: Anions

Sample ID LCS-30276

Client ID: LCSS

SampType: LCS

RunNo: 40822

Prep Date: 2/17/2017

Batch ID: 30276 Analysis Date: 2/17/2017

SeqNo: 1279311

Units: mg/Kg

SPK value SPK Ref Val %REC

95.4

HighLimit

%RPD

1.5

15.00

Qual

Chloride

RPDLimit

14

110

Qualifiers:

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

Holding times for preparation or analysis exceeded

R

J

Analyte detected in the associated Method Blank E Value above quantitation range

Analyte detected below quantitation limits

Page 3 of 6

Sample pH Not In Range

Reporting Detection Limit

ND Not Detected at the Reporting Limit

RPD outside accepted recovery limits % Recovery outside of range due to dilution or matrix

Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

56

4.9

9.6

48.03

4.803

2.142

112

102

51.6

70

130

130

0.0434

0

WO#: 1702781

20-Feb-17

Client:

Blagg Engineering

Project:

Elliott GC G 1

Project: E	lliott GC G 1								
Sample ID LCS-3026	SampType:	LCS	Tes	tCode: EPA N	Method 8	015M/D: Die	sel Range	e Organics	
Client ID: LCSS	Batch ID:	30267	F	RunNo: 40813	3				
Prep Date: 2/17/201	7 Analysis Date:	2/17/2017	5	SeqNo: 1278 7	706	Units: mg/K	g		
Analyte	Result PC	L SPK value	SPK Ref Val	%REC Lo	wLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DR	0) 54	10 50.00	0	108	63.8	116			
Surr: DNOP	5.3	5.000		107	70	130			
Sample ID MB-3026	7 SampType:	MBLK	Tes	tCode: EPA N	Method 8	015M/D: Die	sel Range	Organics	
Client ID: PBS	Batch ID:	30267	F	RunNo: 40813	3				
Prep Date: 2/17/201	7 Analysis Date:	2/17/2017	5	SeqNo: 1278 7	707	Units: mg/K	g		
Analyte	Result PC	L SPK value	SPK Ref Val	%REC Lo	wLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DR	O) ND	10							
Motor Oil Range Organics (MRO) ND	50							
Surr: DNOP	9.4	10.00		94.4	70	130			
Sample ID 1702781-	001AMS SampType:	MS	Tes	tCode: EPA N	Method 8	015M/D: Die	sel Range	Organics	
Client ID: 5PC-TB @	5' (95)-A Batch ID:	30267	F	RunNo: 40812	2				
Prep Date: 2/17/201	7 Analysis Date:	2/17/2017	8	SeqNo: 12788	872 l	Units: mg/K	g		
Analyte	Result PC	L SPK value	SPK Ref Val	%REC Lo	wLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DR	0) 56 9	0.4 47.13	2.142	114	51.6	130			
Surr: DNOP	4.9	4.713		104	70	130			
Sample ID 1702781-	001AMSD SampType:	MSD	Tes	tCode: EPA N	Method 8	015M/D: Die	sel Range	Organics	
Client ID: 5PC-TB @	5' (95)-A Batch ID:	30267	F	RunNo: 40812	2				
Prep Date: 2/17/201	7 Analysis Date:	2/17/2017	8	SeqNo: 12789	9 07	Units: mg/K	g		
Analyte	Result PQ	L SPK value	SPK Ref Val	%REC Lo	wLimit	HighLimit	%RPD	RPDLimit	Qual

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Diesel Range Organics (DRO)

Surr: DNOP

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 4 of 6

20

0

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1702781

20-Feb-17

Client:

Blagg Engineering

Project:

Elliott GC G 1

Sample ID RB

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

LowLimit

LowLimit

Client ID:

PBS

Batch ID: G40829

PQL

5.0

RunNo: 40829

%REC

Prep Date:

Analysis Date: 2/17/2017

Result

ND

860

SeqNo: 1279140

Units: mg/Kg

Analyte

HighLimit

Qual

Gasoline Range Organics (GRO)

1000

SPK value SPK Ref Val

85.8

150

RPDLimit

Surr: BFB

SampType: LCS

TestCode: EPA Method 8015D: Gasoline Range

%RPD

Client ID:

Sample ID 2.5UG GRO LCSB LCSS

Batch ID: G40829

RunNo: 40829

Prep Date:

Analysis Date: 2/17/2017

SeqNo: 1279141

Units: mg/Kg

125

150

HighLimit

Qual

Gasoline Range Organics (GRO)

Result PQL 24 5.0

SPK value SPK Ref Val 25.00 1000

%REC 94.7 91.7

76.4

%RPD **RPDLimit**

Surr: BFB

Analyte

920

54 TestCode: EPA Method 8015D: Gasoline Range

54

Client ID:

5PC-TB @ 5' (95)-A

Sample ID 1702781-001AMS

SampType: MS Batch ID: G40829

PQL

RunNo: 40829

Prep Date:

Analysis Date: 2/17/2017

SeqNo: 1279142

Units: mg/Kg

150

Analyte Gasoline Range Organics (GRO)

15 620

Result

SPK value SPK Ref Val 3.2 16.09

%REC LowLimit 90.4 96 2

HighLimit 150 %RPD **RPDLimit** Qual

Surr: BFB

Sample ID 1702781-001AMSD

SampType: MSD

TestCode: EPA Method 8015D: Gasoline Range

RunNo: 40829

Prep Date:

Client ID:

5PC-TB @ 5' (95)-A

Batch ID: G40829 Analysis Date: 2/17/2017

3.2

SeqNo: 1279143

LowLimit

Units: mg/Kg

Analyte

Result **PQL**

SPK value SPK Ref Val

HighLimit

%RPD

RPDLimit Qual 20

0

Gasoline Range Organics (GRO) Surr: BFB

16 610

643.5

643.5

16.09

%REC 98.2

95.1

61.3 54 150 150

8.27 0

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Η Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank
- Value above quantitation range E
- J Analyte detected below quantitation limits
- Page 5 of 6

- P Sample pH Not In Range
- RI Reporting Detection Limit
- Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1702781

20-Feb-17

Client:

Blagg Engineering

Project:

Elliott GC G 1

Sample ID RB	SampType: MBLK			TestCode: EPA Method 8021B: Volatiles						
Client ID: PBS	Batch	n ID: B4	0829	RunNo: 40829						
Prep Date:	Analysis D	ate: 2/	17/2017	S	eqNo: 1	279151	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.97		1.000		96.9	80	120			

Sample ID 100NG BTEX LO	S SampType: LCS TestCode: EPA Method 8021B: Volatiles									
Client ID: LCSS	Batch	Batch ID: B40829 RunNo: 40829								
Prep Date:	Analysis D	ate: 2/	17/2017	S	SeqNo: 1	279152	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.95	0.025	1.000	0	94.8	75.2	115			
Toluene	0.91	0.050	1.000	0	91.5	80.7	112			
Ethylbenzene	0.90	0.050	1.000	0	89.9	78.9	117			
Xylenes, Total	2.7	0.10	3.000	0	90.6	79.2	115			
Surr: 4-Bromofluorobenzene	0.96		1.000		96.3	80	120			

Sample ID 1702781-002AM	S Samp7	Гуре: М	3	TestCode: EPA Method 8021B: Volatiles						
Client ID: 5PC-TB @ 6' (45	5)-B Batcl	B Batch ID: B40829 RunNo: 40829								
Prep Date:	Analysis D	Date: 2/	17/2017	S	SeqNo: 1	279153	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.57	0.014	0.5473	0	104	61.5	138			
Toluene	0.55	0.027	0.5473	0.005183	99.1	71.4	127			
Ethylbenzene	0.52	0.027	0.5473	0	95.7	70.9	132			
Xylenes, Total	1.6	0.055	1.642	0	96.3	76.2	123			
Surr: 4-Bromofluorobenzene	0.55		0.5473		100	80	120			

Sample ID 1702781-002AM	SD SampType: MSD TestCode: EPA Method 8021B: Volatiles									
Client ID: 5PC-TB @ 6' (45	3 @ 6' (45)-B Batch ID: B40829 RunNo: 40829									
Prep Date:	Analysis D	Date: 2/	17/2017	S	SeqNo: 1	279154	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.58	0.014	0.5473	0	106	61.5	138	1.64	20	
Toluene	0.54	0.027	0.5473	0.005183	98.5	71.4	127	0.588	20	
Ethylbenzene	0.51	0.027	0.5473	0	93.7	70.9	132	2.21	20	
Xylenes, Total	1.6	0.055	1.642	0	94.8	76.2	123	1.59	20	
Surr: 4-Bromofluorobenzene	0.55		0.5473		100	80	120	0	0	

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 6 of 6

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: BLAGG	Work Order N	lumber: 1702781		RcptNo:	1
Received by/date: 4	202/17/	17			
Logged By: Ashley Ga	flegos 2/17/2017 6:00	-00 AM	A		
Completed By: Ashley Ga	-		A		
	_		st-f		ĺ
Chain of Custody	02/17/17				
1 Custody seals intact on s	amala hattles?	Yes [No]	Not Present ✓	
Custody seals intact on s S Is Chain of Custody comp	•	Yes 🗸	No 🗆	Not Present	
How was the sample deli		Courier			
Log In					
4. Was an attempt made to	cool the samples?	Yes 🗹	No [_]	NA 🗀	
5. Were all samples receive	ed at a temperature of >0° C to 6.0°	°C Yes 🗹	No 🗌	NA 🗀	
6. Sample(s) in proper cont	ainer(s)?	Yes 🗸	No [
7. Sufficient sample volume	for indicated test(s)?	Yes 🗸	No 🗆		
8. Are samples (except VO	A and ONG) properly preserved?	Yes 🗹	No 🗆		
9. Was preservative added	to bottles?	Yes 🗌	No 🗹	NA 🗆	
10.VOA vials have zero head	dspace?	Yes [No 🗆	No VOA Vials	
11. Were any sample contain	ners received broken?	Yes 🗌	No 🗹	# of preserved	
12 D	-W- I-L-I-O	Yes 🗸	No [7]	bottles checked for pH:	
Does paperwork match b (Note discrepancies on c		res Ly	No L.i		>12 unless noted)
13. Are matrices correctly ide	entified on Chain of Custody?	Yes 🗹	No []	Adjusted?	
14. Is it clear what analyses	were requested?	Yes 🗹	No 🗌		
 Were all holding times at (if no, notify customer for 		Yes 🗹	No 🗌	Checked by:	
Special Handling (if ap	nlicable)				
	discrepancies with this order?	Yes [No [NA 🔀	
	-	yanna a a a a a a a a a a a a a a a a a			ſ
Person Notified: By Whom:	SCHOOL SERVICE	Date Via: eMail	Phone [] Fax	i In Person	
Regarding:		Via.	PHONE ; _ Pax	_ III FEISOII	
Client Instructions:			Martin Park (1982-1994) and design and desig		
17. Additional remarks:			<u> </u>		
18. Cooler Information	Condition Seal Intact Seal Good Yes	No Seal Date	Signed By		



