District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office. For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

5915 Pit, Below-Grade Tank, or	
5965 <u>Proposed Alternative Method Permit or Closure Plan Application</u> Type of action: Below grade tank registration	L CONS. DIV DIST. 3
 Permit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permit/or registration 	JUN 2 2 2017
Closure plan only submitted for an existing permitted or non-permitted pit, be or proposed alternative method	elow-grade tank,
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternation	
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface wa environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's ru	ter, ground water or the iles, regulations or ordinances.
1.	
Operator: <u>BP America Production Company</u> OGRID #: <u>778</u>	
Address: 200 Energy Court, Farmington, NM 87401	
Facility or well name: Case B 001A	
API Number: 3004522836 OCD Permit Number:	
U/L or Qtr/Qtr Section Township Range County: San Juan	
Center of Proposed Design: Latitude 36.932430 Longitude -108.017126	NAD: 🗌 1927 🔀 1983
Surface Owner: 🛛 Federal 🗌 State 🗋 Private 🗋 Tribal Trust or Indian Allotment	
2. Pit: Subsection F, G or J of 19.15.17.11 NMAC	
Temporary: Drilling Workover	
Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling Fl	uid 🗌 yes 🗌 no
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other	
String-Reinforced	
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L	_ x W x D
3. Below-grade tank: Subsection I of 19.15.17.11 NMAC TANKA	
Volume: 95 bbl Type of fluid: Produced water	
Tank Construction material: Steel	
Secondary containment with leak detection 🗌 Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	
□ Visible sidewalls and liner □ Visible sidewalls only □ Other Single wall/ Double bottom; no visible sidewalls	alls
Liner type: Thickness mil HDPE PVC Other	
4. Alternative Method:	
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for co	onsideration of approval.

 s. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	hospital,			
 6. <u>Netting</u>: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible) 				
 7. Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC 				
 8. <u>Variances and Exceptions</u>: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. <i>Please check a box if one or more of the following is requested, if not leave blank:</i> Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. 				
^{9.} <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC <i>Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below.</i> Siting criteria does not apply to drying pads or above-grade tanks.	otable source			
General siting				
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank	□ Yes □ No □ NA			
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA			
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) Written confirmation or verification from the municipality; Written approval obtained from the municipality 	🗌 Yes 🗌 No			
 Within the area overlying a subsurface mine. (Does not apply to below grade tanks) Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	Yes No			
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 				
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map				
Below Grade Tanks				
 Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No			
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site				
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)				
 Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No			

pplication: Visual inspection (certification) of the proposed site: Aerial photo; Satellite image Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock Ves No Works of the Sate Engineer - WATERS database search; Visual inspection (certification) of the proposed site Ves No Office of the Sate Engineer - WATERS database search; Visual inspection (certification) of the proposed site Ves No Office of the Sate Engineer - WATERS database search; Visual inspection (certification) of the proposed site Ves No Office of the Sate Engineer - WATERS database search; Visual inspection (certification) of the proposed site Ves No Office of the section of the ordinary high-water mark). Ves No Office of the Sate Engineer - WATERS database search; Visual inspection (certification) of the proposed site Ves No Ves No Ves No Office of a vestimat Visual inspection (certification) of the proposed site Ves No Ves	application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image - Visual inspection (certification) of the proposed site - Yes No - Visual inspection (certification) of the proposed site - Yes No - Visual inspection (certification) of the proposed site - Yes No - Visual inspection (certification) of the proposed site - Yes No - Visual inspection (certification) of the proposed site - Yes No - Visual inspection (certification) of the proposed site - Yes No - Topographic map; Visual inspection (certification) of the proposed site - Yes No - Topographic map; Visual inspection (certification) of the proposed site - Yes No - Visual inspection (certification) of the proposed site - Yes No - Topographic map; Visual inspection (certification) of the proposed site - Yes No - Visual inspection (certification) of the proposed site - Yes No - Visual inspection (certification) of the proposed site - Yes No - Visual inspection (certification) of the proposed site - Yes No - Visual inspection (certification) of the proposed site - Yes No - Visual inspection (certification) of the proposed site - Yes No - Visual inspection (certification) of the proposed site - Yes No - Visual inspection (certification) of the proposed site - Yes No - Visual inspection (certification) of the proposed site - Yes No - NN Office of the state Engineer - iWATERS database search; Visual inspection (certification) of the proposed site - Yes No - Visual inspection (certification) are; Topographic map; Visual inspection (certification) of the proposed site - Yes No - Visual inspection (certification map; Topographic map; Visual inspection (certification) of the proposed site - Yes No - Visual inspection (certification) are; Topographic map; Visual inspection (certification) of the proposed site - Yes No - Visual inspection (certification) are; Topographic map; Visual inspection (cert						
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. \Ves \ No Within 100 feet of a wetland. \Ves \ No Within 200 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). \Ves \ No Propagraphic map; Visual inspection (certification) of the proposed site \Ves \ No Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). \Ves \ No No for borizontal feet of a spring or a private, domestic fresh water vell used by less than five households for domestic or stock vatering purposes, or 1000 feet of any other relsh water vell used by less than five households for domestice in stock watering purposes, or 1000 feet of any other relsh water vell used by less than five households for domestice in stock watering purposes, or 1000 feet of any other relsh water vell used by less than five households for domestice in stock watering purposes, or 1000 feet of any point watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). NO Office of the state Engineer - IWATERS database search; Visual inspection (certification) of the proposed site \Ves \ No Within 200 feet of a continuously flowing watercourse, or 200 feet of a	Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of the Sure Engineer - WATERS dualuase search. Visual inspection (certification) of the proposed site Ver No Within 100 feet of a worthand. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Ver No Within 100 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (inextanced from the ordinary high-water mark). Topographic map; Visual magnetion (certification) of the proposed site Ver No Visatin 500 feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; Ver No MV fittis 000 feet of any other fresh water well or spring, in the existence at the time of the initial application; Ver No MV fittis 000 feet of a welland. Ver No Within 300 feet of a supfing or a private, domestic fresh water well as pring in the existence at the time of initial application; Ver No Within 500 horizontal feet of a spring or a private, domestic fresh water well as pring; in the existence at the time of initial application; Ver No Within 500 feet of a welland. Ver No Within 500 feet of a we	application.	Yes No				
<pre>vatering purposes, or 300/feet of any other fresh water well or spring, in existence at the time of the initial application.</pre>	<pre>watering purposes, or 300 feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the Site Engineer - 1WATERS database search; Visual inspection (certification) of the proposed site</pre>	- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
US Fish and Wildlife Wetland Identification map: Topographic map: Visual inspection (certification) of the proposed site I a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, replava lake (measured from the ordinary high-water mark). Topographic map: Visual inspection (certification) of the proposed site Visual inspection (certification) of the proposed site; Arcial phote; Satellite image Visual inspection (certification) of the proposed site; Arcial phote; Satellite image Visual inspection (certification) of the proposed site; Arcial phote; Satellite image Visual inspection (certification) of the proposed site Vesa motion of the state Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Vesa motion of the ordinary high-water well) or 200 feet of any other significant watercourse, or lakebed, sinkhole, or plava lake (measured from the ordinary high-water mark). Topographic map: Visual inspection (certification) of the proposed site Vesa No Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or plava ake (measured from the ordinary high-water mark). Topographic map: Visual inspection (certification) of the proposed site Visual inspection (certification) of the proposed site Visual inspection (certification) of the proposed site Yes No Visual inspection (certification) of the proposed site Yes No Visual inspection (certification) of the proposed site Visual inspection (certification) of the proposed	US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Temporary Pit Non-low Chloride drilling fluid Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, Topographic map; Visual inspection (certification) of the proposed site Ves No Within 300 feet form a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Ves No Within 300 feet form a permanent residence, school, hospital, institution, or church in existence at the time of the proposed site Ves No Within 300 feet form a permanent residence, school, hospital, institution, or church in existence at the time of the initial application; NM Office of the State Engineer - IWATERS database search; Visual inspection (certification) of the proposed site Ves No Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Ves No Within 500 feet of a wetland. Ves No Within 500 feet of a expression (certification) of the proposed site Ves No Within 500 feet of a sentine-usity flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa Lek (crosswaref from the ordinary high-water mark). Ves No Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. Visual inspection (certification) of the proposed site. Ves No Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of Initial application. Visual inspection (certification) of the proposed site. Ves No No Office of the State Engineer - IWATERS database search; Visual inspection (certification) of the proposed site	watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application.					
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Visual inspection (certification) of the proposed site, Aerial photo; Satellite image Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Visual inspection (certification) of the proposed site Visu	Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakehed, sinkhole, or playa lake (measured from the ordinary high-water mark). Torographic mark; Visual inspection (certification) of the proposed site Yes No Within 300 feet of any other fresh water well or spring, in the existence at the time of initial application. Yes No Within 300 feet of any other fresh water well or spring, in the existence at the time of the initial application; NN Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Yes No Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Torographic map; Visual inspection (certification) of the proposed site Yes No Within 300 feet of a spring or a fresh water well used for donestic or stock watering purposes, in existence at the time of initial application. Yes No Within 300 feet of a spring or a fresh water well used for donestic or stock watering purposes, site Yes No Within 300 feet of a spring or a fresh water well used for donestic or stock watering purposes, site Yes No Within 300 feet of a with Middiffe Wetland Identification map; Topographi		🗌 Yes 🗌 No				
<pre>pr playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Visual inspection (certification) of the proposed site / Yes No Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Visual inspection (certification; I water well used by less than five households for domestic or stock vatering purposes, or 1000 feet of any other fresh water well used by less than five households for domestic or stock vatering purposes, or 1000 feet of any other fresh water well used in proposed site Ves No Visual inspection (certification) of the proposed site Ves No Visual inspection (certification) of the proposed site Ves No Visual inspection (certification) of the proposed site Ves No Visual inspection (certification) of the proposed site Ves No Visual inspection (certification) of the proposed site Ves No Visual inspection (certification) of the proposed site Ves No Visual inspection (certification) of the proposed site Visin 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. Visual inspection (certification) application approach site; Aerial photo; Statellite image Ves No Visin 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Ves No Visual inspection (certification) approach site; Aerial photo; Statellite image Visin 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certi</pre>	or playa lake (measured from the ordinary high-water mark) Topographic map: Visual inspection (certification) of the proposed site Within 300 feet for a permanent residence, school, hospital, institution, or church in existence at the time of initial application Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Within 300 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Permanent Pit or Multi-Well Fluid Management Pit Within 300 free of a continuously flowing watercoares, or 200 feet of any other significant watercoares, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) Visual inspection (certification) of the proposed site Permanent Pit or Multi-Well Fluid Management Pit Within 500 forizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application Visual inspection (certification) of the proposed site - Ves No Within 500 forizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application WATERS database search; Visual inspection (certification) of the proposed site - Ves No Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site - Ves No Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site - Ves No Within 500 feet of a wetland	Temporary Pit Non-low chloride drilling fluid					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Yes No Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock vatering purposes, or 1000 feet of any other fresh water well used by less than five households for domestic or stock vatering purposes, or 1000 feet of any other fresh water well used search; Visual inspection (certification) of the proposed site Yes No Within 300 feet of a weltand. Yes Visual inspection (certification) of the proposed site Yes No Permanent Pit or Multi-Well Fluid Management Pit Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa ack (measured from the ordinary high-water mark). Yes No • Topographic map; Visual inspection (certification) of the proposed site Yes No Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. Yes No • US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Yes No Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. Yes No Within 500 feet of a wetland. Yes is and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site, Acrial photo; Satellite image \vec{Visual inspection (certification) of the proposed site, Acrial photo; Satellite image \vec{Visual inspection (certification) of the proposed site \vec	or playa lake (measured from the ordinary high-water mark).	□ Yes□ No				
<pre>vatering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Ves No Vithin 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Ves No Ves No Ves No Ves No Ves No Vithin 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa ake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Ves No Vithin 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Ves No Vithin 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of nitial application. Ves No Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Ves No Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Ves No Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Ves No Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Ves No Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification that application. <i>Hease indicate, by a check mark in the doc, that the documents are turched</i>. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements</pre>	<pre>vatering purposes, or 1000 fiet of any other fresh water well or spring, in the existence at the time of the initial application;</pre>	Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.					
US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Permanent Pit or Multi-Well Fluid Management Pit Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa ake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of nitial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Yes No within 500 horizontal feet of a wetland. Use Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Yes No within 500 feet of a wetland. Use Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Yes No within 500 feet of a Wetland. Hydrogeologic Data (Temporary and Emergence Ptits) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergence Ptits) - based upon the requirements of 19.15.17.1 NMAC Degring and Maintenace Plan - based upon the appropriate requirements of 19.15.17.1 NMAC Dejering Plan -based upon the appropriate requirements of 19.15.17.1 NMAC Dejering and Maintenace Plan - based upon the appropriate requirements of 19.15.17.1 NMAC Deparating and Maintenace Plan - based upon the appropriate requirements of 19.15.17.1 NMAC Deparating and Maintenace Plan - ba	US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Permanent Pit or Multi-Well Fluid Management Pit Within 300 feet of a continuously flowing waterourse, or 200 feet of any other significant waterourse, or lakebed, sinkhole, or playa Iake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Ves No Visual inspection (certification) of the proposed site Ves No Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Ves No Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Yes No Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Yes No Within 500 feet of a wetland. US Fish and Below-grade Tanks Permit Application Attachment Checklifs: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are acheched. Hydrogeologic Data (Temporry and Emergency Pits) - based upon the requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the	watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application;	🗌 Yes 🗌 No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa ake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Yes No Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Yes No Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Yes No Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Yes No Remporary Pits, Emergency Pits, and Below-grade Tanks Permit Application. Please indicate, by a check mark in the box, that the documents are trached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the appropriate requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of 19.15.17.10 NMAC Hydrogeologic D	Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Yes No Within 1000 feet of a continuously flowing watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Yes No Within 1000 feet of a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. Yes No Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Yes No Immemory Fits, Emergency Fits, and Below-grade Tanks Permit Application. Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC <li< td=""><td></td><td>🗌 Yes 🗌 No</td></li<>		🗌 Yes 🗌 No				
ake (measured from the ordinary high-water mark). Yes No Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Yes No No Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Yes No Within 500 feet of a wetland. Yes No WS Emporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Imstructions: Each of the following items must be attached to the appropriate requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Imstructions: Each of the following items must be attached to the appropriate requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Stifing	lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Yes No Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Yes No Within 500 heorizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Yes No Within 500 heorizontal feet of a welland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Yes No Instructions: Each of the following items must be attached to the application. Attachment Checklist: Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriat	Permanent Pit or Multi-Well Fluid Management Pit					
Visual inspection (certification) of the proposed site; Aerial photo; Satellite image \[Yes \] No \[Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of nitial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site \[Yes \] No \[Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site \[Yes \] No \[No \[Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC \[Imstructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are intached. Hydrogeologic Report (Below-grade Tanks) - based upon the appropriate requirements of 19.15.17.10 NMAC \[Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC \[Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC \[Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC \[Hydrogeologic Report (Below-grade Tanks) - based upon the appropriate requirements of 19.15.17.10 NMAC \[Hydrogeologic Report (Below-grade Tanks) - based upon the appropriate requirements of 19.15.17.10 NMAC \[Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC \[Operating and Maintenace Plan - based upon the appropriate requirements of 19.15.17.10 NMAC \[Operating and Maintenace Plan - based upon the appropriate requirements of Subsect	 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Visual inspection (certification) of the proposed site; Aerial aphoto; Satellite image Visual inspection (certification) of the proposed site NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Visual inspection of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of 19.15.17.12 NMAC Int. Multi-Well Fluid Management Plat Checklist: Subsection B of 19.15.17.19 NMAC Interviously Approved Design (attach copy of design) API Number: or Permit Number: Interviously Approved Design (attach copy of design) API Number:	lake (measured from the ordinary high-water mark).	🗌 Yes 🗌 No				
nitial application. Pres No NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Pres No Within 500 feet of a wetland. Pres No US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Pres No o. Cemporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are titached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC ind 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number:	initial application. . NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site						
NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Yes No Yes No Ves No Ves Sish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Yes No Ves No Yes	MM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Yes No Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Yes No Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number: Previously Approved Design (attach copy of design) API Number: Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Departing and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.19 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.19 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.19 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.19 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.19 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.19 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.19 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.19 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.						
US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Yes No No Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are Instructions: Each of the following items must be attached to the application the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Deparating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Deparating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Deparating and Maintenance Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are that ched.	US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site		🗌 Yes 🗌 No				
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are Importance Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Importance Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Importance Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Importance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Importance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Importance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Importance Demonstrations - based upon the appropriate requirements of 19.15.17.12 NMAC Importance Demonstrations - based upon the appropriate requirements of 19.15.17.12 NMAC Importance Demonstrations - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Importance Demonstrations - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Importance Demonstrations - based upon the appropriate requirements of Subsection C of 19.15.17.9 NM	Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Biting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC m.tructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Instructions: Each of the following items must be attached to the application. Please indi		🗌 Yes 🗌 No				
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.	Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.	Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC 	o NMAC 15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are atta-	Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	11. Multi-Wall Fluid Management Pit Checklist: Subsection P of 10 15 17 0 NMAC					
 Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Ind 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC 		.15.17.9 NMAC					
Previously Approved Design (attach conv of design) API Number:							
		Previously Approved Design (attach copy of design) API Number: or Permit Number:					

der.

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Muisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC	documents are				
^{13.} Proposed Closure: 19.15.17.13 NMAC					
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well Fl	luid Management Pit				
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)					
On-site Closure Method (Only for temporary pits and closed-loop systems)					
☐ In-place Burial ☐ On-site Trench Burial ☐ Alternative Closure Method					
 closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 					
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. P 19.15.17.10 NMAC for guidance.					
 Ground water is less than 25 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	□ Yes □ No □ NA				
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells					
 Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 					
 Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 					
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 					
 Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site 	Yes No				
Written confirmation or verification from the municipality; Written approval obtained from the municipality 🗌 Yes 🗌 No					
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance					
Form C-144 Oil Conservation Division Page 4 of	f 6				

Contraction over 1

	Yes No				
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	🗌 Yes 🗌 No				
Within an unstable area.					
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No				
Within a 100-year floodplain.	□ Yes □ No				
- FEMA map					
16. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
17. Operator Application Certification:					
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.	f.				
Name (Print): Title:					
Signature: Date:					
e-mail address: Telephone:					
18. <u>OCD Approva</u> l: Permit Application (including closure plan) Closure tan (only) OCD Conditions (see attachment)					
	11-				
OCD Representative Signature: Approval Date:	1/17				
OCD Representative Signature: Approval Date: Title: ENU: rowmens tal Spec OCD Permit Number:	1/17_				
Title: ENU: rowness for Spec OCD Permit Number: 19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC	the closure report.				
Title: <u>ENU' rowness tal Spec</u> OCD Permit Number:					
Title: ENU: rownews for Spec OCD Permit Number: 19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete the closure activities.					
Title: <u>ENU: roumes to Spec</u> <u>OCD Permit Number:</u> <u>19.</u> <u>Closure Report (required within 60 days of closure completion)</u> : 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting th The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not co section of the form until an approved closure plan has been obtained and the closure activities have been completed.	complete this				

4

Oil Conservation Division

22.				
Operator Closure Certification:				
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print): Steve Moskal	Title: Field Environmental Coordinator			
Signature:	Date: June 22, 2017			
e-mail address:steven.moskal@bp.com	Telephone: (505) 326-9497			

۷

.

BP AMERICA PRODUCTION COMPANY SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

<u>Case B 001A</u> <u>API No. 3004522836</u> Unit Letter D, Section 5, T31N, R11W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

- 1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement. **Notice is attached.**
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number. **Notice was provided and is attached.**
- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

BP BGT Closure Plan 04-01-2010

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for recycling.

 BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	95 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	< 0.019
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.075
TPH	US EPA Method SW-846 418.1 or 8015 extended	100	<u><46</u>
Chlorides	US EPA Method 300.0 or 4500B	250 or background	<30

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

> Soil under the BGT was sampled for TPH, BTEX and chloride with all concentrations below the stated limits. The field report and laboratory reports are attached.

BP shall notify the division District III office of its results on form C-141.
 C-141 is attached.

- If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.
 Sampling results indicates no release had occurred. Attached is a laboratory report and C-141.
- 9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

Sampling results indicates no release had occurred. Attached is a laboratory report and field report. The location will be reclaimed when the well is plugged and abandoned.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area has been backfilled. The location will be reclaimed when the well is plugged and abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The location will be reclaimed when the well is plugged and abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The location will be reclaimed when the well is plugged and abandoned.

 BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

The location will be reclaimed when the well is plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

BP BGT Closure Plan 04-01-2010

The location will be reclaimed when the well is plugged and abandoned.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation. Closure report on C-144 form is included including photos of reclamation completion.
- 16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

	OPERATOR	Initial Report	Final Report
Name of Company: BP	Contact: Steve Moskal		
Address: 200 Energy Court, Farmington, NM 87401	Telephone No.: 505-326-9497		
Facility Name: Case B 001A	Facility Type: Natural gas well		

Surface Owner: Federal

Mineral Owner: Federal

API No. 3004522836

LOCATION OF RELEASE								
Unit Letter	Unit Letter Section Township Range Feet from the North/South Line Feet from the East/West Line County: San Juan							
D	5	31N	11W	818	North	925	West	

Latitude <u>36.932430°</u> Longitude <u>-108.017126°</u>

NATURE OF RELEASE

Type of Release: none	Volume of Release: unknown	Volume Re	ecovered: N/A		
Source of Release: below grade tank – 95 bbl	Date and Hour of Occurrence: Date and Hour of Discovery: none		lour of Discovery: none		
Was Immediate Notice Given?	If YES, To Whom?				
By Whom?	Date and Hour				
Was a Watercourse Reached?	If YES, Volume Impacting the Wa	atercourse.			
If a Watercourse was Impacted, Describe Fully.*					
Describe Cause of Problem and Remedial Action Taken.* Sampling of the BTEX and chlorides below BGT closure standards. Field reports and labor		ing removal.	Soil analysis resulted for TPH,		
Describe Area Affected and Cleanup Action Taken.* No further action nee	cessary. Final laboratory analysis de	termined no re	emedial action is required.		
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.					
Signature: Altres Min	OIL CONSER	VATION I	DIVISION		
Printed Name: Steve Moskal Approved by Environmental Specialist:					
Title: Field Environmental Coordinator	Approval Date:	Expiration Date:			
E-mail Address: steven.moskal@bp.com Date: June 22, 2017 Phone: 505-326-9497	Conditions of Approval:		Attached		

* Attach Additional Sheets If Necessary

bp



BP America Production Company 200 Energy Court Farmington, NM 87401

April 14, 2017

Bureau of Land Management Whitney Thomas 6251 College Suite A Farmington, NM 87402

VIA EMAIL

Re: Notification of plans to close/remove a below grade tank Well Name: CASE B 001A API #: 3004522836

Dear Mrs. Thomas,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about April 19, 2017. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required please contact me for a specific time (505)-326-9497.

Sincerely,

Steven Moskal

BP America Production Company

Moskal, Steven

From:	Moskal, Steven
Sent:	Tuesday, April 18, 2017 6:47 AM
То:	Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us); Smith, Cory, EMNRD; Whitney Thomas
Cc:	jeffcblagg@aol.com; blagg_njv@yahoo.com; Powell, Ross L (MBF SERVICES)
Subject:	Re: BP Pit Close Notification - CASE B 001A

The BGT is scheduled to be removed at 2:00 PM today.

Thank you,

Steve Moskal Field Environmental Coordinator BP San Juan South Cell: (505) 330-9179

Sent from my mobile device

On Apr 14, 2017, at 10:27 AM, Buckley, Farrah (CH2M HILL) <<u>farrah.buckley@bp.com</u>> wrote:

BP America Production Company 200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: CORY.SMITH@STATE.NM.US; VANESSA.FIELDS@STATE.NM.US

April 14 2017

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

CASE B 001A API 30-045-22836 (D) Section 5 – T31N – R11W San Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 95bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around April 19, 2017.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Steven Moskal BP Field Environmental Coordinator

(505) 326-9497

Farrah Buckley BGT Project Support 970-946-9199 -cell

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

CLIENT: BP	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	API #:	
FIELD REPORT:	(circle one): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER:	PAGE #: of	
SITE INFORMATION	SITE NAME: CASE B # 1A 31N RNG: 11W PM: NM CNTY: SJ ST: NM N NW/NW LEASE TYPE: FEDERAL/ STATE / FEE / INDIAN	DATE STARTED: 04/18/17 DATE FINISHED: ENVIRONMENTAL	
LEASE #: SF078095	PROD. FORMATION: PC/MV CONTRACTOR: MBF - R. POWELL	SPECIALIST(S): NJV	
1) 95 BGT (SW/DB) 2)	GPS COORD.: 36.932430 X 108.017126 DISTANCE/B GPS COORD.: DISTANCE/B DISTANCE/B GPS COORD.: DISTANCE/B	EARING FROM W.H.:	
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # OR LAB USED: HALL	OVM READING (ppm)	
1) SAMPLE ID: 5PC - TB @ 5' 2) SAMPLE ID:	(95) SAMPLE DATE: 04/18/17 SAMPLE TIME: 1420 LAB ANALYSIS: 80 SAMPLE DATE: SAMPLE TIME: LAB ANALYSIS:	15B/8021B/300.0 (Cl) NA	
	SOIL TYPE: SAND SILTY SAND SILT / SILTY CLAY / CLAY / GRAVEL / OTHER		
APPARENT EVIDENCE OF A RELEASE OBSERVE EQUIPMENT SET OVER RECLAIMED AREA:	DOSE FIRM DENSE / VERY DENSE HC ODOR DETECTED: YES NO EXPLANATION - ET / SATURATED / SUPER SATURATED ANY AREAS DISPLAYING WETNESS: YES NO EXPL	ANATION	
SOIL IMPACT DIMENSION ESTIMATION:	NA ft. X NA ft. X NA ft. EXCAVATION E	STIMATION (Cubic Yards) : NA	
	EAREST WATER SOURCE: >1,000' NEAREST SURFACE WATER: >1,000' NM	OCD TPH CLOSURE STD: ppm	
SITE SKETCH	BERM PROD. TANK FENCE	M CALIB. READ. = <u>NA</u> ppm <u>RF = 0.52</u> M CALIB. GAS = <u>NA</u> ppm <u>NA</u> ME: <u>NA</u> am/pm DATE: <u>NA</u> MISCELL. NOTES WO: REF #: <u>P - 666</u> VID: VHIXONEVB2 PJ #: Data (200) (40)	
T.B. = TANK BOTTOM; PBGTL = PREVIOUS BEL	B.G. SEPARATOR COMPRESSOR X - S.P.D. DN DEPRESSION; B.G. = BELOW GRADE; B = BELOW; T.H. = TEST HOLE; ~= APPROX.; WH. = WELL HEAD; OW-GRADE TANK LOCATION; SPD = SAMPLE POINT DESIGNATION; R.W = RETAINING WALL; NA - NOT E WALL; DW - DOUBLE WALL; SB - SINGLE BOTTOM; DB - DOUBLE BOTTOM.	Permit date(s): 06/08/10 OCD Appr. date(s): 04/18/16 Tank OVM = Organic Vapor Meter ppm = parts per million A BGT Sidewalls Visible: Y / N BGT Sidewalls Visible: Y / N BGT Sidewalls Visible: Y / N Magnetic declination: 10° E	

.

Hall Environmental Analysis Laboratory, Inc. Analytical Report Lab Order 1704814 Date Reported: 4/20/2017 CLIENT: Blagg Engineering Client Sample ID: 5PC - TB 5' (95)										
CLIENT: Blagg Engineering			C	lient Sam	ple ID: 5P	C - TB 5' (95)				
Project: CASE B 1A				Collectio	n Date: 4/1	8/2017 2:20:00 PM				
Lab ID: 1704814-001	Matrix:	MEOH (SC	DIL)	Receive	d Date: 4/1	9/2017 6:46:00 AM				
Analyses	Result	PQL	Qual	Units	DF	Date Analyzed	Batch			
EPA METHOD 300.0: ANIONS						Analyst	MRA			
Chloride	ND	30		mg/Kg	20	4/19/2017 12:31:54 PM	31315			
EPA METHOD 8015M/D: DIESEL RANG	SE ORGANIC	S				Analyst	том			
Diesel Range Organics (DRO)	ND	9.2		mg/Kg	1	4/19/2017 10:19:34 AM	31309			
Motor Oil Range Organics (MRO)	ND	46		mg/Kg	1	4/19/2017 10:19:34 AM	31309			
Surr: DNOP	104	70-130		%Rec	1	4/19/2017 10:19:34 AM	31309			
EPA METHOD 8015D: GASOLINE RAN	GE					Analyst	NSB			
Gasoline Range Organics (GRO)	ND	3.7		mg/Kg	1	4/19/2017 10:06:37 AM	31299			
Surr: BFB	96.0	54-150		%Rec	1	4/19/2017 10:06:37 AM	31299			
EPA METHOD 8021B: VOLATILES						Analyst	NSB			
Benzene	ND	0.019		mg/Kg	1	4/19/2017 10:06:37 AM	31299			
Toluene	ND	0.037		mg/Kg	1	4/19/2017 10:06:37 AM	31299			
Ethylbenzene	ND	0.037		mg/Kg	1	4/19/2017 10:06:37 AM	31299			
Xylenes, Total	ND	0.075		mg/Kg	1	4/19/2017 10:06:37 AM	31299			
Surr: 4-Bromofluorobenzene	115	66.6-132		%Rec	1	4/19/2017 10:06:37 AM	31299			

.

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	В	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	Н	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits Page 1 of 5
	ND	Not Detected at the Reporting Limit	Р	Sample pH Not In Range
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	% Recovery outside of range due to dilution or matrix	W	Sample container temperature is out of limit as specified

Phone #: email or Fax#: QA/QC Package: I Standard Accreditation:	P.O. BOX 87 BLOOMFIELD, NM 87413 (505) 632-1199	Project #: Project Mana					Hawk	www.h ins NE 15-3975	- Alt	uque	que, 5-34	, NM 8	37109)		
Phone #: email or Fax#: QA/QC Package: I Standard Accreditation:	(505) 632-1199	Project Mana		ELEZ				5-3975	F	ax 50	5-34	5-410				
email or Fax#: QA/QC Package: I Standard Accreditation:	Level 4 (Full Validat	ion)		ELEZ				and the second second	-	States of Lot of	-					
QA/QC Package Standard Accreditation:		ion)		ELEZ								yur				
Standard Accreditation:			NELSON VI	ELEZ				T.		-		1 1	(1)			T
	Other	Sampler:	NELSON VELEZ Providence Sampler: NELSON VELEZ Providence		0218)	(MRO)		(2)		POkiso			water - 300.1)		c	,
	Other	and the second se	NELSON VI	ELEZ nr	42 (8	(Gas	=	1) SIM		1,20	202				sample	
		On loe:	Yes	D No		Hall	118.	504.		O3.N		(V)	300.0 /		E2 a	L N
EDD (Type)		Sample Temp	Sample Temperature: /,/			E +	po	od	tals	J'N'	VI	2 2	E - 1	9	neiti	No /
Date Time	Matrix Sample Request	ID Container Type and #	Preservative Type	HEAL NO.	BTEX + MHE	BTEX + MTBE + TPH (Gas only) TPH 80158 (GRO / DRO / MRO)	TPH (Method 418.1)	EDB (Method 504.1) PAH (8310 or 82705IMS)	RCRA 8 Metals	Anions (F, Cl, NO ₃ , NO ₂ , PO ₄ , SO ₄)	NUMP I TONG	8270 (Semi-VOA)	Chloride (soil -	Grah cample	5 of composite	
4/18/17 1420	SOIL SPC-TB @ 5 ' (9)	6) 4 oz 1	Cool	- 001	٧	V							٧		V	1
															T	T
4/18/17 1610	Relinquished by: Min VJ Relinquished by:	Received by	Walter	Date Time 4/18/n 160 Date Time	Rema	NTACT	& REE	ERENCE A	WHEN	APPLIC	ABLE	2,	VITH CO	DRRESP	CNDI	IG VID

If necessary, samples submitted to Hall Environmental may be subconfracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be therein notated on the analytical report.

WO#: 1704814 20-Apr-17

Hall Environmental Analysis Laboratory, Inc.

Client:Blagg EngineeringProject:CASE B 1A

Sample ID MB-31315	SampType: mblk	TestCode: EPA Method	300.0: Anions	
Client ID: PBS	Batch ID: 31315	RunNo: 42222		
Prep Date: 4/19/2017	Analysis Date: 4/19/2017	SeqNo: 1327296	Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit Qual
Chloride	ND 1.5			
Sample ID LCS-31315	SampType: Ics	TestCode: EPA Method	300.0: Anions	
Sample ID LCS-31315 Client ID: LCSS	SampType: Ics Batch ID: 31315	TestCode: EPA Method RunNo: 42222	300.0: Anions	
	1 31		300.0: Anions Units: mg/Kg	
Client ID: LCSS	Batch ID: 31315 Analysis Date: 4/19/2017	RunNo: 42222		RPDLimit Qual

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Page 2 of 5

Hall Environmental Analysis Laboratory, Inc.

Client:Blagg EngineeringProject:CASE B 1A

4

SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics									
Batch	ID: 31	309	R	RunNo: 4	2208				
Analysis Da	ate: 4/	19/2017	S	SeqNo: 1	326052	Units: mg/K	(g		
Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
48	10	50.00	0	95.0	63.8	116			
4.5		5.000		89.6	70	130			
Sample ID MB-31309 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics									
Batch	ID: 31	309	R	unNo: 4	2208				
Analysis Da	ate: 4/	19/2017	S	eqNo: 1	326053	Units: mg/K	g		
Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Result ND	PQL 10	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
		SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
	Batch Analysis Da Result 48 4.5 SampTy Batch	Batch ID: 31 Analysis Date: 4/ Result PQL 48 10 4.5 SampType: ME Batch ID: 31	Batch ID: 31309 Analysis Date: 4/19/2017 Result PQL SPK value 48 10 50.00 4.5 5.000	Batch ID: 31309 F Analysis Date: 4/19/2017 S Result PQL SPK value SPK Ref Val 48 10 50.00 0 4.5 5.000 0 SampType: MBLK Test Batch ID: 31309 F	Batch ID: 31309 RunNo: 4 Analysis Date: 4/19/2017 SeqNo: 1 Result PQL SPK value SPK Ref Val %REC 48 10 50.00 0 95.0 4.5 5.000 89.6 SampType: MBLK Batch ID: 31309 RunNo: 4	Batch ID: 31309 RunNo: 42208 Analysis Date: 4/19/2017 SeqNo: 1326052 Result PQL SPK value SPK Ref Val %REC LowLimit 48 10 50.00 0 95.0 63.8 4.5 5.000 TestCode: EPA Method SampType: MBLK TestCode: EPA Method Batch ID: 31309 RunNo: 42208	Batch ID: 31309 RunNo: 42208 Analysis Date: 4/19/2017 SeqNo: 1326052 Units: mg/K Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit 48 10 50.00 0 95.0 63.8 116 4.5 5.000 89.6 70 130 SampType: MBLK TestCode: EPA Method 8015M/D: Die Batch ID: 31309	Batch ID: 31309 RunNo: 42208 Analysis Date: 4/19/2017 SeqNo: 1326052 Units: mg/Kg Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD 48 10 50.00 0 95.0 63.8 116 4.5 5.000 89.6 70 130 50.00 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Batch ID: 31309 RunNo: 42208	RunNo: 42208 Batch ID: 31309 RunNo: 42208 Analysis Date: 4/19/2017 SeqNo: 1326052 Units: mg/Kg Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit 48 10 50.00 0 95.0 63.8 116

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Page 3 of 5

WO#: 1704814

20-Apr-17

Hall Environmental Analysis Laboratory, Inc.

Client: Blagg Engineering **Project:** CASE B 1A

.

Sample ID MB-31299	SampT	ype: ME	BLK	Tes	PA Method	8015D: Gaso	line Rang	e		
Client ID: PBS	Batch	Batch ID: 31299 RunNo: 42221								
Prep Date: 4/18/2017	Analysis D	ate: 4/	19/2017	S	SeqNo: 1	326923	Units: mg/k	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	930		1000		93.2	54	150			
Sample ID LCS-31299	SampT	ype: LC	S	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	e	
Sample ID LCS-31299 Client ID: LCSS		ype: LC			tCode: El		8015D: Gaso	oline Rang	e	
		ID: 31	299	F		2221	8015D: Gaso Units: mg/K		e	
Client ID: LCSS	Batch	ID: 31	299 19/2017	F	RunNo: 4	2221			e RPDLimit	Qual
Client ID: LCSS Prep Date: 4/18/2017	Batch Analysis D	ID: 31: ate: 4/	299 19/2017	F	RunNo: 4 SeqNo: 1	2221 326924	Units: mg/K	íg		Qual

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- Η Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank В
- E Value above quantitation range
- J Analyte detected below quantitation limits
- Р Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Page 4 of 5

20-Apr-17

WO#: 1704814

Hall Environmental Analysis Laboratory, Inc.

Client: Blagg Engineering **Project:** CASE B 1A

4

Sample ID MB-31299	SampT	SampType: MBLK TestCode: EPA Methods						tiles				
Client ID: PBS	Batch	n ID: 31	299	F	RunNo: 4	2221						
Prep Date: 4/18/2017	Analysis D	ate: 4/	19/2017	S	eqNo: 1	326955	Units: mg/M	s: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	ND	0.025										
Toluene	ND	0.050										
Ethylbenzene	ND	0.050										
Xylenes, Total	ND	0.10										
Surr: 4-Bromofluorobenzene	1.1		1.000		111	66.6	132					
Sample ID LCS-31299	SampT	SampType: LCS TestCode: EPA Method						tiles				
Client ID: LCSS	Batch	n ID: 31	299	R	unNo: 4	2221						
Prep Date: 4/18/2017	Analysis D	ate: 4/	19/2017	S	SeqNo: 1326956			(g				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	1.1	0.025	1.000	0	107	80	120					
Toluene	1.0	0.050	1.000	0	100	80	120					
Ethylbenzene	1.0	0.050	1.000	0	100	80	120					
Xylenes, Total	2.8	0.10	3.000	0	92.8	80	120					
0 10 1												
Surr: 4-Bromofluorobenzene	1.2		1.000		115	66.6	132					

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- Holding times for preparation or analysis exceeded Η
- Not Detected at the Reporting Limit ND
- R RPD outside accepted recovery limits
- % Recovery outside of range due to dilution or matrix S
- В Analyte detected in the associated Method Blank
- Value above quantitation range Е
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- Sample container temperature is out of limit as specified W

Page 5 of 5

WO#: 1704814

20-Apr-17

HALL ENVIRONMENTAL ANALYSIS LABORATORY	Albu TEL: 505-345-3975	Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com						Check List
Client Name: BLAGG	Work Order Number:	17048	14				RcptN	lo: 1
Received By: Lindsay Mangin Completed By: Lindsay Mangin	4/19/2017 6:46:00 AM 4/19/2017 7:16:42 AM			Other Other	unbugH unbugH	HerryD HerryD		
Reviewed By: A 04/19/17								
Chain of Custody								
1. Custody seals intact on sample bottles	?	Yes		I	No	: :	Not Present	/
2. Is Chain of Custody complete?		Yes	V	1	No		Not Present	
3. How was the sample delivered?		Cour	er					
Log In								
4. Was an attempt made to cool the sam	ples?	Yes	~		No		NA	
5. Were all samples received at a temper	ature of >0° C to 6.0°C	Yes	V	1	No	:	NA	
6. Sample(s) in proper container(s)?		Yes	~		No	90 - M		
7. Sufficient sample volume for indicated	test(s)?	Yes	~		No			
8. Are samples (except VOA and ONG) p	roperly preserved?	Yes	V	1	No	i		
9. Was preservative added to bottles?		Yes		1	No	V	NA	
10.VOA vials have zero headspace?		Yes		1	No		No VOA Vials	/
11. Were any sample containers received	broken?	Yes			No	V	# of preserved	
12. Does paperwork match bottle labels?		Yes	V	1	No		bottles checked for pH:	
(Note discrepancies on chain of custod						: ;	>) Adjusted?	2 or >12 unless noted)
13. Are matrices correctly identified on Cha14. Is it clear what analyses were requested		Yes	×.		No No			
15. Were all holding times able to be met? (If no, notify customer for authorization.		Yes			No		Checked by	y:
Special Handling (if applicable)								
16. Was client notified of all discrepancies	with this order?	Yes		Ξ.	No		NA 🗸	,
generative active active active active	una annar a care arres autor arresta a budar		é sodemni 18			10 30 14		
By Whom:	Date: j Via:	eMa	il	Dhone	:	Fax	In Person	
Regarding:				Phone			III Feison	1
Client Instructions:	nn ar shift ar har 12, h-baach wit 24 sanna far 177 se char char or christeachar ar 2012 char A	hild an mililagen an	iw savarski -trt	an china tana tana tana makata	and a start	9232-06-094997596995	an (a) (19-1950) fatal at 10-19-41-41 (10-68 fat (2 t 4-192)	
17. Additional remarks:								
18. Cooler Information								

Cooler No		Condition	Seal Intact	Seal No	Seal Date	Signed By
1	1.1	Good	Yes	·		

	Page	1	of	1
--	------	---	----	---



