District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

3

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office. For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application
Type of action: Below grade tank registration OIL CONS. DIV DIS
Permit of a pit or proposed alternative method
Closure of a pit, below-grade tank, or proposed alternative methodAUG 16 2017Modification to an existing permit/or registration
$\Box$ Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank,
or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the
nvironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinance.
Operator: BP America Production Company OGRID #: 778
Address: 200 Energy Court, Farmington, NM 87401
Facility or well name: <u>ATLANTIC B LS # 3C</u>
API Number:         3004532178         OCD Permit Number:
U/L or Qtr/Qtr O Section 04 Township 30N Range 10W County: San Juan
Center of Proposed Design: Latitude <u>36.835621</u> Longitude <u>-107.887388</u> NAD: □1927 ⊠ 1983
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment
2. Pit: Subsection F, G or J of 19.15.17.11 NMAC
Temporary: Drilling Workover
Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling Fluid yes no
Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other
String-Reinforced
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D
3. Martin and the last first of 10.15.17.11 ND/AC TANK A
Below-grade tank:     Subsection I of 19.15.17.11 NMAC     TANK A
Volume: 95 bbl Type of fluid: Produced water
Tank Construction material: Steel
Secondary containment with leak detection 🗌 Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
□ Visible sidewalls and liner □ Visible sidewalls only □ Other _ <u>Double wall/ Double bottom; sidewalls not visible</u>
Liner type: Thickness mil 🗌 HDPE 🗌 PVC 🗌 Other
4.
Alternative Method:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Oil Conservation Division

<ul> <li>s.</li> <li>Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)</li> <li>Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)</li> <li>Four foot height, four strands of barbed wire evenly spaced between one and four feet</li> <li>Alternate. Please specify</li> </ul>				
<ul> <li>6.</li> <li><u>Netting</u>: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)</li> <li>Screen Netting Other</li> <li>Monthly inspections (If netting or screening is not physically feasible)</li> </ul>				
7.				
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC				
8.				
Variances and Exceptions:         Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.         Please check a box if one or more of the following is requested, if not leave blank:         □       Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.         □       Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
9.				
<u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	ptable source			
General siting				
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank □ NM Office of the State Engineer - iWATERS database search; □ USGS; □ Data obtained from nearby wells	□ Yes □ No □ NA			
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA			
<ul> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks)</li> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> </ul>	🗌 Yes 🗌 No			
<ul> <li>Within the area overlying a subsurface mine. (Does not apply to below grade tanks)</li> <li>Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division</li> </ul>	🗌 Yes 🗌 No			
<ul> <li>Within an unstable area. (Does not apply to below grade tanks)</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	🗌 Yes 🗌 No			
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map				
Below Grade Tanks				
<ul> <li>Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No			
<ul> <li>Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;.</li> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No			
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)				
<ul> <li>Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.)</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No			

<ul> <li>Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	Yes No		
- Visual inspection (certification) of the proposed site, Actual photo, Saterine image			
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No		
<ul> <li>Within 100 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No		
Temporary Pit Non-low chloride drilling fluid			
<ul> <li>Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Yes No		
<ul> <li>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	🗌 Yes 🗌 No		
<ul> <li>Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application;</li> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No		
<ul> <li>Within 300 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Yes No		
Permanent Pit or Multi-Well Fluid Management Pit			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa			
<ul> <li>lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Yes No		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.       Image: School initial application         -       Visual inspection (certification) of the proposed site; Aerial photo; Satellite image       Image: School initial application			
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of			
<ul> <li>initial application.</li> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No		
<ul> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No		
10.       Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist:       Subsection B of 19.15.17.9 Naction Bits and Below-grade Tanks) - based upon the application. Please indicate, by a check mark in the box, that the do attached.         Imater attached.       Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC         Imater attached.       Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC         Imater attached.       Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC         Imater attached based upon the appropriate requirements of 19.15.17.10 NMAC       Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC         Imater Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC         Imater Previously Approved Design (attach copy of design)       API Number:	O NMAC 15.17.9 NMAC		
11.			
Multi-Well Fluid Management Pit Checklist:       Subsection B of 19.15.17.9 NMAC         Instructions:       Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are         attached.			
Previously Approved Design (attach copy of design) API Number: or Permit Number:			

, ,

12.         Permanent Pits Permit Application Checklist:       Subsection B of 19.15.17.9 NMAC         Instructions:       Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached.         Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC         Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC         Climatological Factors Assessment         Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC         Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC         Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC         Quality Control/Quality Assurance Construction and Installation Plan         Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC         Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan         Emergency Response Plan         Oil Field Waste Stream Characterization         Monitoring and Inspection Plan         Erosion Control Plan         Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC	documents are			
13.         Proposed Closure:       19.15.17.13 NMAC         Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.         Type:       Drilling         Workover       Emergency         Cavitation       P&A         Permanent Pit       Below-grade Tank         Multi-well F         Alternative         Proposed Closure Method:       Waste Excavation and Removal         Waste Removal (Closed-loop systems only)         On-site Closure Method (Only for temporary pits and closed-loop systems)	luid Management Pit			
In-place Burial On-site Trench Burial Alternative Closure Method				
14.         Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached.            Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC             Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC             Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)             Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC             Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC             Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
18				
15. <u>Siting Criteria (regarding on-site closure methods only)</u> : 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. If 19.15.17.10 NMAC for guidance.				
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA			
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells				
<ul> <li>Ground water is more than 100 feet below the bottom of the buried waste.</li> <li>NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells</li> </ul>				
<ul> <li>Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site				
Written confirmation or verification from the municipality; Written approval obtained from the municipality [1] Yes [1] No				
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification man: Tonographic man: Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal feed, water well field several under a municipal adjacement	Yes No			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance         Form C-144       Oil Conservation Division       Page 4 or	f 6			
Form C-144 Oil Conservation Division Page 4 o	1.0			

· · · ·

adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
<ul> <li>Within the area overlying a subsurface mine.</li> <li>Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division</li> </ul>	🗌 Yes 🗌 No
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	
	Yes No
Within a 100-year floodplain. - FEMA map	🗌 Yes 🗌 No
<ul> <li>16.</li> <li>On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure play a check mark in the box, that the documents are attached.</li> <li>Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC</li> <li>Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC</li> <li>Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.13 NMAC</li> <li>Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.</li> <li>Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC</li> <li>Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC</li> <li>Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC</li> <li>Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannus Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC</li> <li>Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC</li> <li>Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC</li> </ul>	.11 NMAC 15.17.11 NMAC
17. Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and beli	ief.
Name (Print): Title:	
e-mail address: Date:	
e-mail address: Telephone:	
e-mail address: Telephone: 18. OCD Approval:  Permit Application (including closure plan)  Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: Approval Date: Approval Date: Job Conditions (see attachment) Title: OCD Permit Number: OCD Permit Number: 19.	
e-mail address: Telephone:	the closure report.
e-mail address: Telephone: 18. OCD Approval:  Permit Application (including closure plan) Closur Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: Approval	the closure report.
e-mail address: Telephone:	the closure report.

1 1

Oil Conservation Division

22. Operator Closure Certification:	
I hereby certify that the information and attachments submitted	with this closure report is true, accurate and complete to the best of my knowledge and e closure requirements and conditions specified in the approved closure plan.
Name (Print): Steve Moskal	Title: Field Environmental Coordinator
Signature:D	ate: <u>August 9, 2017</u>
e-mail address: <u>steven.moskal@bp.com</u>	Telephone: (505) 326-9497

1 A

#### BP AMERICA PRODUCTION COMPANY SAN JUAN BASIN, NORTHWEST NEW MEXICO

#### BELOW-GRADE TANK CLOSURE PLAN

#### ATLANTIC B LS # 3C API No. 3004532178 Unit Letter O, Section 4, T30N, R10W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

#### **General Closure Plan**

- 1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement. **Notice is attached.**
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number. **Notice was provided and is attached.**
- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
  - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
  - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
  - c. Basin Disposal, Permit NM-01-0005 (Liquids)
  - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
  - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)
  - All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.
- 4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for recycling.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	95 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	10	< 0.016
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.062
TPH	US EPA Method SW-846 418.1 or 8015 extended	100	<u>&lt;47</u>
Chlorides	US EPA Method 300.0 or 4500B	620	<30

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

> Soil under the BGT was sampled for chloride, TPH and BTEX with all concentrations below the stated limits. Additionally, during final reclamation of the plugged and abandoned production well site, a lined pit was encountered with a bulldozer. The contents of the pit were excavation and transported offsite for landfarm treatment. The field report and laboratory reports are attached.

- BP shall notify the division District III office of its results on form C-141.
   C-141 is attached.
- If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.
   Sampling results indicate a release has not occurred. Attached is a laboratory report and C-141.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

The final excavation of the lined pit extents measured approximately 105'x38'x8' in depth. The impacted soil and liner were removed from the location. The excavation was sampled for closure with all results below the spill and release guidelines. No further action is required. Attached is a field report with laboratory results.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area over the BGT will be part of the final reclamation since the well has been plugged and abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

# The area over the BGT will be part of the final reclamation since the well has been plugged and abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area over the BGT will be part of the final reclamation since the well has been plugged and abandoned.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

The area over the BGT will be part of the final reclamation since the well has been plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

The area over the BGT will be part of the final reclamation since the well has been plugged and abandoned.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
  - a. proof of closure notification (surface owner and NMOCD)
  - b. sampling analytical reports; information required by 19.15.17 NMAC;
  - c. disposal facility name and permit number
  - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
  - e. site reclamation, photo documentation.
     BP did not meet the 60 closure completion requirement due to an error in internal tracking. Closure report on C-144 form is included including photos of reclamation completion.
- 16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

BP BGT Closure Plan 04-01-2010

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

#### State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Revised August 8, 2011 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Form C-141

### **Release Notification and Corrective Action**

	OPERATOR	Initial Report	Final Report
Name of Company: BP	Contact: Steve Moskal		
Address: 200 Energy Court, Farmington, NM 87401	Telephone No.: 505-326-9497		
Facility Name: Atlantic B LS 003C	Facility Type: Natural gas well		

Surface Owner: Federal

Mineral Owner: Federal

API No. 3004532178

### LOCATION OF RELEASE

O 04 30N 10W 720 South 2,445 East	Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County: San Juan
	0	04	30N	10W	720	South	2,445	East	

Latitude <u>36.835208°</u> Longitude <u>-107.887504°</u>

Longitude \_\_\_\_\_\_

#### NATURE OF RELEASE

Type of Release: Hydrocarbon	Volume of Release: unknown	Volume Recov	vered: N/A
Source of Release: Former workover pit	Date and Hour of Occurrence: Date and Hour of Discovery: 6/28.		of Discovery: 6/28/17
	unknown		
Was Immediate Notice Given?	If YES, To Whom?		
Yes No Not Required			
By Whom?	Date and Hour		
Was a Watercourse Reached?	If YES, Volume Impacting the Wa	tercourse.	
Yes X No			
If a Watercourse was Impacted, Describe Fully.*			
Describe Cause of Problem and Remedial Action Taken.* During final re-			ell site, a lined pit was
encountered with a bulldozer. The contents of the pit were excavated and	I transported offsite for landfarm treat	ment.	
Describe Area Affected and Cleanup Action Taken.* The final excavation	n extents measured approximately 105	'x38'x8' in depth	h. The impacted soil and
liner were removed from the location. The excavation was sampled for c			
required. Attached is a field report with laboratory results.			
I hereby certify that the information given above is true and complete to t			
regulations all operators are required to report and/or file certain release r public health or the environment. The acceptance of a C-141 report by th			
should their operations have failed to adequately investigate and remediat			
or the environment. In addition, NMOCD acceptance of a C-141 report of			
federal, state, or local laws and/or regulations.	ere and the operator of respon	storing for compil	
	OIL CONSERV	VATION DIV	VISION
Signature: Mars Mun			
Printed Name: Steve Moskal	Approved by Environmental Specialist:		
Title: Field Environmental Coordinator	Approval Date:	Expiration Date:	
E-mail Address: steven.moskal@bp.com	Conditions of Approval:		
D-man Address. Sieven.moskar@up.com	Attached		tached
Date: August 7, 2017 Phone: 505-326-9497			

\* Attach Additional Sheets If Necessary

# bp



BP America Production Company 200 Energy Court Farmington, NM 87401

May 26, 2017

Bureau of Land Management Whitney Thomas 6251 College Suite A Farmington, NM 87402

VIA EMAIL

Re: Notification of plans to close/remove a below grade tank Well Name: ATLANTIC B LS 003C API #: 3004532178

Dear Mrs. Thomas,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about May 30, 2017. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required please contact me for a specific time (505)-326-9497.

Sincerely,

Steven Moskal

BP America Production Company

#### Moskal, Steven

From:

Sent: To:

Cc:

Buckley, Farrah (CH2M HILL) Friday, May 26, 2017 2:32 PM Smith, Cory, EMNRD; Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us) jeffcblagg@aol.com; blagg\_njv@yahoo.com; Moskal, Steven; Beebe, Sabre BP Pit Close Notification - ATLANTIC B LS 003C Subject:

> **BP** America Production Company 200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

#### SENT VIA E-MAIL TO: CORY.SMITH@STATE.NM.US; VANESSA.FIELDS@STATE.NM.US

May 26, 2017

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

#### RE: Notice of Proposed Below-Grade Tank (BGT) Closure

ATLANTIC B LS 003C API 30-045-32178 (O) Section 4 - T30N - R10WSan Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 95bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around May 30, 2017.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Steven Moskal **BP** Field Environmental Coordinator

(505) 326-9497

*Farrah Buckley* BGT Project Support 970-946-9199 -cell

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

	BLAGG ENG P.O. BOX 87, BLC	GINEERING, INC. DOMFIELD, NM 8		API #: 3004532	178
	(505)	632-1199		(if applicble): A	
FIELD REPORT:	(circle one): BGT CONFIRMATION / RE	Lease investigation / other	R:	PAGE #: of	1
SITE INFORMATION	SITE NAME: ATLANTIC	BLS #3C		DATE STARTED: 05/3	0/17
QUAD/UNIT: O SEC: 4 TWP:	30N RNG: 10W PM:	NM CNTY: SJ S	ST: NM	DATE FINISHED:	
1/4 -1/4/FOOTAGE: 720'S / 2,44		E FEDERAL / STATE / FEI KELLEY O.F.S RACTOR: BP - S. BEEB	e	ENVIRONMENTAL SPECIALIST(S):	JV
REFERENCE POINT				GLELEV: 6	448'
	GPS COORD.: 36.835			RING FROM W.H.: 99', N3'	
2)	GPS COORD.:			RING FROM W.H.:	
3)	GPS COORD.:		DISTANCE/BEAF	RING FROM W.H.:	
4)	GPS COORD.:		DISTANCE/BEAF	RING FROM W.H.:	
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # OR LA	B USED: HALL			OVM READING (ppm)
1) SAMPLE ID: 5PC - TB @ 5'	(95) SAMPLE DATE: 05/30/17	SAMPLE TIME: 1030 LAB A	ANALYSIS: 801	5B/8021B/300.0 (CI)	NA (ppm)
2) SAMPLE ID:					
3) SAMPLE ID:      4) SAMPLE ID:					
	SAMPLE DATE:				
SOIL DESCRIPTION	SOIL TYPE: SAND SILTY SAND / SILT	SILTY CLAY / CLAY / GRAVEL	THER BEDROO	CK (SANDSTONE)	
		STICITY (CLAYS): NON PLASTIC / SLI			LY PLASTIC
COHESION (ALL OTHERS): NON COHESIVE SLIGHTL					
CONSISTENCY (NON COHESIVE SOILS):		ODOR DETECTED: YES NO EXPL	LANATION -		
MOISTURE: DRY/ <u>SLIGHTLY MOIST</u> MOIST/W SAMPLE TYPE: GRAB/ <u>COMPOSITE</u> #		AREAS DISPLAYING WETNESS:		IATION	
DISCOLORATION/STAINING OBSERVED: YES		AREAS DISPLATING WE INESS: 1	TES NO EXPLAN	ATION -	
SITE OBSERVATION	S: LOST INTEGRITY OF EQUIPMENT: YES	NO EXPLANATION -			
APPARENT EVIDENCE OF A RELEASE OBSERVE	DAND/OR OCCURRED : YES NO EXPLANAT				
EQUIPMENT SET OVER RECLAIMED AREA: OTHER: GAS WELL RECENTLY PLUGGI		R BI M NOT PRESENT TO W	VITNESS CLOSI	IRE SAMPLING	
EXCAVATION DIMENSION ESTIMATION:				IMATION (Cubic Yards) :	NA
		EAREST SURFACE WATER:	1,000' NMOC	D TPH CLOSURE STD: 1,00	00 ppm
SITE SKETCH	BGT Located : off / on site	PLOT PLAN circle:	attached 0VM	CALIB. READ. = NA ppn	m RF =0.52
				CALIB. GAS = NA ppn	
	X	PBGTL		. NA am/pm DATE:	NA
	XXX	— T.B. ~ 5' B.G.	'[	MISCELL. NOT	ES
			P	D: <b>4300788195</b>	
			A	FE #: X7-006QY-E:I	REST
			G		
				o#: <b>19004000767</b>	
	201			ermit date(s): 06/02	
	P&A MARKER		O	CD Appr. date(s): 11/20	
	$\oplus$		ID		
		N/		BGT Sidewalls Visible: Y / I	
	NOTES: BGT = BELOW-GRADE TANK; E.D. = EXCAVATION DEPRESSION; B.G. = BELOW GRADE; B = BELOW; T.H. = TEST HOLE; ~ = APPROX.; W.H. = WELL HEAD; BGT Sidewalls Visible: Y / N BGT Sidewalls Visible: Y / N				
T.B. = TANK BOTTOM; PBGTL = PREVIOUS BEL	3N DEPRESSION; B.G. = BELOW GRADE; B = BELOW OW-GRADE TANK LOCATION; SPD = SAMPLE POINT E WALL; DW - DOUBLE WALL; SB - SINGLE BOTTOM;	DESIGNATION; R.W. = RETAINING WALL	; NA - NOT	agnetic declination: 10	
NOTES: GOOGLE EARTH IMAG	ERY DATE: 3/15/2015.	ONSITE: 05/30/17			

Analytical	Report
------------	--------

#### Lab Order 1705E92

Date Reported: 6/1/2017

#### Hall Environmental Analysis Laboratory, Inc.

#### **CLIENT:** Blagg Engineering Client Sample ID: 5PC-TB @ 5' (95) ATLANTIC B LS #3C Collection Date: 5/30/2017 10:30:00 AM **Project:** Lab ID: 1705E92-001 Matrix: SOIL Received Date: 5/31/2017 7:15:00 AM Result PQL Qual Units Batch **DF** Date Analyzed Analyses

EPA METHOD 300.0: ANIONS					Analyst:	MRA
Chloride	ND	30	mg/Kg	20	5/31/2017 12:00:41 PM	32038
EPA METHOD 8015M/D: DIESEL RANGI	E ORGANIC	S			Analyst:	TOM
Diesel Range Organics (DRO)	ND	9.5	mg/Kg	1	5/31/2017 10:07:16 AM	32035
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	5/31/2017 10:07:16 AM	32035
Surr: DNOP	97.9	70-130	%Rec	1	5/31/2017 10:07:16 AM	32035
EPA METHOD 8015D: GASOLINE RANG	ε				Analyst:	RAA
Gasoline Range Organics (GRO)	ND	3.1	mg/Kg	1	5/31/2017 1:24:29 PM	R43151
Surr: BFB	95.7	54-150	%Rec	1	5/31/2017 1:24:29 PM	R43151
EPA METHOD 8021B: VOLATILES					Analyst:	RAA
Benzene	ND	0.016	mg/Kg	1	5/31/2017 1:24:29 PM	B43151
Toluene	ND	0.031	mg/Kg	1	5/31/2017 1:24:29 PM	B43151
Ethylbenzene	ND	0.031	mg/Kg	1	5/31/2017 1:24:29 PM	B43151
Xylenes, Total	ND	0.062	mg/Kg	1	5/31/2017 1:24:29 PM	B43151
Surr: 4-Bromofluorobenzene	115	66.6-132	%Rec	1	5/31/2017 1:24:29 PM	B43151

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	В	Analyte detec
	D	Sample Diluted Due to Matrix	E	Value above
	Н	Holding times for preparation or analysis exceeded	J	Analyte detec
	ND	Not Detected at the Reporting Limit	Р	Sample pH N

- R RPD outside accepted recovery limits
- % Recovery outside of range due to dilution or matrix S
- ected in the associated Method Blank
- e quantitation range
- ected below quantitation limits Page 1 of 5
- Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Client.	BLAG	G ENGR.	/ BP AMERICA	Standard Project Name	Rush _	DAY	F			A	NA	LY	SI	S L		BO	RA		1.1.1	r
Mailing Ac	ddress:	P.O. BO	X 87	AT	LANTIC B L	S # 3C		490	)1 H	w awkir	ww.l									
	and the second second	BLOOM	FIELD, NM 87413	Project #:			Inne				1 2 2 4			100						
Phone #:		(505) 63	2-1199	1	Tel. 505-345-3975 Fax 505-345-4107 Analysis Request															
email or Fi	ax#:			Project Manager						T										
QAVQC Pac			Level 4 (Full Validation)		NELSON VI	ELEZ	(8021B)	(Vino a	/ MRO)		151		PO4,SO	PCB's			water - 300.1)		e	
Accreditat		D Other		Sampler: On Ice:	NELSON V	ELEZ nr	HARPS (8	+ MTBE + TPH (Gas only)	DRO /	18.1)	(L.PU		03,NO2,	5 / 8082		A)	300.0 / wa		composite sample	(N)
	ype)			Sample Temperature: / >		2	I	GRC (GRC od 4 od 5 od 5			or 8	tals	I'NC	lide	R	2	ii - 30	e	osite	IV OI
Date	Time	Matrix	Sample Request ID	Type and #	Preservative Type	HEAL No.	BTEX + MHB	BTEX + MTB	TPH 80158 (GRO / DRO	TPH (Method 418.1)	PAH (Rathod 504, I)	RCRA 8 Metals	Anions (F,Cl,NO3,NO2,PO4,SO4)	8081 Pesticides / 8082 PCB's	8260B (VOA)	8270 (Semi-VOA)	Chloride (soil -	Grab sample	5 pt. compo	Air Bubbles (V or N)
5/30/17	1030	SOIL	5PC-TB @ 5 '(95)	4 02 1	Cool	105	٧	_	V	0			1	-			V		V	
		<u>.</u>							-		+	1 1	1.1							+
									-	-	-								+	-
Date: 5/30/17	Time: 1200	Relinquishe	n by	Received by	Im A.	Date Time 0.5/3///7 1/7/5	Rem	ONTA	CT.	& REFE	MOS	WHE	N APP		BLE:	F		RRESPO		S VID

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

Hall Environmental Analysis Laboratory, Inc.

**Client:** Blagg Engineering **Project:** ATLANTIC B LS #3C

Sample ID MB-32038	SampType: mblk	TestCode: EPA Method	300.0: Anions	
Client ID: PBS	Batch ID: 32038	RunNo: 43159		
Prep Date: 5/31/2017	Analysis Date: 5/31/2017	SeqNo: 1359147	Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual	
Chloride	ND 1.5			
Sample ID LCS-32038	SampType: Ics	TestCode: EPA Method	300.0: Anions	
Client ID: LCSS	Batch ID: 32038	RunNo: 43159		
Prep Date: 5/31/2017	Analysis Date: 5/31/2017	SeqNo: 1359148	Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Qual	
Chloride	14 1.5 15.00	0 92.7 90	110	

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank В
- Value above quantitation range E
- J Analyte detected below quantitation limits
- Р Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

1705E92

WO#: 01-Jun-17

Page 2 of 5

#### Hall Environmental Analysis Laboratory, Inc.

## Client: Blagg Engineering

Project: ATLANTIC B LS #3C

Sample ID LCS-32035	SampT	ype: LC	S	Tes	tCode: El	PA Method	8015M/D: Die	esel Rang	e Organics	
Client ID: LCSS	Batch	ID: 32	035	F	RunNo: 4	3153				
Prep Date: 5/31/2017	Analysis D	ate: 5/	31/2017	S	SeqNo: 1	358341	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	42	10	50.00	0	84.2	73.2	114			
Surr: DNOP	4.2		5.000		85.0	70	130			
Sample ID MB-32035	SampT	ype: ME	BLK	Tes	tCode: El	PA Method	8015M/D: Die	esel Range	e Organics	
Client ID: PBS	Batch	ID: 32	035	R	RunNo: 4	3153				
Prep Date: 5/31/2017	Analysis D	ate: 5/	31/2017	S	SeqNo: 1	358342	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	9.1		10.00		91.1	70	130			

#### Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Page 3 of 5

WO#: **1705E92** *01-Jun-17* 

### Hall Environmental Analysis Laboratory, Inc.

Client:Blagg EngineeringProject:ATLANTIC B LS #3C

Sample ID 2.5UG GRO LCS	SampT	ype: LC	s	Test	tCode: El	PA Method	8015D: Gaso	line Rang	e	
Client ID: LCSS	Batch	ID: R4	3151	R	RunNo: 4	3151				
Prep Date:	Analysis D	ate: 5/	31/2017	S	SeqNo: 1	359038	Units: mg/k	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	24	5.0	25.00	0	95.0	76.4	125			
Surr: BFB	1100		1000		107	54	150			
Sample ID RB	SampT	ype: ME	BLK	Test	tCode: El	PA Method	8015D: Gaso	line Rang	e	
Sample ID RB Client ID: PBS		ype: ME			tCode: El		8015D: Gasc	oline Rang	6	
		ID: <b>R4</b>		R		3151	8015D: Gasc Units: mg/K		e	
Client ID: PBS	Batch	ID: <b>R4</b>	3151 31/2017	R	unNo: 4	3151			e RPDLimit	Qual
Client ID: PBS Prep Date:	Batch Analysis D	ID: <b>R4</b> ate: <b>5/</b> 3	3151 31/2017	R	tunNo: 4 SeqNo: 1	3151 359039	Units: mg/K	(g		Qual

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Page 4 of 5

WO#: 1705E92 01-Jun-17

### Hall Environmental Analysis Laboratory, Inc.

**Client:** Blagg Engineering **Project:** 

ATLANTIC B LS #3C

Sample ID 100NG BTEX LCS	s Samp1	Type: LC	S	Tes	tCode: El	PA Method	8021B: Vola	tiles		
Client ID: LCSS	Batcl	h ID: B4	3151	F	RunNo: 4	3151				
Prep Date:	Analysis D	Date: 5/	31/2017	S	SeqNo: 1	359043	Units: mg/M	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.025	1.000	0	104	80	120			
Toluene	1.0	0.050	1.000	0	105	80	120			
Ethylbenzene	1.1	0.050	1.000	0	105	80	120			
Xylenes, Total	3.2	0.10	3.000	0	107	80	120			
Surr: 4-Bromofluorobenzene	1.1		1.000		114	66.6	132			
Sample ID RB	SampT	уре: МЕ	BLK	Tes	tCode: El	PA Method	8021B: Vola	tiles		
Client ID: PBS	Batch	h ID: <b>B4</b>	3151	R	RunNo: 4	3151				
Prep Date:	Analysis D	Date: 5/	31/2017	S	SeqNo: 1	359046	Units: mg/k	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.1		1.000		112	66.6	132			

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits R
- S % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank В
- Е Value above quantitation range
- J Analyte detected below quantitation limits
- Р Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

1705E92 01-Jun-17

WO#:

Page 5 of 5

HALL ENVIRONMEN ANALYSIS LABORATORY	TAL TEL		Hawkins NE ue, NM 87109 05-345-4107	Sam	ole Log-In Che	ck List
Client Name: BLAGG	Work (	Order Number: 1705	E92		RcptNo: 1	
Received By: Anne Th	ome 5/31/201	7 7:15:00 AM	a	me Han	-	
Completed By: Anne Th	iorne 5/31/201	7 8:10:28 AM	a	one Arm	-	
Reviewed By:	5[31][	7				
Chain of Custody						
1. Custody seals intact or	sample bottles?	Yes		No 🗌	Not Present	
2. Is Chain of Custody con	mplete?	Yes	$\checkmark$	No	Not Present	
3. How was the sample de	elivered?	Cour	rier			
Log In			_	_		
4. Was an attempt made	to cool the samples?	Yes	$\checkmark$	No 🗌	NA 🗌	
5. Were all samples recei	ved at a temperature of >0° C	to 6.0°C Yes	<b>V</b>	No 🗌		
6. Sample(s) in proper co	ntainer(s)?	Yes	$\checkmark$	No 🗌		
7. Sufficient sample volum	ne for indicated test(s)?	Yes		No 🗌		
8. Are samples (except V	OA and ONG) properly preserve	ed? Yes	$\checkmark$	No 🗌		
9. Was preservative adde	d to bottles?	Yes		No 🗹	NA 🗌	
10.VOA vials have zero he	adspace?	Yes		No 🗌	No VOA Vials 🗹	
11. Were any sample cont	ainers received broken?	Yes		No 🗹	# of preserved	
12. Does paperwork match	bottle labels?	Yes		No 🗌	bottles checked for pH:	
(Note discrepancies on					(<2 or >1 Adjusted?	2 unless noted)
	dentified on Chain of Custody?	Yes				
14. Is it clear what analyses 15. Were all holding times		Yes			Checked by:	
(If no, notify customer f		165				
Special Handling (if a	pplicable)					
16. Was client notified of al	I discrepancies with this order?	Yes		No 🗌	NA 🗹	
Person Notified:		Date				
By Whom:		Via: 🗌 eMa	ail Phone	Fax	In Person	
Regarding:		i dan da da mi dabila ana da ma	manifereninstationalasta	Abbinette konishidi	and the contract of the second se	
Client Instructions	3: 1					
18. <u>Cooler Information</u> Cooler No Temp	C Condition Seal Intact	Seal No Seal D	ate Sign	ed By		
1 1.3	Good Yes	loon to loon D	un oign			
Page 1 of 1						

.

## ATLANTIC B LS 003C



