State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

Ken McQueen Cabinet Secretary

Matthias Sayer
Deputy Cabinet Secretary

David R. Catanach, Division DirectorOil Conservation Division



New Mexico Oil Conservation Division approval and conditions listed below are made in accordance with OCD Rule 19.15.7.11 and are in addition to the actions approved by BLM on the following 3160-5 form.

Operator Signature Date: Original APD 6/27/2014 Sundry Extension Date 8/16/2017

API WELL#	Well Name	Well #	Operator Name	Туре	Stat	County	Surf_Owner	UL	Sec	Twp	NS	Rng	W/E
30-039-31249- 00-00	SAN JUAN 28 5 UNIT		HILCORP ENERGY COMPANY	G	N	Rio Arriba	F	Z	8	28	N	5	W

Conditions of Approval: (See the below checked and handwritten conditions) Notify Aztec OCD 24hrs prior to casing & cement. Hold C-104 for directional survey & "As Drilled" Plat Hold C-104 for NSL, NSP, DHC. O Spacing rule violation. Operator must follow up with change of status notification on other well to be shut in or abandoned Regarding the use of a pit, closed loop system or below grade tank, the operator must comply with the following as applicable: A pit requires a complete C-144 be submitted and approved prior to the construction or use of the pit, pursuant to 19.15.17.8.A A closed loop system requires notification prior to use, pursuant to 19.15.17.9.A A below grade tank requires a registration be filed prior to the construction or use of the below grade tank, pursuant to 19.15.17.8.C Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string Submit Gas Capture Plan form prior to spudding or initiating recompletions operations. Regarding Hydraulic Fracturing, review EPA Underground Injection Control Guidance 84

Septem Page 2	aber 8, 2017
′√	Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system.
✓	Well-bore communication is regulated under 19.15.29 NMAC. This requires well-bore Communication to be reported in accordance with 19.15.29.8.
√	Comply with current regulations at time of spud Prior to production operator needs to be in compliance with RULE 19.15.5.9
Kuh	Luic Below
	CD Approved by Signature Date

Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR AUG 17 2017 BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010

	DOIGHTO OF LITTED WHITE	TI LODITIDITI					
		5. Lease Serial No.					
		nce NM-010516					
		6 E Indian, Allottee or Tribe Name					
Do not use this form for proposals to drill or to re-enter an							
abandoned	well. Use Form 3160-3 (A	(PD) for such proposals.					
SI	JBMIT IN TRIPLICATE - Other ins	7. If Unit of CA/Agreement, Name and/or No.					
1. Type of Well		SAN JUAN 28-5 UNIT					
Oil Well	X Gas Well Other	8. Well Name and No.					
		San Juan 28-5 Unit 85N					
2. Name of Operator			9. API Well No.				
	Hilcorp Energy Compa		30-039-				
3a. Address		3b. Phone No. (include area code)	10. Field and Pool or Exploratory Area				
PO Box 4700, Farmingt	on, NM 87499	505-599-3400	Blanco Mesavero	verde / Basin Dakota			
4. Location of Well (Footage, Sec., T.,F	L,M., or Survey Description)	11. Country or Parish, State					
Surface Unit N (S	SESW), 391' FSL & 1626' F	Rio Arriba ,	New Mexico				
12. CHECK	THE APPROPRIATE BOX(ES)	TO INDICATE NATURE OF NO	TICE, REPORT OR OTHER D	DATA			
TYPE OF SUBMISSION	CTION						
X Notice of Intent	Acidize	Deepen	Production (Start/Resume)	Water Shut-Off			
	Alter Casing	Fracture Treat	Reclamation	Well Integrity			
Subsequent Report	Casing Repair	New Construction	Recomplete	Other			
_	Change Plans	Plug and Abandon	Temporarily Abandon	APD Extension			
Final Abandonment Notice	Convert to Injection	Plug Back	Water Disposal				
13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof.							
If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones.							
Attach the bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days							
following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once							
Testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)							
determined that the site is ready for	mai mspection.)						

Hilcorp Energy Company requests permission to extend the APD approval for the subject well with plans to drill by 12/1/2018.

OIL CONS. DIV DIST. 3 AUG 3.1 2017

APD extension affroved to 14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)	9/,/19				
, , , ,					
Tammy Jones	Title Operations/Regulatory Technician				
Signature 10 Date 8/16/17 THIS SPACE FOR FEDERAL OR STATE OFFICE USE					
Approved by ADdelgo dir Smadani	Title PE Date 8/29/17				
Conditions of approval, if any, are attached. Approval of this notice does not warrant or	certify				
that the applicant holds legal or equitable title to those rights in the subject lease which w	vould Office				
entitle the applicant to conduct operations thereon.	F/0				
Til 10 11 0 0 0 0 1 1001 1 1001 10 10 0 0 10 1					

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instruction on page 2)

