State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

Ken McQueen Cabinet Secretary

Matthias Sayer Deputy Cabinet Secretary David R. Catanach, Division Director Oil Conservation Division



New Mexico Oil Conservation Division approval and conditions listed below are made in accordance with OCD Rule 19.15.7.11 and are in addition to the actions approved by BLM on the following 3160-5 form.

Operator Signature Date: Original APD 5/12/2014 Sundry Extension Date 7/17/2017

B 256		THE ST	frmWellFilt	erSul	b			**				
API WELL#	Well Name	Well #	Operator Name	Туре	Stat	County	Surf_Owner	UL	Sec	Twp	N/S	Rng W/E
30-045-35546-00- 00	NAGEEZI UNIT	503H	ENCANA OIL & GAS (USA) INC.	0	N	San Juan	F	L	10	23	N	9 W

00 UNIT INC. Juan
Conditions of Approval:
(See the below checked and handwritten conditions)
Notify Aztec OCD 24hrs prior to casing & cement.
✓ Hold C-104 for directional survey & "As Drilled" Plat
Hold C-104 for NSL, NSP, DHC,
O Spacing rule violation. Operator must follow up with change of status notification on other well to be shut in or abandoned
Regarding the use of a pit, closed loop system or below grade tank, the operator must comply with the following as applicable:
A pit requires a complete C-144 be submitted and approved prior to the construction or use of the pit, pursuant to 19.15.17.8.A
A closed loop system requires notification prior to use, pursuant to 19.15.17.9.A
A below grade tank requires a registration be filed prior to the construction or use of the below grade tank, pursuant to 19.15.17.8.C
Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
Submit Gas Capture Plan form prior to spudding or initiating recompletions operations.

Regarding Hydraulic Fracturing, review EPA Underground Injection Control Guidance 84

Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system.

Well-bore communication is regulated under 19.15.29 NMAC. This requires well-bore Communication to be reported in accordance with 19.15.29.8.

Comply with current regulations at time of spud Prior to production operator needs to be in compliance with RULE 19.15.5.9

NMOCD Approved by Signature

8/4/17 Date

RECEIVED

Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR 7117

FORM APPROVED OMB No. 1004-0137

Expires: July 31, 2010 BUREAU OF LAND MANAGEMENT 5. Lease Serial No. **NMNM 8005** SUNDRY NOTICES AND REPORTS ON WELLS 6. If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals. 7. If Unit of CA/Agreement, Name and/or No. SUBMIT IN TRIPLICATE - Other instructions on page 2. NMNM 132981A 1. Type of Well 8. Well Name and No. Nageezi Unit 503H ✓ Oil Well Gas Well Other 2. Name of Operator Encana Oil & Gas (USA) Inc. 9. API Well No. 30-045-35546 3a. Address 3b. Phone No. (include area code) 10. Field and Pool or Exploratory Area 370 17th Street, Suite 1700 Denver, CO 80202 Nageezi Unit; Mancos (Oil) 720-876-3533 4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)
SHL: 1455' FSL and 288' FWL, Sec 10, T23N, R9W
BHL: 1750' FSL and 330' FWL, Sec 9, T23N, R9W 11. Country or Parish, State San Juan County, NM 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Production (Start/Resume) Water Shut-Off Acidize Deepen ✓ Notice of Intent Well Integrity Alter Casing Fracture Treat Reclamation Other APD Extension New Construction Casing Repair Recomplete Subsequent Report Change Plans Plug and Abandon Temporarily Abandon Final Abandonment Notice Convert to Injection Plug Back Water Disposal 13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.) Encana Oil & Gas (USA) Inc. (Encana) was issued an approved APD for this well on 07/29/2015. Encana requests a 2-year APD extension for the Nageezi Unit 503H well (API 30-045-35546). OIL CONS. DIV DIST. 3 JUL 2 5 2017

Senior Regulatory Analyst
Senior Regulatory Analyst
Senior Regulatory Analyst
,
07/17/2017
OR STATE OFFICE USE
Title PE Date 7/21/17
Office FFO

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction