## State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

Ken McQueen Cabinet Secretary

Matthias Sayer Deputy Cabinet Secretary **David R. Catanach, Division Director**Oil Conservation Division



New Mexico Oil Conservation Division approval and conditions listed below are made in accordance with OCD Rule 19.15.7.11 and are in addition to the actions approved by BLM on the following 3160-5 form.

Operator Signature Date: Original APD 3/2/2015 Sundry Extension Date 8/17/2017

API WELL#	Well Name	Well #	Operator Name	Туре	Stat	County	Surf_Owner	UL	Sec	Twp	N/S	Rng	W/E
30-045-35662-00- 00	ESCRITO L30- 2408		ENCANA OIL & GAS (USA) INC.	G	N	San Juan	F	L	30	24	N	8	W

Conditions of Approval: (See the below checked and handwritten conditions)
Notify Aztec OCD 24hrs prior to casing & cement.
Hold C-104 for directional survey & "As Drilled" Plat
Hold C-104 for NSL, NSP, DHC,
O Spacing rule violation. Operator must follow up with change of status notification on other well to be shut in or abandoned
Regarding the use of a pit, closed loop system or below grade tank, the operator must comply with the following as applicable:
A pit requires a complete C-144 be submitted and approved prior to the construction or use of the pit, pursuant to 19.15.17.8.A
A closed loop system requires notification prior to use, pursuant to 19.15.17.9.A
A below grade tank requires a registration be filed prior to the construction or use of the below grade tank, pursuant to 19.15.17.8.C
Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
Submit Gas Capture Plan form prior to spudding or initiating recompletions operations.
Regarding Hydraulic Fracturing, review EPA Underground Injection Control Guidance 84

-	
V	Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from
	the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in
	a steel closed loop system.

Well-bore communication is regulated under 19.15.29 NMAC. This requires well-bore Communication to be reported in accordance with 19.15.29.8.

Comply with current regulations at time of spud
Prior to production operator needs to be in compliance with RULE 19.15.5.9

NMOCD Approved by Signature

Johnie Brew

8/25/17

Date

## RECEIVED

Form 3160-5 (March 2012)

## **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT AUG 1 7 2017

FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2014

5. Lease Serial No. NMSF 078860

6. If Indian, Allottee or Tribe Name

## SUNDRY NOTICES AND REPORTS ON WELLS

SUBMIT	IN TRIPLICATE - Other	instructions o	n page 2.		- 1	7. If Unit of CA/Agree	ement,	Name and/or No.
1. Type of Well						N/A		
✓ Oil Well ☐ Gas We	ell Other					8. Well Name and No. Escrito L30-2408 01		
2. Name of Operator Encana Oil & Gas (USA) Inc.						9. API Well No. 30-045-35662		
3a. Address		3b. Phone No	. (include area co	ode)		10. Field and Pool or I	Explora	atory Area
370 17th Street, Suite 1700 Denver, CO 80202		505-634-649	0			Basin Mancos		
4. Location of Well (Footage, Sec., T.,R SHL: 2518' FSL and 350' FWL Section 30, T24N, 3HL: 2060' FNL and 330' FWL Section 25, T24N	., <i>M., or Survey Description</i> , R8W N, R9W	)				11. County or Parish, San Juan County, N		
12. CHECK	K THE APPROPRIATE BO	X(ES) TO IND	DICATE NATUR	E OF	NOTIC	E, REPORT OR OTH	IER DA	TA
TYPE OF SUBMISSION		,	TY	YPE O	F ACTI	ON		
✓ Notice of Intent	Acidize	Deep Deep	pen		Produ	ction (Start/Resume)		Water Shut-Off
Notice of Mich	Alter Casing	Fract	ture Treat		Reclai	mation		Well Integrity
Cubanana Banan	Casing Repair	☐ New	Construction		Recon	nplete	$\checkmark$	Other APD Extension
Subsequent Report	Change Plans	Plug	and Abandon		Temp	orarily Abandon		
Final Abandonment Notice	Convert to Injection		Back		Water	Disposal		
	Abandonment Notices must final inspection.)  a) was issued an approv	be filed only aft	ter all requiremen	nts, inc	5			eted and the operator has
testing has been completed. Final A determined that the site is ready for Encana Oil & Gas (USA) Inc. (Encan	Abandonment Notices must final inspection.)  a) was issued an approv	be filed only aft	ter all requiremen	nts, inc	5	na is requesting a 2-	-year A	APD extension for the
testing has been completed. Final A determined that the site is ready for Encana Oil & Gas (USA) Inc. (Encan	Abandonment Notices must final inspection.)  a) was issued an approv	be filed only aft	ter all requiremen	nts, inc	5	na is requesting a 2-	-year A	eted and the operator has
testing has been completed. Final A determined that the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04))	Abandonment Notices must final inspection.)  na) was issued an approv 45-35662).	ed APD for thi	ter all requirements swell on 1 <del>0/09</del>	nts, inc / 7-/ / <del>20</del> 15	. Enca	na is requesting a 2-	-year A	APD extension for the
testing has been completed. Final A determined that the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well (API 3	Abandonment Notices must final inspection.)  na) was issued an approv 45-35662).	ed APD for thi	ter all requirements	17-1/2015	. Enca	na is requesting a 2-	-year A	APD extension for the
testing has been completed. Final A determined that the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well (API 3	Abandonment Notices must final inspection.)  na) was issued an approv 45-35662).	ed APD for thi	ter all requirements swell on 1 <del>0/09</del>	17-1/2015	. Enca	na is requesting a 2-	-year A	APD extension for the
testing has been completed. Final A determined that the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04).	Abandonment Notices must final inspection.)  na) was issued an approv 45-35662).	ed APD for thi	ter all requirements	nts, inct. (7-//2015	. Enca	na is requesting a 2-	-year A	APD extension for the
testing has been completed. Final A determined that the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Enc	Abandonment Notices must final inspection.)  na) was issued an approv 45-35662).	ed APD for thi	ter all requirement 9-1 s well on 19/09/	16 ~ Regul	. Enca	na is requesting a 2-	-year A	APD extension for the
testing has been completed. Final A determined that the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encana Oil & Gas (USA) Inc. (Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Encan Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well (API 30-04) and the site is ready for Escrito L30-2408 01H well	Abandonment Notices must final inspection.)  Italy was issued an approved the state of the state	ed APD for thi	ter all requirement 9-1 s well on 19/09/	nts, inc. / 7-/ /2015  Regul:	. Enca	na is requesting a 2-	-year A	APD extension for the

(Instructions on page 2)