District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

.

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144 Revised April 3, 2017

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office. For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

<u>Pit, Below-Grade Tank, or</u> Proposed Alternative Method Permit or Closure Plan Application							
Proposed Alternative Method Permit of Closure Plan Application         Type of action:       Below grade tank registration         Permit of a pit or proposed alternative method       Closure of a pit, below-grade tank, or proposed alternative method         Modification to an existing permit/or registration       Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method							
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.							
I.       Operator: BP America Production Company       OGRID #: 778       OIL CONS. DIV DIST. 3							
Address: 200 Energy Court, Farmington, NM 87401							
Facility or well name: STATE COM A 002							
API Number:         3004509440         OCD Permit Number:           U/L or Qtr/Qtr         M         Section         16         Township         30N         Range         09W         County:         San Juan							
U/L or Qtr/Qtr M Section To Township Solv Range OSW County: Sall Sular							
Center of Proposed Design: Latitude 36.80677 Longitude -107.79120 NAD83							
Surface Owner: 🔳 Federal 🗌 State 🗌 Private 🗋 Tribal Trust or Indian Allotment							
2.       Pit:       Subsection F, G or J of 19.15.17.11 NMAC         Temporary:       Drilling       Workover         Permanent       Emergency       Cavitation         P&A       Multi-Well Fluid Management       Low Chloride Drilling Fluid         Lined       Unlined       Liner type:         Tring-Reinforced       K       Volume:         Liner Seams:       Welded       Factory							
3.       TANK A         Below-grade tank:       Subsection I of 19.15.17.11 NMAC       TANK A         Volume:       21       bbl Type of fluid:       Produced Water         Tank Construction material:       Steel							
<ul> <li><u>Alternative Method</u>:</li> <li>Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.</li> </ul>							
<ul> <li>5.</li> <li>Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)</li> <li>Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)</li> <li>Four foot height, four strands of barbed wire evenly spaced between one and four feet</li> <li>Alternate. Please specify</li></ul>							

Oil Conservation Division



Netting:       Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)         Screen       Netting         Other         Monthly inspections (If netting or screening is not physically feasible)	
<ul> <li>7.</li> <li>Subsection C of 19.15.17.11 NMAC</li> <li>12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers</li> <li>Signed in compliance with 19.15.16.8 NMAC</li> </ul>	
<ul> <li>8. <u>Variances and Exceptions:</u> Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.</li> <li><i>Please check a box if one or more of the following is requested, if not leave blank:</i></li> <li>Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.</li> <li>Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.</li> </ul>	
9. <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC <i>Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accel</i> <i>material are provided below.</i> Siting criteria does not apply to drying pads or above-grade tanks.	ptable source
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank □ NM Office of the State Engineer - iWATERS database search; □ USGS; □ Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA
<ul> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks)</li> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> </ul>	🗌 Yes 🗌 No
<ul> <li>Within the area overlying a subsurface mine. (Does not apply to below grade tanks)</li> <li>Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division</li> </ul>	□ Yes □ No
<ul> <li>Within an unstable area. (Does not apply to below grade tanks)</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	🗌 Yes 🗌 No
<ul> <li>Within a 100-year floodplain. (Does not apply to below grade tanks)</li> <li>FEMA map</li> </ul>	Yes No
Below Grade Tanks	
<ul> <li>Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Yes No
<ul> <li>Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;.</li> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site</li> </ul>	Yes No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
<ul> <li>Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.)</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.	🗌 Yes 🗌 No
<ul> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No

6. ,

,						
<ul> <li>Within 100 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Yes No					
Temporary Pit Non-low chloride drilling fluid						
<ul> <li>Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No					
<ul> <li>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	Yes No					
<ul> <li>Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application;</li> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No					
<ul> <li>Within 300 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No					
Permanent Pit or Multi-Well Fluid Management Pit						
<ul> <li>Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No					
<ul> <li>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	🗌 Yes 🗌 No					
<ul> <li>Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.</li> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site</li> </ul>						
<ul> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No					
10.         Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist:       Subsection B of 19.15.17.9 NMAC         Instructions:       Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.         Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC         Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC         Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC         Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC         Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC         Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC         and 19.15.17.13 NMAC						
Previously Approved Design (attach copy of design) API Number: or Permit Number:						
II.         Multi-Well Fluid Management Pit Checklist:       Subsection B of 19.15.17.9 NMAC         Instructions:       Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. <ul> <li>Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC</li> <li>A List of wells with approved application for permit to drill associated with the pit.</li> <li>Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC</li> <li>Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC</li> <li>Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC</li> </ul>						
Previously Approved Design (attach copy of design) API Number: or Permit Number:						

<sup>12</sup> <u>Permanent Pits Permit Application Checklist</u> : Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the	documents are					
attached.         Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC         Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC         Climatological Factors Assessment         Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC         Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC         Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC         Quality Control/Quality Assurance Construction and Installation Plan         Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC         Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC						
<ul> <li>Nuisance or Hazardous Odors, including H<sub>2</sub>S, Prevention Plan</li> <li>Emergency Response Plan</li> <li>Oil Field Waste Stream Characterization</li> <li>Monitoring and Inspection Plan</li> </ul>						
<ul> <li>Erosion Control Plan</li> <li>Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC</li> </ul>						
13.         Proposed Closure:       19.15.17.13 NMAC         Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.         Type:       Drilling         Workover       Emergency         Cavitation       P&A         Permanent Pit       Below-grade Tank         Multi-well Fluid Management Pit         Alternative         Proposed Closure Method:       Waste Excavation and Removal         Waste Removal (Closed-loop systems only)         On-site Closure Method (Only for temporary pits and closed-loop systems)         In-place Burial       On-site Trench Burial         Alternative Closure Method						
14.         Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.            Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC         Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC         Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)         Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Site Reclamation Plan - based upon the a						
15. Siting Critaria (regarding on site alogues methods only): 10.15.17.10 NMAC						
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. F 19.15.17.10 NMAC for guidance.	ce material are llease refer to					
<ul> <li>Ground water is less than 25 feet below the bottom of the buried waste.</li> <li>NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells</li> </ul>	□ Yes □ No □ NA					
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA					
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA					
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) Topographic map; Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image						
<ul> <li>Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application.</li> <li>NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site</li> </ul>	Yes No					
Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No					
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance						
Form C-144 Oil Conservation Division Page 4 o	f 6					

•

<ul> <li>adopted pursuant to NMSA 1978, Section 3-27-3, as amended.</li> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> </ul>	Yes No					
<ul> <li>Within the area overlying a subsurface mine.</li> <li>Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division</li> </ul>	Yes No					
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>						
	Yes No					
Within a 100-year floodplain. - FEMA map	Yes No					
16.         On-Site Closure Plan Checklist:       (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.						
17. Operator Application Certification:						
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believe	ef.					
Name (Print):						
Signature: Date:						
e-mail address: Telephone:						
18. OCD Approval: Permit Application (including cosure plan) Closure Plan (only) OCD Conditions (see attachment)						
OCD Representative Signature:	3012017					
Title: Environmental Specchist OCD Permit Number:						
<sup>19.</sup> <u>Closure Report (required within 60 days of closure completion)</u> : 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.						
Section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: 8/8/2017						
	op systems only)					

Oil Conservation Division

#### **Operator Closure Certification:**

.

224

Signature:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): Erin Garifalos

Title: Field Environmental Coordinator

erin garifalos

Date: October 20, 2017

e-mail address: erin.garifalos@bp.com

Telephone: (832) 609-7048

#### BP AMERICA PRODUCTION COMPANY SAN JUAN BASIN, NORTHWEST NEW MEXICO

#### BELOW-GRADE TANK CLOSURE PLAN

STATE COM A 002

API No. 3004509440

#### Unit Letter M Section 16 T 30N R 09W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

#### **General Closure Plan**

1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.

#### Notice is attached.

2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

#### Notice was provided and is attached.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
  - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
  - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
  - c. Basin Disposal, Permit NM-01-0005 (Liquids)
  - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
  - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

# All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

#### The BGT was transported for recycling.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

#### All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	21 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	10	< 0.016
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.063
TPH	US EPA Method SW-846 418.1 or 8015 extended	100	<48
Chlorides	US EPA Method 300.0 or 4500B	620	36

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

> Soil under the BGT was sampled for chloride, TPH and BTEX with all concentrations below the stated limits. The field report and laboratory reports are attached.

BP shall notify the division District III office of its results on form C-141.
 C-141 is attached.

BP BGT Closure Plan 04-01-2010

8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results indicate a release has occurred but is below regulatory standards. Attached is a laboratory report and C-141.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

## Sampling results indicate a release has occurred but is below regulatory standards. Attached is a laboratory report and field report.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

## The area has been backfilled . The location will be reclaimed once the well is plugged and abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

# The area has been backfilled . The location will be reclaimed once the well is plugged and abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

## The area has been backfilled . The location will be reclaimed once the well is plugged and abandoned.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

The area has been backfilled . The location will be reclaimed once the well is plugged and abandoned.

BP BGT Closure Plan 04-01-2010

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

The area has been backfilled . The location will be reclaimed once the well is plugged and abandoned.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
  - a. proof of closure notification (surface owner and NMOCD)
  - b. sampling analytical reports; information required by 19.15.17 NMAC;
  - c. disposal facility name and permit number
  - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
  - e. site reclamation, photo documentation.

BP did not meet the 60 closure completion requirement due to an error in internal tracking. Closure report on C-144 form is included including photos of reclamation completion.

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

BP BGT Closure Plan 04-01-2010

#### State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised April 3, 2017

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

						<b>OPERA</b>	FOR		Initia	al Report		Final Report
Name of Co	Name of Company BP America Production Company					Contact Erin Garifalos						
Address 200 Energy Court, Farmington, NM 87401				Telephone No. (832) 609-7048								
Facility Name STATE COM A 002				Facility Typ	e: Natural Gas We	1						
Surface Ow	ner: Federal			Mineral O	wner:	Federal			API No	.3004509440		
	LOCATION OF RELEASE											
Unit Letter Section Township Range Feet from the North/South Line Feet from the East/West Line County					Luna							
M	16	30N	09W	990	Sou	uth	990	We	st	5	an	Juan
	Latitude 36.80677 Longitude -107.79120 NAD83											
				NAT	URE	OF REL	EASE					
Type of Relea	ase:: none	)					Release: : unkno			Recovered:: N		
Source of Rel	ease: belo	w grade tai	nk - 21	bl		Date and H	lour of Occurrenc	e:	Date and n/a	Hour of Disco	overy:	
Was Immedia	ate Notice C		Yes	No 🗌 Not Re	quired	If YES, To	Whom?					
By Whom?					1	Date and H	lour					
Was a Water	course Reac						lume Impacting t	he Wate	ercourse.			
			Yes	No								
	Describe Cause of Problem and Remedial Action Taken.* Sampling of the soil beneath the BGT was done during removal. Soil analysis resulted for Chlorides, BTEX, and TPH below BGT closure standards. Field reports and laboratory results are attached.											
				remedial	actio	n is requ	ired.					
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.												
		n el a					OIL CON	SERV	ATION	DIVISIO	N	
Signature:	rung	Orifalo	4				P					
Signature:	Erin G	arifalos			,	Approved by	Environmental S	pecialist				
		onmenta		rdinator		Approval Date: Expiration Date:		Date:				
E-mail Addre	ss: erin.	garifalos	@bp.	com	Conditions of Approval:							
Date: Octobe				(832) 609-7048		Attached						
Attach Addit	ional Shee	ets If Necessa	ary									

bp



**BP America Production Company** 200 Energy Court Farmington, NM 87401

July 31, 2017

State Land Office Brandon Foley PO Box 3170 Farmington, NM 87402

#### VIA EMAIL

Re: Notification of plans to close/remove a below grade tank Well Name: STATE COM A 002 API #: 3004509440

Dear Mr. Foley,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about August 3, 2017. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required please contact me for a specific time (505)-326-9497.

Sincerely,

Steven Moskal

BP America Production Company

#### **Garifalos**, Erin

From:	Buckley, Farrah (CH2M HILL)
Sent:	Monday, July 31, 2017 8:38 AM
То:	'Smith, Cory, EMNRD'; 'Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us)';
	'brandon.powell@state.nm.us'
Cc:	'jeffcblagg@aol.com'; 'blagg_njv@yahoo.com'; Moskal, Steven; Garifalos, Erin
Subject:	BP Pit Close Notification - STATE COM A 002

BP America Production Company 200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

#### SENT VIA E-MAIL TO: CORY.SMITH@STATE.NM.US; VANESSA.FIELDS@STATE.NM.US

July 31, 2017

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

#### RE: Notice of Proposed Below-Grade Tank (BGT) Closure

STATE COM A 002 API 30-045-09440 (M) Section 16– T30N – R09W San Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 21bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around August 3, 2017.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Steven Moskal BP Field Environmental Coordinator (505) 326-9497

.

*Farrah Buckley* BGT Project Support 970-946-9199 -cell

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

00	BLAGG	ENGINEERI	NG INC.		API # 300450	0440
CLIENT: BP	CLIENT: P.O. BOX 87, BLOOMFIELD, NM 87413					
	(	505) 632-119	9		TANK ID (if applicble):	4
FIELD REPORT:	(circle one): BGT CONFIRMATIC	N / RELEASE INVESTIO	Gation / Other:		PAGE #: 1	of
SITE INFORMATION	I: SITE NAME: STAT	E COM A #2	2		DATE STARTED: 08/	03/17
QUAD/UNIT: M SEC: 16 TWP:	30N RNG: 9W F	PM: NM CNT	Y: <b>SJ</b> ST:	NM	DATE FINISHED:	
1/4 -1/4/FOOTAGE: 990'S / 990'		S	TRIKE		ENVIRONMENTAL SPECIALIST(S):	VL
REFERENCE POINT						
	GPS COORD.:					
2)						
3)						
				DISTANCE/BEAP	RING FROM W.H.:	OVM
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S			801	5B/8021B/300 0 (CI)	READING (ppm)
1) SAMPLE ID: 5PC - TB @ 6' 2) SAMPLE ID:					15B/8021B/300.0 (CI)	INA
3) SAMPLE ID:						_
4) SAMPLE ID:						
	SAMPLE DATE:					
SOIL DESCRIPTION						
SOIL COLOR: DARK YE					OHESIVE / MEDIUM PLASTIC / HIC STIFF / VERY STIFF / HARD	SHLY PLASTIC
CONSISTENCY (NON COHESIVE SOILS):			D: YES NO EXPLANAT			
MOISTURE: DRY/SLIGHTLY MOIST/ MOIST / W	ET / SATURATED / SUPER SATURATE	D				
SAMPLE TYPE: GRAB		ANY AREAS DISPLAY	ING WETNESS: YES	NO EXPLAN	ATION -	
			TON			
SITE OBSERVATION			110N -			
EQUIPMENT SET OVER RECLAIMED AREA:	YES NO EXPLANATION -					
OTHER: MMOCD OR BLM NOT PRESEN	T TO WITNESS CONFIRMATIO	N SAMPLING.				
EXCAVATION DIMENSION ESTIMATION		ft. X NA	ft. EXCAV	ATION EST	IMATION (Cubic Yards) :	NA
DEPTH TO GROUNDWATER: >100' N	NEAREST WATER SOURCE: >1,0	000' NEAREST SURFA	CE WATER: <a></a>	) NMOC	D TPH CLOSURE STD:,	000 ppm
SITE SKETCH	BGT Located : off / on	site PLOT PL	_AN circle: attac	ched OVM	CALIB. READ. = NA	opm RF = 1.00
				A OVM		opm
			*		: <u>NA</u> am/pm DATE:	NA
	PROD	(	TO V.H.	=	MISCELL. NO	TES
		v	v.n.		/O:	
		7			EF #: <b>P-844</b>	
E	BERM_ // ( ) //			V	ID: VHIXONEVB	2
				P.	J #:	
				Pe		4/10
FENCE		PBGTL		O		<b>)9/17</b>
		r.B. ~ 5' B.G.		ID	ppm = parts per million	
	~			A	BGT Sidewalls Visible: Y BGT Sidewalls Visible: Y	
			X - S.I		BGT Sidewalls Visible: Y	
NOTES: BGT = BELOW-GRADE TANK; E.D. = EXCAVATIO T.B. = TANK BOTTOM; PBGTL = PREVIOUS BEL APPLICABLE OR NOT AVAILABLE; SW - SINGL	_OW-GRADE TANK LOCATION; SPD = SAMP	PLE POINT DESIGNATION; R.W	/. = RETAINING WALL; NA - N		lagnetic declination: 1	
NOTES: GOOGLE EARTH IMAG			: <b>08/03/17</b>			
revised: 11/26/13					BEI1	005E-6.SKF

Analytical Report Lab Order 1708269

#### Date Reported: 8/8/2017

#### Hall Environmental Analysis Laboratory, Inc.

# CLIENT: Blagg Engineering Client Sample ID: 5PC-TB @ 6' (21)-A Project: STATE COM A #2 Collection Date: 8/3/2017 2:00:00 PM Lab ID: 1708269-001 Matrix: SOIL Received Date: 8/4/2017 8:15:00 AM Analyses Result PQL Qual Units DF Date Analyzed Batch

EPA METHOD 300.0: ANIONS					Analyst	MRA
Chloride	36	30	mg/Kg	20	8/4/2017 11:17:56 AM	33179
EPA METHOD 8015M/D: DIESEL RANG		S			Analyst	том
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	8/4/2017 10:25:39 AM	33178
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	8/4/2017 10:25:39 AM	33178
Surr: DNOP	95.0	70-130	%Rec	1	8/4/2017 10:25:39 AM	33178
EPA METHOD 8015D: GASOLINE RANG	θE				Analyst	NSB
Gasoline Range Organics (GRO)	ND	3.1	mg/Kg	1	8/4/2017 10:47:32 AM	33155
Surr: BFB	93.5	54-150	%Rec	1	8/4/2017 10:47:32 AM	33155
EPA METHOD 8021B: VOLATILES					Analyst	NSB
Benzene	ND	0.016	mg/Kg	1	8/4/2017 10:47:32 AM	33155
Toluene	ND	0.031	mg/Kg	1	8/4/2017 10:47:32 AM	33155
Ethylbenzene	ND	0.031	mg/Kg	1	8/4/2017 10:47:32 AM	33155
Xylenes, Total	ND	0.063	mg/Kg	1	8/4/2017 10:47:32 AM	33155
Surr: 4-Bromofluorobenzene	113	66.6-132	%Rec	1	8/4/2017 10:47:32 AM	33155

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	В	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	Е	Value above quantitation range
	Η	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits Page 1 of 5
	ND	Not Detected at the Reporting Limit	Р	Sample pH Not In Range
	PQL	Practical Quanitative Limit	RL	Reporting Detection Limit
	S	% Recovery outside of range due to dilution or matrix	W	Sample container temperature is out of limit as specified

Cł	nain-c	of-Cus	tody Record	Tum-Around	Time:	SAME	Ι.									20	-		INT	-		
Client:	BLAG	G ENGR.	/ BP AMERICA	Standard	Rush _	DAY )													AT(			1
896515-964				Project Name													l.con			Or		
Mailing A	ddress:	P.O. BO	X 87	ST	ATE COM	Δ # 2		40	01 U										0			
			FIELD, NM 87413	Project #:			1			lawk									9			
Dia and Ha	- All Bandul	(505) 63						le	1. 50	)5-34	5-3		-	vsis	-		-410	/				
Phone #: email or F	av#	(505) 05	2-1155	Project Mana	1er			11	in a l				Ilai		net	ques	5 L	-				
QA/QC Pa		uma.m		i roject mana	-		-	5	6					SO4)	Sis			300.1)				
Standa	_		Level 4 (Full Validation)	NELSON VELEZ			(8021B)	(yino a	/ MRO)			12)		PO4,	PCE			water -			ø	
Accreditat	tion:			Sampler:	NELSON V	ELEZ 92V	ABI's (8	(Ga:	/ DRO	<b>न</b>	(T	SIN		102,	3082						hpl	
	>				A Yes	D No		TPH	1/0	418.	504.	827(	10	03, 1	s / s		(Y	00.00			e sa	r N)
	Type)			Sample Temp	dauces of	tele I Bersein		BE +	(GR	pou	pou	or	etals	CI'N	cide	(A)	i-VC	oil - 3		e	osit	(Vo
Date	Time	Matrix	Sample Request ID	Type and #	Preservative Type	HEAL NO	BTEX +-ME	BTEX + MTBE + TPH (Gas	TPH 8015B (GRO	TPH (Method 418.1)	EDB (Method 504.1)	PAH (8310 or 8270SIMS)	<b>RCRA 8 Metals</b>	Anions (F,Cl,NO <sub>3</sub> ,NO <sub>2</sub> ,PO <sub>4</sub> ,SO <sub>4</sub> )	8081 Pesticides / 8082 PCB's	8260B (VOA)	8270 (Semi-VOA)	Chloride (soil - 300.0		Grab sample	5 pt. composite sample	Air Bubbles (Y or N)
-11				MCOHLit		1708267		BT		₽		PA	RC	A	80	82	82		$\square$	ū		Air
8/3/17	1400	SOIL	5PC - TB @ 6 '(21) - A	4 oz 1	Cool	-101	V		۷									V		_	٧	
<u></u>																						
			10000000																			
												I										
													-									
													_			•						
			······································			:															-	
													_								-	-
Date:	Time:	Relinquishe	dlev:	Received by:		Date Time	Rem	arks	:	BILL D	IREC	TLY TO	BPL	USING	THE	CONT	ACT W	VITH C	CORRE	SPON	DING	VID
8/3/17	1440	91	my	Christen	Walt	8/3/17 1440	CC		ACT:	& REF	E M	OSK	AL /				N					
Date:	Time:	Relinguishe	Distan Mala	Received by:	- 9	Date Time D815	Refe	eren			P - 8		2									

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

## QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

Client:Blagg EngineeringProject:STATE COM A #2

Sample ID MB-33179	SampType: MBLK	TestCode: EPA Method	300.0: Anions	
Client ID: PBS	Batch ID: 33179	RunNo: 44727		
Prep Date: 8/4/2017	Analysis Date: 8/4/2017	SeqNo: 1414921	Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit Qual
Chloride	ND 1.5			
Sample ID LCS-33179	SampType: LCS	TestCode: EPA Method	300.0: Anions	
Client ID: LCSS	Batch ID: 33179	RunNo: 44727		
Prep Date: 8/4/2017	Analysis Date: 8/4/2017	SeqNo: 1414922	Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit Qual

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Page 2 of 5

WO#: 1708269 08-Aug-17

## QC SUMMARY REPORT

WO#: 1708269

08-Aug-17

Hall	Environmental	Analysis	Laboratory.	Inc.

#### **Client:** Blagg Engineering **Project:** STATE COM A #2

Sample ID LCS-33178 SampType: LCS						TestCode: EPA Method 8015M/D: Diesel Range Organics							
Client ID: LCSS Batch ID: 33178					RunNo: 44721								
Analysis D	ate: 8/	4/2017	S	SeqNo: 1	414303	Units: mg/M	(g						
Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual				
46	10	50.00	0	91.4	73.2	114							
4.1		5.000		81.4	70	130							
SampT	ype: ME	BLK	Tes	tCode: El	PA Method	8015M/D: Di	esel Range	e Organics					
	ype: ME			tCode: El RunNo: 44		8015M/D: Di	esel Rang	e Organics					
	ID: 33	178	F		4721	8015M/D: Die Units: mg/K	Ū	e Organics					
Batch	ID: 33	178 4/2017	F	RunNo: 4	4721		Ū	e Organics	Qual				
Batch Analysis D	ID: 33 <sup>.</sup> ate: 8/	178 4/2017	F	RunNo: 4 SeqNo: 14	4721 414304	Units: <b>mg/K</b>	(g		Qual				
Batch Analysis Da Result	ID: 33 ate: 8/ PQL	178 4/2017	F	RunNo: 4 SeqNo: 14	4721 414304	Units: <b>mg/K</b>	(g		Qual				
	Batch Analysis D Result 46	Batch ID: 33 Analysis Date: 8/ Result PQL 46 10	Batch ID:         33178           Analysis Date:         8/4/2017           Result         PQL         SPK value           46         10         50.00	Batch ID:         33178         F           Analysis Date:         8/4/2017         S           Result         PQL         SPK value         SPK Ref Val           46         10         50.00         0	Batch ID:         33178         RunNo:         4           Analysis Date:         8/4/2017         SeqNo:         1           Result         PQL         SPK value         SPK Ref Val         %REC           46         10         50.00         0         91.4	Batch ID:         33178         RunNo:         44721           Analysis Date:         8/4/2017         SeqNo:         1414303           Result         PQL         SPK value         SPK Ref Val         %REC         LowLimit           46         10         50.00         0         91.4         73.2	Batch ID:         33178         RunNo:         44721           Analysis Date:         8/4/2017         SeqNo:         1414303         Units:         mg/k           Result         PQL         SPK value         SPK Ref Val         %REC         LowLimit         HighLimit           46         10         50.00         0         91.4         73.2         114	Batch ID: 33178         RunNo: 44721           Analysis Date:         8/4/2017         SeqNo: 1414303         Units: mg/Kg           Result         PQL         SPK value         SPK Ref Val         %REC         LowLimit         HighLimit         %RPD           46         10         50.00         0         91.4         73.2         114	Batch ID: 33178       RunNo: 44721         Analysis Date:       8/4/2017       SeqNo: 1414303       Units: mg/Kg         Result       PQL       SPK value       SPK Ref Val       %REC       LowLimit       HighLimit       %RPD       RPDLimit         46       10       50.00       0       91.4       73.2       114				

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Holding times for preparation or analysis exceeded Η
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- Е Value above quantitation range
- J Analyte detected below quantitation limits
- Р Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified
- Page 3 of 5

## QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

Client: Blagg Engineering

Project: STATE COM A #2

,

Sample ID MB-33155	SampT	Гуре: МЕ	BLK	TestCode: EPA Method 8015D: Gasoline Range						
Client ID: PBS	Batch	h ID: 33	155	R	RunNo: 44725					
Prep Date: 8/3/2017	Analysis D	)ate: 8/	4/2017	S	SeqNo: 1	414787	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	910		1000		91.2	54	150			
Sample ID LCS-33155	SampT	Type: LC	S	Test	tCode: El	PA Method	8015D: Gaso	line Rang	e	
Client ID: LCSS	Batch	h ID: 33	155	R	unNo: 4	4725				
Prep Date: 8/3/2017	Analysis D	)ate: 8/	4/2017	S	eqNo: 14	414788	Units: mg/K	g		
	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Analyte	Result	IGL	Of it value	or renter that			0			
Analyte Gasoline Range Organics (GRO)	24	5.0	25.00	0	96.7	76.4	125			

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

WO#: **1708269** 

08-Aug-17

Page 4 of 5

## QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

5

Client: Blagg Project: STAT

Blagg Engineering STATE COM A #2

Sample ID MB-33155	SampT	Гуре: МЕ	BLK	TestCode: EPA Method 8021B: Volatiles								
Client ID: PBS	BS Batch ID: 33155					RunNo: 44725						
Prep Date: 8/3/2017	Analysis E	Date: 8/	4/2017	S	SeqNo: 1	414815	Units: mg/k	٢g				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	ND	0.025										
Toluene	ND	0.050										
Ethylbenzene	ND	0.050										
Xylenes, Total	ND	0.10										
Surr: 4-Bromofluorobenzene	1.1		1.000		113	66.6	132					
Sample ID LCS-33155	SampT	Type: LC	S	Tes	tCode: El	PA Method	8021B: Vola	tiles				
Client ID: LCSS	Batch	h ID: 33	155	F	RunNo: 4	4725						
Prep Date: 8/3/2017	Analysis D	Date: 8/	4/2017	S	eqNo: 1	414816	Units: mg/k	(g				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	1.0	0.025	1.000	0	101	80	120					
Toluene	0.99	0.050	1.000	0	99.2	80	120					
Ethylbenzene	0.99	0.050	1.000	0	98.6	80	120					
Xylenes, Total	3.0	0.10	3.000	0	101	80	120					
Surr: 4-Bromofluorobenzene	1.2		1.000		118	66.6	132					

Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

WO#: 1708269

08-Aug-17

Page 5 of 5

X	HALL ENVIRONMENT ANALYSIS LABORATORY	AL	Hall Environmenta All TEL: 505-345-397. Website: www.h	4901 buquerqu 5 FAX: 5	Hawkin e, NM 8 05-345-	NE 7109 St 4107	am	ple Log-In C	heck List
Client N	lame: BLAGG		Work Order Number	r: 1708	269			RcptNo:	1
Receive	d By: Erin Mele	endrez	8/4/2017 8:15:00 AM			UL U. Anne	4	5	
Complet	T N 11		8/4/2017 8:36:23 AM B/U/17			anne _	Hum	~	
Reviewe	ed By: ENN	~	014/11						
Chain d	of Custody								
1. Cust	tody seals intact on	sample bottles?		Yes		No		Not Present	
2. Is C	hain of Custody con	plete?		Yes	$\checkmark$	No		Not Present	
3. How	was the sample de	livered?	<u>.</u>	Cou	ier				
Log In	!								
4. Was	s an attempt made t	o cool the samples	?	Yes		No		NA 🗆	
5. Wer	e all samples receiv	ed at a temperature	e of >0° C to 6.0°C	Yes		No [		NA 🗋	
6. San	nple(s) in proper con	ntainer(s)?		Yes	V	No			
7. Suffi	icient sample volum	e for indicated test(	5)?	Yes	$\checkmark$	No			
8. Are s	samples (except VC	A and ONG) proper	rly preserved?	Yes	$\checkmark$	No			
9. Was	preservative added	to bottles?		Yes		No	$\checkmark$	NA 🗌	
10.VOA	vials have zero hea	adspace?		Yes		No		No VOA Vials 🗹	
11. Wer	e any sample conta	iners received brok	en?	Yes		No		# of preserved bottles checked	
	s paperwork match I e discrepancies on d			Yes		No		for pH:	r >12 unless noted)
	matrices correctly id		Custody?	Yes	$\checkmark$	No		Adjusted?	
	clear what analyses		Custody	Yes		No		_	
	e all holding times a			Yes		No		Checked by:	
(If no	o, notify customer fo	r authorization.)					L		
Special	Handling (if ap	oplicable)							
	client notified of all		this order?	Yes		No		NA 🗹	
	Person Notified:	T	Date			****			]
	By Whom:	Í.	Via:	eMa	uil 🗌 I	Phone	Fax	In Person	
	Regarding:	1			1242-04-03-04-04-04-04-04-04-04-04-04-04-04-04-04-			anna ann an ann an ann an ann an ann an	
	Client Instructions:					NET HE ALAMATA A AMARCAN AND AND AND AND A			
17. Add	itional remarks:								
	ler Information	al a		0.15	. 1				
1	coler No Temp °C 1.7	C Condition Se Good Yes		Seal Da	ITE	Signed By	y		
Pa	age 1 of 1								



