Submit 1 Copy To Appropriate District	State of New Mexico	Form C-103
" Office	Energy, Minerals and Natural Resources	Revised July 18, 2013
<u>District 1</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Patalan Resources	WELL API NO.
District 11 - (575) 748-1283	OIL CONSERVATION DIVISION	30-039-06656
811 S. First St., Artesia, NM 88210 District III – (505) 334-6178	1220 South St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410		STATE STATE
District IV - (505) 476-3460	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505		SF-079161
	ICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
	SALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A	Burns
DIFFERENT RESERVOIR. USE "APPLI PROPOSALS.)	CATION FOR PERMIT" (FORM C-101) FOR SUCH	
1. Type of Well: Oil Well	Gas Well 🛛 Other	8. Well Number 3
2. Name of Operator	Gas Well Other OIL CONS. DIV DIST. 3	9. OGRID Number
Elm Ridge Exploration Co LLC	OIVO. DIV DICT	
3. Address of Operator	Nou	10. Pool name or Wildcat
PO BOX 156 Bloomfield NM 874	NOV 08 2017	S. Blanco PC
4. Well Location	~0 <i>1</i> /	
Unit Letter M : 990	feet from the South line and990'	feet from the West line
Section 4		MPM County Rio Arriba
	11. Elevation (Show whether DR, RKB, RT, GR, etc.)	
	111 210 21001 (01001 1110000 211) 1122) 112) 011, 010, 010	
12. Check A	Appropriate Box to Indicate Nature of Notice,	Report or Other Data SEQUENT REPORT OF:
	PLUG AND ABANDON 🛛 REMEDIAL WORI	
	CHANGE PLANS COMMENCE DRI	
PULL OR ALTER CASING		
CLOSED-LOOP SYSTEM		
OTHER:	OTHER:	
	leted operations. (Clearly state all pertinent details, and	
	ork). SEE RULE 19.15.7.14 NMAC. For Multiple Con	npletions: Attach wellbore diagram of
proposed completion or rec	completion.	
Fim Ridge Exploration CO LL	C would like to plug and abandoned this well p	or the attached precedure
Enn Ruge Exploration CO EL	e would like to plug and abandoned this were p	er me attachen procedure.
Spud Date: 7-13-1953	Rig Release Date:	
L		

I hereby certify that the information a	ove is true and complete to the best of my knowledge and belief.	
SIGNATURE		
Type or print name Amy Archule	a E-mail address:aarchuleta@djrllc.com PHONE: _505-632-3476	
For State Use Only		
APPROVED BY: Char He	SUPERVISOR DISTRICT #3 DATE 11-13-17	
Conditions of Approval (if any):	AV	



P&A Procedure

Burns #3 SW/4, Sec 4, T26N, R7W San Juan, County, NM API: 30-039-06656 TGL

 TD:
 2278'

 Surface Csg:
 10-3/4" 32# @ 138'

 Casing:
 5-1/2" 14# @ 2189'

 BHT:
 110 °F

 KB:
 12'

1) MIRUSU. Hold safety meeting. Check bradenhead pressure NUBOP.

2) PU and TIH with bit and scraper to 2180'. TOOH.

3) \_RU wireline. RIH with 5-1/2" cmt retainer and set at 2251'.

4) RU Cement Co. pump 100 sks neat G below retainer.

5) TOOH LD stinger, TIH open ended.

6) Pump  $\pm$  260 sks from top of retainer to surface while pulling tbg.

7) SDFD.

8) Check cmt top, if good RDMO, turn over to surface remediation.

^ 1 **5** DJR Operating Wellbore Diagram Present Burns #3 SW/4, Sec 4, T26N, R7W San Juan, County, NM API: 30-039-06656 10-3/4" 32# set 138' Λ TOC: 7" 20# cemented to surface 5-1/2" 14# cemented to surface 5-1/2" 14# set @ 2189' Pictured Cliffs 1099' open hole completion 2201'-2278' TD @ 2278'



Wellbore Diagram P&A'd Burns #3 SW/4, Sec 4, T26N, R7W San Juan, County, NM API: 30-039-06656

. . . .

