District II 1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes 🗹 No 🗌								
WF5 CLOSURE Type of action: Registration of a pit or below	WF5 CLOSURE Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🗹							
Operator: <u>DEVON ENERGY PRODUCTION COMPAN</u> Telephone: e-mail address:								
Address: 20 N BROADWAY OKLAHOMA CITY, OK 73102								
Facility or well name: NORTHEAST BLANCO UNIT #046 API #: 30-045-24858 U/L or Qtr/Qtr D SEC 33 T 31N R 7								
County: <u>SAN JUAN</u> Surface Owner: Federal ✓ State □ Private □ Indian □	55 Longitude <u>-107.58203</u>	NAD: 1927 ☑ 1983 □						
<u>Pit</u>	Below-grade tank							
Type: Drilling Production Disposal	Volume: bbl Type of fluid:							
Workover Emergency	Construction Material:	mlain vyhyymat						
Lined Unlined 🗹	Double-walled, with leak detection? Yes If not, explain why not.							
Liner Type: Synthetic Thickness mil Clay Pit Volume 114 bbl								
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) <u>0</u> (0 points)						
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) <u>0</u>						
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet to 1,000 feet Greater than 1,000 feet	(20 points) (10 points) <u>0</u> (0 points)						
	Ranking Score (TOTAL POINTS):	<u>0</u>						
If this is a pit closure: (1)Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite onsit								
Additional Comments: Meter: 85486 FEB 2008 OUST. 3 Meter: 95486								
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines guidelines are a guidelines guidelines. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines.								
Date:	MIZING, FOR WPS							
Printed Name/Title Mark Harvey for Williams Field Services Sig	nature							
Your certification and NMOCD approval of this application/closure does not relieve the operator of liablility should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.								
Approval:	1900111	9 FEB 0 2 2006						
Printed Name/Title Printed Name/Title Signal Signal	ature the transfer of the tran	Date:						

ADDENDUM TO OCD FORM C-144

Operator: DEVON ENERGY PRODUCTION COMPANY, LP


Well Name: NORTHEAST BLANCO UNIT #046A

API 30-045-24858


Meter: 85486

Facility Diagram:

,



Sampling Diagram:



Pit Dimensions

Length 16 Ft.

Width 16 Ft.

2.5 Ft. Depth

Location of Pit Center

Latitude 36.86057

Longitude -107.58229

(NAD 1927)

Pit ID

854861

Pit Type

Glycol Dehydrator

Date Closure Started: 11/2/05

Closure Method:

Pushed In

Date Closure Completed: 11/2/05

Bedrock Encountered?

Cubic Yards Excavated:

Vertical Extent of Equipment Reached?

Description Of Closure Action:

The pit was assessed and sampled in accordance with NMOCD guidelines. Based on assessment findings, the pit was backfilled.

Pit Closure Sampling:

Sample ID

Sample Date

Head Space BTEX Total

Benzene (mg/kg)

TPH DRO (mg/kg)

24

Purpose

Location

Depth

201625JUN04

6/25/04

(mg/kg) 0.507

0

ASSESS

Flr

3.5



Pace Analytical Services, Inc. 9608 Loiret Blvd. Lenexa, KS 66219

> Phone: 913.599.5665 Fax: 913.599.1759

Lab Project Number: 6084144 Client Project ID: NM PITS

Date Collected: 06/25/04 20:16 Project Sample Number: 6084144-018 607254075 Lab Sample No:

	: •										
Client Sample ID: 201625JUN04	. 97	Matrix: So			c: Soil	Soil · Date Recei				ived: 06/30/04 10:20	
Parameters	Results	Units	Report Limit	DF	Analy	/zed	Ву	CAS No.	Qual	RegLmt	
GC Semivolatiles											
Total Extractable Hydrocarbons	Prep/Method:	OA2 / OA2									
Mineral Spirits	ND	mg/kg	12.	1.2	07/16/04	04:19	RMN1				
Jet Fuel	ND	mg/kg	12.	1.2	07/16/04	04:19	RMN1				
Kerosene	ND	mg/kg	12.	1.2	07/16/04	04:19	RMN1				
Diesel Fuel	24.	mg/kg	12.	1.2	07/16/04	04:19	RMN1	68334-30-5	21		
Fuel 011	ND	mg/kg	12.	1.2	07/16/04	04:19	RMN1	68334-30-5			
Motor 0il	ND	mg/kg	12.	1.2	07/16/04	04:19	RMN1				
n-Tetracosane (S)	125	*	:	1.0	07/16/04	04:19	RMN1	646-31-1			
p-Terphenyl (S)	114	*	;	1.0	07/16/04	04:19	RMN1	92-94-4			
Date Extracted	07/02/04				07/02/04						
Organics Prep											
Percent Moisture	Method: SM 2	540G									
Percent Moisture	16.8	%	•	1.0	07/02/04		DPB				
GC Volatiles			•								
Aromatic Volatile Organics	Prep/Method:	EPA 5030	Medium Soil / E	PA 802	1						
Benzene	ND	ug/kg	59.		07/05/04	15:23		71-43-2			
Ethylbenzene	ND	ug/kg	59.		07/05/04			100-41-4			
Toluene	77.	ug/kg	59.		07/05/04			108-88-3			
Xylene (Total)	430	ug/kg	150		07/05/04			1330-20-7			
a,a,a-Trifluorotoluene (S)	98	*		1.0	07/05/04	15:23		98-08-8			

Date: 07/20/04

Page: 18 of 36

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

