District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Type of action:

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144 Revised April 3, 2017

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Proposed Alternative Method Permit or Closure Plan Application

Below grade tank registration

Closure of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
1. Operator: BP America Production Company OGRID #: 778 OIL CONS. DIV DIST. 3
Address: 200 Energy Court, Farmington, NM 87401
Facility or well name: NEBU 345
API Number: 3003930315 OCD Permit Number:
U/L or Qtr/Qtr H Section 29 Township 30N Range 07W County: San Juan
Center of Proposed Design: Latitude 36.785491 Longitude -107.589648 NAD83
Surface Owner: ■ Federal □ State □ Private □ Tribal Trust or Indian Allotment
Pit: Subsection F, G or J of 19.15.17.11 NMAC Temporary: Drilling Workover Dulling Workover Dulling Workover Dulling LLDPE HDPE PVC Other Dulling Workover Dulling HDPE PVC Other Dulling HDPE HDPE PVC Other Dulling HDPE HD
4.
Alternative Method:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify

6.	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other	
☐ Monthly inspections (If netting or screening is not physically feasible)	
7.	
Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
☐ Signed in compliance with 19.15.16.8 NMAC	
Variances and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
9. Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptance are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	otable source
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	☐ Yes ☐ No
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300 feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No

Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit Non-low chloride drilling fluid	
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Permanent Pit or Multi-Well Fluid Management Pit	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number: or Permit Number:	NMAC 15.17.9 NMAC
11. Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	cuments are
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	15.17.9 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:	

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instractions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the	documents are
attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
13. Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	luid Management Pit
14.	-u-l-lada
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	attacnea to the
15.	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. F 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☐ No

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	Yes No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17. Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cann Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	.11 NMAC 15.17.11 NMAC
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete the complete to the best of my knowledge and believe the complete the complete to the best of my knowledge and believe the complete th	
e-mail address:	
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 12 2 2 2 2 2 2 2 2 2	
Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: 9/18/2017	
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-log If different from approved plan, please explain.	oop systems only)
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please in mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure for private land only) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	dicate, by a check

Operator Closure Certification:	
Operator Closure Certification:	
	this closure report is true, accurate and complete to the best of my knowledge and soure requirements and conditions specified in the approved closure plan.
Name (Print): Erin Garifalos	Title: Field Environmental Coordinator
Signature: Utin garifalos	Date: November 15, 2017
e-mail address: erin.garifalos@bp.com	Telephone: (832) 609-7048

BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

NEBU 345

API No. 3003930315

Unit Letter H Section 29 T 30N R 07W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.

Notice is attached.

2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice was provided and is attached.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for recycling.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	80 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	10	< 0.016
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.063
TPH	US EPA Method SW-846 418.1 or 8015 extended	100	<48
Chlorides	US EPA Method 300.0 or 4500B	620	<30

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled for chloride, TPH and BTEX with all concentrations below the stated limits. The field report and laboratory reports are attached.

7. BP shall notify the division District III office of its results on form C-141. C-141 is attached.

8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results indicate a release has not occurred. Attached is a laboratory report and C-141.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

Sampling results indicate a release has not occurred. Attached is a laboratory report and field report.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area has been backfilled and a 105 BBL shallow low profile above-grade tank set atop BGT location. The location will be reclaimed once the well is plugged and abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area has been backfilled and a 105 BBL shallow low profile above-grade tank set atop BGT location. The location will be reclaimed once the well is plugged and abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area has been backfilled and a 105 BBL shallow low profile above-grade tank set atop BGT location. The location will be reclaimed once the well is plugged and abandoned.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

The area has been backfilled and a 105 BBL shallow low profile above-grade tank set atop BGT location. The location will be reclaimed once the well is plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

The area has been backfilled and a 105 BBL shallow low profile above-grade tank set atop BGT location. The location will be reclaimed once the well is plugged and abandoned.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

BP did not meet the 60 closure completion requirement due to an error in internal tracking. Closure report on C-144 form is included including photos of reclamation completion.

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-141
Revised April 3, 2017

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

			Rele	ase Notific	cation	n and Co	rrective A	ction	1							
						OPERA	ΓOR		Initial	al Report		Final Report				
		America Produc		ny		Contact Erin Garifalos										
Address 200 Facility Nai		t, Farmington, N	M 87401				No. (832) 609-7048 e: Natural Gas We	11								
							C. Natural Gas We	11	_							
Surface Ow	ner : Federa	l		Mineral C)wner:	Federal			API No	.3003930315						
				LOCA	ATIO	N OF REI	LEASE									
Unit Letter	Section	Township	Range	Feet from the		South Line	Feet from the		West Line	County						
H	29	30N	07W	1,575	Nor	th	1,105	Eas	st	5	an	Juan				
			Latitud	e 36.785491	L	ongitude -1	07.589648	NAD	83							
						OF RELI										
Type of Rele	ase:: none	9					Release:: unkno			Recovered::						
Source of Re	lease: belo	w grade ta	nk - 80 l	obl		Date and H	Iour of Occurrence	e:	Date and n/a	Hour of Disc	overy:					
Was Immedi		Given?				If YES, To	Whom?		1110							
			Yes	No Not R	equired											
By Whom? Was a Water	aassmaa Daa	ah ad O				Date and H	lour lume Impacting t	the Wet	0#0011#00							
was a water	course Kea		Yes	No		II TES, VO	nume impacting (me wat	ercourse.							
If a Watercou	irse was Im	pacted, Descri	ibe Fully.*													
Describe Con	C D b-1	em and Remed	dial Astica	Tolon *												
Describe Cat	ise of Frobi	em and Keme	ulai Actioi	Sam	pling o	of the soil	beneath the	BGT	was do	ne during	g ren	noval.				
					-		d for Chloric	-	*							
				closu	ire sta	ındards. F	ield reports	and I	aborato	ry results	are	attached.				
Describe Are	a Affected	and Cleanup A	Action Tak	en.*	n noo	occori, E	inal laborate	05/0	a alvaia	dotormin	od no					
							inal laborate	ory a	lalysis (etermine	ea no)				
				remedia	actic	n is requ	irea.									
I hanahar aant	futhat the	information ai	van ahava	is two and some	lata to tl	ha haat af my	knowledge and u	n donata	nd that num	want to NIMO)CD ===	los and				
							nd perform correct									
public health	or the envi	ronment. The	acceptanc	e of a C-141 repo	ort by the	e NMOCD ma	arked as "Final R	eport" o	loes not reli	ieve the opera	ator of	liability				
							on that pose a three the operator of									
		ws and/or regu														
	16.4.	usel 1					OIL CON	SERV	ATION	DIVISIO	N					
1	run g	Wilfalo	14													
Signature:						Approved by	Environmental S	pecialis	t:							
		arifalos														
Title: Field	d Envir	onmenta	d Coor	dinator		Approval Dat	e:		Expiration 1	Date:						
E-mail Addre	ess: erin.	garifalos	@bp.	com		Conditions of	Approval:			A 44 a a 1 - 1						
Date: Nover	nber 15, 2	017	Phone:	(832) 609-7048					Attached							

^{*} Attach Additional Sheets If Necessary

bp



BP America Production Company 200 Energy Court Farmington, NM 87401

September 11, 2017

Bureau of Land Management Whitney Thomas 6251 College Suite A Farmington, NM 87402

VIA EMAIL

Re: Notification of plans to close/remove a below grade tank

Well Name: NEBU 006 API #: 3003907770

Dear Mrs. Thomas,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about September 14, 2017. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required please contact me for a specific time (505)-326-9497.

Sincerely,

Steven Moskal

BP America Production Company

From:

Garifalos, Erin

To:

Buckley, Farrah (CH2M HILL); Smith, Cory, EMNRD; Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us);

brandon.powell@state.nm.us

Cc:

jeffcblagg@aol.com; blagg njv@yahoo.com; Moskal, Steven

Subject: Date: RE: BP Pit Close Notification - NEBU 006 Wednesday, September 13, 2017 4:32:00 PM

For clarification, NEBU 6 and NEBU 345 share a location. The removal of those BGTs is scheduled for tomorrow (9/14) at 11AM.

Thanks

Erin

Erin Garifalos

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying, disclosure or distribution of this email and any attachments is prohibited.

From: Buckley, Farrah (CH2M HILL)

Sent: Monday, September 11, 2017 2:49 PM

To: Smith, Cory, EMNRD; Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us);

brandon.powell@state.nm.us

Cc: jeffcblagg@aol.com; blagg_njv@yahoo.com; Moskal, Steven; Garifalos, Erin

Subject: BP Pit Close Notification - NEBU 006

BP America Production Company

200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: <u>CORY.SMITH@STATE.NM.US</u>; <u>VANESSA.FIELDS@STATE.NM.US</u>

September 11, 2017

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

NEBU 006

API 30-039-07770 Section 29- T30N - R07W San Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 25bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around September 14, 2017.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Steven Moskal BP Field Environmental Coordinator

(505) 326-9497

Farrah Buckley BGT Project Support 970-946-9199 -cell

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

				- CANCEL										
DD.		API# 3003930315												
CLIENT: DP	P.O. BOX 87, BLOOMFIELD, NM 874	113	/	0010										
`	(505) 632-1199		TANK ID (if applicble):	A										
FIELD REPORT:	(circle one): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER:		PAGE #: 1	of 1										
SITE INFORMATION	SITE INFORMATION: SITE NAME: NEBU # 345													
		NM	DATE STARTED: 09	/14/17										
	STRIKE		ENVIRONMENTAL SPECIALIST(S):	NJV										
REFERENCE POINT	: WELL HEAD (W.H.) GPS COORD.: 36.786506 X 10	7.589152	GL ELEV.:	6,341'										
1)80 BGT (DW/DB)	GPS COORD.: 36.785491 X 107.589648	DISTANCE/BEAL	RING FROM W.H.: 145.5'	, S88W										
2)	GPS COORD.:	DISTANCE/BEAL	RING FROM W.H.:											
3)	GPS COORD.:	DISTANCE/BEAL	RING FROM W.H.:											
4)	GPS COORD.:	DISTANCE/BEAL	RING FROM W.H.:											
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # OR LAB USED:			OVM READING										
	1 1/ The las	801	15B/8021B/300.0 (CI)	(ppm) 0.3										
	•		,											
3) SAMPLE ID:	SAMPLE DATE:SAMPLE TIME: LAB ANALY	SIS:												
SOIL DESCRIPTION	SOIL TYPE: SAND SILTY SAND SILT / SILTY CLAY / CLAY / GRAVEL OTHE	R BEDRO	CK (SANDSTONE)											
				GHLY PLASTIC										
			STIFF / VERY STIFF / HARD											
		ATION -												
		NO EXPLAN	NATION -											
DISCOLORATION/STAINING OBSERVED: YES														
SITE OBSERVATION	LOST INTEGRITY OF EQUIPMENT: YES NO EXPLANATION -													
		VEE DAGE I	WINDLESS DELOW DO	,										
EXCAVATION DIMENSION ESTIMATION		VATION EST	TIMATION (Cubic Yards) :	NA										
DEPTH TO GROUNDWATER: >100'	EAREST WATER SOURCE: >1,000' NEAREST SURFACE WATER: <1,00	00' NMOC	CD TPH CLOSURE STD: 1	,000 ppm										
SITE SKETCH	BGT Located : off on site PLOT PLAN circle: atta	ached	CALIB. READ. = 100.0	ppm RF =1.00										
		♦ OVM	CALIB. GAS = 100	ppm										
		TIME	: 11:40 am/pm DATE: _	09/14/17										
DDOD	(circle one): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER: CIRCLE ONE): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER: CIRCLE ONE): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER: CIRCLE ONE): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER: CIRCLE ONE): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER: CIRCLE ONE): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER: CIRCLE ONE): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER: CIRCLE ONE): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER: CIRCLE ONE): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER: CIRCLE ONE): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER: CIRCLE ONE): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER: CIRCLE ONE): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER: CIRCLE ONE): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER: CIRCLE ONE): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER: CIRCLE ONE): BGT CONFIRMATION / PM. STATE / STATE		MISCELL. NO	TES										
		l va	/O:	7120										
	BERM	_	EF#: P-898											
PROT			ID: VHIXONEV1	1										
	+ > (x x x) TO		J#:											
B.G.	SEPARATOR W.H.			12/08										
				20/09										
		Tan	nk OVM = Organic Vapor I	Meter										
	L. AA.	A												
	V		BGT Sidewalls Visible: Y											
NOTES: RGT = RELOW/GRADE TANK: F.D. = FYCA//ATI			BGT Sidewalls Visible: Y	/ N										
T.B. = TANK BOTTOM; PBGTL = PREVIOUS BEL	OW-GRADE TANK LOCATION; SPD = SAMPLE POINT DESIGNATION; R.W. = RETAINING WALL; NA-		lagnetic declination: 1	0°E										
NOTES: GOOGLE EARTH IMAG	ERT DATE: 10/5/2016. ONSITE: 09/14/17													

Analytical Report

Lab Order 1709819

Date Reported: 9/18/2017

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Client Sample ID: 5PC-TB @ 4' (80)

Project: NEBU #345

Collection Date: 9/14/2017 11:42:00 AM

Lab ID: 1709819-001 Matrix: SOIL

Received Date: 9/15/2017 7:30:00 AM

Analyses	Result	PQL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst:	MRA
Chloride	ND	30	mg/Kg	20	9/15/2017 11:02:17 AM	33887
EPA METHOD 8015M/D: DIESEL RANG	E ORGANICS	3			Analyst:	TOM
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	9/15/2017 11:30:13 AM	33883
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	9/15/2017 11:30:13 AM	33883
Surr: DNOP	86.4	70-130	%Rec	1	9/15/2017 11:30:13 AM	33883
EPA METHOD 8015D: GASOLINE RANG	GE				Analyst:	NSB
Gasoline Range Organics (GRO)	ND	3.2	mg/Kg	1	9/15/2017 8:16:29 PM	33871
Surr: BFB	97.6	54-150	%Rec	1	9/15/2017 8:16:29 PM	33871
EPA METHOD 8021B: VOLATILES					Analyst:	NSB
Benzene	ND	0.016	mg/Kg	1	9/15/2017 8:16:29 PM	33871
Toluene	ND	0.032	mg/Kg	1	9/15/2017 8:16:29 PM	33871
Ethylbenzene	ND	0.032	mg/Kg	1	9/15/2017 8:16:29 PM	33871
Xylenes, Total	ND	0.063	mg/Kg	1	9/15/2017 8:16:29 PM	33871
Surr: 4-Bromofluorobenzene	106	66.6-132	%Rec	1	9/15/2017 8:16:29 PM	33871

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank
- E Value above quantitation range
- Analyte detected below quantitation limits Page 1 of 5 J
- Sample pH Not In Range
- Reporting Detection Limit
- Sample container temperature is out of limit as specified

							2		_															
The same and a second	7		C1/41/2								4/14/17	Date	☐ EDD (Type)	□ NELAP	Accreditation:	Standard	QA/QC Package:	email or Fax#:	Phone #:		Mailing Address:		CHELL	
If monopon	1963	Time:	5	Time:							1(42	Time	ype)		ion:	ard	kage:	ax#:			ddress:		BLAG	nain-c
200000	Phase.	Polinguie	D	Relinquished by:							SOIL	Matrix		□ Other					(505) 6	BLOOM	P.O. BOX 87		G ENGR	of-Cu
submitted to Hall Environmental may be	nd best	had hu	And I	hed by:							5PC-TB @ 4€*(80)	Sample Request ID		er		Level 4 (Full Validation)			(505) 632-1199	BLOOMFIELD, NM 87413	OX 87		BLAGG ENGR. / BP AMERICA	Chain-of-Custody Record
adhood bothoodus	Man	Backivari hw	21	Received by:							4 02 1	Container Type and #	Sample Temperature	On lice	Sampler:			Project Manager:		Project #:		Project Name:	☐ Standard	Turn-Around Time:
r accredited (aboratoria	D		hot a								Cool	Preservative Type	rerature /	X Yes	NELSON VELEZ	MELSON VELEX	NEI SON V	ger:			NEBU #345		☑ Rush	Time:
This serves as notice of	20	Data Time		Date Time							200	HEALNO TUONS IN	1	No	LEZ NY	167	1 67				45		DAY	SAME
thie n	Ref	0		Rem							4	BTEX + MTB	E+	TME	/s (8	021	3)							
neeihi	Reference #	CONTACT:		Remarks:								BTEX + MTB	E +	ТРН	(Gas	onl	y)			Te	49			
A	Ce #	5									4	TPH 8015B (GRO)/0	ORO ,	/ MR	(O)			1. 50	요			
dies w	, ,	ERIT	& RE	E								TPH (Meth	od 4	418	.1)					15-3	awk		•	T
3	P 2	GA	EREN	XREC.								EDB (Meth	od	504	.1)				à î	Tel. 505-345-3975	4901 Hawkins NE	*	Z	>
hathe	10: VIIXONEVII	RIFA	CE#	דאדו								PAH (8310	or	827	OSIA	/IS)	_		Þ	975	Æ,	w.ha	2	F
u chah	'	COS	WHEN	BP								RCRA 8 Me	tals	5					nal	_		llen	3	П
1		ERIN GARIFALOS / VANCE HIXON	& REFERENCE # WHEN APPLICABLE:	BILL DIRECTLY TO BP USING THE CONTACT WITH CORRESPONDING VID								Anions (F,C	I,N	03,1	1O ₂ ,	PO ₄ ,	SO ₄)	Analysis Request	Fax 505-345-4107	Albuquerque, NM 87109	www.hallenvironmental.com	NALYSIS	ENVIRONMENTAL
dearhy		NCE	LICAR	末								8081 Pesti	cide	s/	808	2 PC	B's		Req	505-	erqu	nme		Ä
notate		HIXC	Ë	NO.								8260B (VO	A)						nes	345-	ie, N	ntal.	A	Õ
3		Ž		S								8270 (Semi	i-VC	A)	, .				m+	410	N	com	Ö	Z
חם מחו				HE							٧	Chloride (soi	il - 3	0.00	/ wa	ter -	300.	1)		7	710	_	LABORATORY	M
alvilica				ORRE																	9		7	Z
ronor				SPON			-					Grab samp											S	\geq
1				DING.							۷	5 pt. comp	osit	e sa	mp	le		_					7	Γ,
				S								Air Bubbles	(Yo	rN)										

Turn-Around Time:

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#:

1709819

18-Sep-17

Client:

6 2

Blagg Engineering

Project:

NEBU #345

Sample ID MB-33887

SampType: mblk

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 33887

RunNo: 45653

Prep Date: 9/15/2017

Analysis Date: 9/15/2017

SeqNo: 1450188

Units: mg/Kg

RPDLimit

Analyte Chloride

Result ND

PQL SPK value SPK Ref Val %REC LowLimit 1.5

HighLimit

%RPD

Qual

Sample ID LCS-33887

Batch ID: 33887

RunNo: 45653

TestCode: EPA Method 300.0: Anions

Client ID: Prep Date:

9/15/2017

LCSS

SampType: Ics

SeqNo: 1450189

Units: mg/Kg

%RPD

Analyte

Analysis Date: 9/15/2017

SPK value SPK Ref Val %REC

93.5

HighLimit

RPDLimit

Chloride

14

PQL

1.5

15.00

110

Qual

Qualifiers:

H

PQL

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

ND Not Detected at the Reporting Limit

Practical Quanitative Limit % Recovery outside of range due to dilution or matrix

Holding times for preparation or analysis exceeded

J

Analyte detected in the associated Method Blank Value above quantitation range

Page 2 of 5

P Sample pH Not In Range

Reporting Detection Limit RL Sample container temperature is out of limit as specified

Analyte detected below quantitation limits

QC-SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#:

1709819

18-Sep-17

Client:

Blagg Engineering

Project:

NEBU #345

Sample ID LCS-33883 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 33883 RunNo: 45642 Prep Date: 9/15/2017 Analysis Date: 9/15/2017 SeqNo: 1448860 Units: mg/Kg %REC %RPD **RPDLimit** Analyte Result PQL SPK value SPK Ref Val LowLimit HighLimit Qual Diesel Range Organics (DRO) 45 10 50.00 0 90.7 73.2 114 Sur: DNOP 3.8 5.000 75.5 70 130

Sample ID MB-33883	SampT	ype: ME	BLK	Tes	tCode: E	PA Method	8015M/D: Di	esel Rang	e Organics	
Client ID: PBS	Batci	1D: 33	883	F	RunNo: 4	5642				
Prep Date: 9/15/2017	Analysis D)ate: 9/	15/2017	\$	SeqNo: 1	448861	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10					•		•	
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	7.6		10.00		76.2	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 3 of 5

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

QC-SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#:

1709819

18-Sep-17

Client:

Blagg Engineering

Project:

NEBU #345

Sample ID MB-33871

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

Client ID:

PBS

Batch ID: 33871

RunNo: 45651

SeqNo: 1449668

Prep Date: 9/14/2017

Analyte

Analysis Date: 9/15/2017

Units: mg/Kg

HighLimit

150

%RPD

Qual

Gasoline Range Organics (GRO)

Result PQL ND 5.0

1100

1000

105

54

RPDLimit

Surr: BFB Sample ID LCS-33871

SampType: LCS Batch ID: 33871

PQL

TestCode: EPA Method 8015D: Gasoline Range

%REC

RunNo: 45651

LowLimit

LowLimit

125

150

Client ID: LCSS Prep Date: 9/14/2017

Analysis Date: 9/15/2017

SeqNo: 1449669

Units: mg/Kg HighLimit

%RPD

RPDLimit Qual

Analyte

Result

SPK value SPK Ref Val

0

SPK value SPK Ref Val %REC

114 114

76.4 54

28 5.0 25.00 Gasoline Range Organics (GRO) Surr: BFB 1100 1000

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit ND

Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix

В Analyte detected in the associated Method Blank

Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

Reporting Detection Limit

Sample container temperature is out of limit as specified

Page 4 of 5

QC•SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#:

RPDLimit

RPDLimit

1709819

18-Sep-17

Qual

Qual

Client:

Blagg Engineering

Project:

NEBU #345

Sample ID MB-33871

SampType: MBLK

TestCode: EPA Method 8021B: Volatiles

Client ID: **PBS**

Batch ID: 33871

RunNo: 45651

SPK value SPK Ref Val %REC LowLimit

Prep Date: 9/14/2017

Analysis Date: 9/15/2017

SeqNo: 1449704

Units: mg/Kg

%RPD

%RPD

HighLimit

PQL Analyte Result Benzene ND 0.025 ND 0.050 Toluene

Ethylbenzene ND 0.050 Xylenes, Total ND 0.10 1.2

Surr: 4-Bromofluorobenzene Sample ID LCS-33871

SampType: LCS

117

66.6 132

Client ID:

LCSS

Batch ID: 33871

RunNo: 45651

TestCode: EPA Method 8021B: Volatiles

Prep Date: 9/14/2017

Analysis Date: 9/15/2017

SeqNo: 1449705

Units: mg/Kg

					3		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit
Benzene	1.1	0.025	1.000	0	114	80	120
Toluene	1.1	0.050	1.000	0	111	80	120
Ethylbenzene	1.1	0.050	1.000	0	114	80	120
Xylenes, Total	3.5	0.10	3.000	0	116	80	120
Surr: 4-Bromofluorobenzene	1.2		1.000		118	66.6	132

1.000

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- Holding times for preparation or analysis exceeded H
- ND Not Detected at the Reporting Limit
- Practical Quanitative Limit **PQL**
- % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank В
- E Value above quantitation range
- Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- Sample container temperature is out of limit as specified

Page 5 of 5



A 27

Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107

Sample Log-In Check List

LABORATORY	Website: www.ha	Website: www.hallenvironmental.com			
Client Name: BLAGG	Work Order Number:	1709819		RcptNo:	1
Received By: Anne Thome	9/15/2017 7:30:00 AM		Aone Show	_	
Completed By: Anne Thorne	9/15/2017 8:04:25 AM		Om. M.	_	
Reviewed By: ENH	9/15/17		come from		
, C.O.				OII	CONS. DIV DIS
Chain of Custody				OIL	
1. Custody seals intact on sample bottl	es?	Yes	No 🗆	Not Present ✓	NOV 16 2017
2. Is Chain of Custody complete?			No 🗌	Not Present	
3. How was the sample delivered?		Courier			
Log In					
4. Was an attempt made to cool the sa	Yes 🗹	No 🗆	NA 🗆		
5. Were all samples received at a temp	perature of >0° C to 6.0°C	Yes 🗹	No 🗆	NA 🗆	
6 Complete in access contained (a)		Yes 🗹	No 🗆		
6. Sample(s) in proper container(s)?		163			
7. Sufficient sample volume for indicate	ed test(s)?	Yes 🗹	No 🗌		
8. Are samples (except VOA and ONG)	Yes 🗸	No 🗆			
9. Was preservative added to bottles?		Yes	No 🗹	NA 🗆	
10.VOA vials have zero headspace?		Yes	No 🗆	No VOA Vials	
11. Were any sample containers received broken?		Yes	No 🗹		
				# of preserved bottles checked	
12. Does paperwork match bottle labels		Yes 🗸	No 🗆	for pH:	r >12 unless noted)
(Note discrepancies on chain of custody) 13. Are matrices correctly identified on Chain of Custody?		Yes 🗸	No 🗆	Adjusted?	1 > 12 unless noted)
13. Are matrices correctly identified on C 14. Is it clear what analyses were request		Yes 🗸	No 🗆		
15. Were all holding times able to be me		Yes 🗹	No 🗆	Checked by:	
(If no, notify customer for authorization				_	
Special Handling (If applicable)					
16. Was client notified of all discrepancie	es with this order?	Yes	No 🗆	NA 🗹	
Person Notified:	Date				
By Whom:	Via: [eMail	Phone Fax	In Person	
Regarding:				STATE OF THE PARTY	
Client Instructions:	entimente, ante-montre com page de page français que cantidad de pagiante d'adit au ant lis-				
17. Additional remarks:					
18. Cooler Information					
Cooler No Temp °C Condition	on Seal Intact Seal No S	Seal Date	Signed By		
1 1.4 Good	Yes				



