District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144 Revised April 3, 2017

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

<u>Pit, Below-Grade Tank, or</u> <u>Proposed Alternative Method Permit or Closure Plan Application</u>

any ironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances I
Pit: Subsection F, G or J of 19.15.17.11 NMAC Temporary: Drilling Workover Drilling Workover Low Chloride Drilling Fluid yes no Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other String-Reinforced Volume: bbl Dimensions: L x W x D Dimensions: L
Below-grade tank: Subsection I of 19.15.17.11 NMAC TANK A
Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. 5. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC	
Variances and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
9. <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC <i>Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below.</i> Siting criteria does not apply to drying pads or above-grade tanks.	ptable source
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. - □ NM Office of the State Engineer - iWATERS database search; □ USGS; □ Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	☐ Yes ☐ No
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300 feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No

Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit Non-low chloride drilling fluid	
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Permanent Pit or Multi-Well Fluid Management Pit	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:	NMAC 15.17.9 NMAC
11.	
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:	15.17.9 NMAC

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	documents are
 ☐ Climatological Factors Assessment ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Quality Control/Quality Assurance Construction and Installation Plan 	
 □ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC □ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC □ Nuisance or Hazardous Odors, including H₂S, Prevention Plan □ Emergency Response Plan □ Oil Field Waste Stream Characterization □ Monitoring and Inspection Plan 	
☐ Erosion Control Plan ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F Alternative Proposed Closure Method: Waste Excavation and Removal	luid Management Pit
Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial Alternative Closure Method	
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. In 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ 162 ☐ N0

adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	Yes No
Within a 100-year floodplain FEMA map	Yes No
16.	
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17. Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cann Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	11 NMAC 15.17.11 NMAC
17. Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believes	ef.
Name (Print): Title:	
Signature	
e-mail address: Date: Telephone:	
18. OCD Approval: Permit Application (including closure plan) Closure Plan (only) COCD Conditions (see attachment) OCD Representative Signature: Approval Date:	Clark
Title: Environmental accident OCD Permit Number:	slag t
N . I I So I al	
Title: OCD Permit Number: 19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	complete this

22.	
Operator Closure Certification:	
	his closure report is true, accurate and complete to the best of my knowledge and
belief. I also certify that the closure complies with all applicable closure	are requirements and conditions specified in the approved closure plan.
Name (Print): Erin Garifalos	Title: Field Environmental Coordinator
van garifialos	
Signature:	Date: November 17, 2017
e-mail address: erin.garifalos@bp.com	Telephone: (832) 609-7048

BP AMERICA PRODUCTION COMPANY SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

JACQUES LS 001 A

API No. 3004522427

Unit Letter P Section 29 T 31N R 09W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.

Notice is attached.

2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice was provided and is attached.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for recycling.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	21 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	10	< 0.017
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.067
TPH	US EPA Method SW-846 418.1 or 8015 extended	100	<48
Chlorides	US EPA Method 300.0 or 4500B	620	<30

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled for chloride, TPH and BTEX with all concentrations below the stated limits. The field report and laboratory reports are attached.

7. BP shall notify the division District III office of its results on form C-141.

C-141 is attached.

8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results indicate a release has not occurred. Attached is a laboratory report and C-141.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

Sampling results indicate a release has not occurred. Attached is a laboratory report and field report.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area has been backfilled. The location will be reclaimed once the well is plugged and abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area has been backfilled. The location will be reclaimed once the well is plugged and abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area has been backfilled. The location will be reclaimed once the well is plugged and abandoned.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

The area has been backfilled. The location will be reclaimed once the well is plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

The area has been backfilled. The location will be reclaimed once the well is plugged and abandoned.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

BP did not meet the 60 closure completion requirement due to an error in internal tracking. Closure report on C-144 form is included including photos of reclamation completion.

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised April 3, 2017

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

			Rele	ease Notific	cation	and Co	orrective A	ction	l				
						OPERA	ГOR		Initial	al Report		Final 1	Repor
Name of Co	mpany BP	America Produc	tion Compa	ny		ContactErin	Garifalos						
		t, Farmington, N	M 87401				Vo. (832) 609-7048						
Facility Na	ne JACQUE	S LS 001 A				Facility Typ	e: Natural Gas We	II					
Surface Ow	ner: Federa	I		Mineral C)wner:	Federal			API No	.3004522427			
				LOCA	ATIO	N OF RE	LEASE						
Unit Letter	Section	Township	Range	Feet from the		South Line	Feet from the	East/V	West Line	County			
Р	29	31N	09W	850	Sou	uth	900	Eas	st	S	San	Ju	an
			Latitud	36.864441	L	ongitude1	07.798072	NAD	83				
				NAT	URE	OF REL							
Type of Rele	ase:: none	9					Release: unknow Hour of Occurrence			Recovered::			
Source of Re	belo	w grade ta	nk - 21	bbl		n/a	iour of Occurrence	se:	n/a	Hour of Dis	covery.		
Was Immedi		Given?		No Not Re	equired	If YES, To	Whom?						
By Whom?			100	110 🖂 110111	equired	Date and H	Jour		-				
Was a Water	course Read	ched?					olume Impacting t	the Wate	ercourse.				
			Yes] No									
Describe Cau	ise of Probl	em and Reme	dial Action	Samı Soil a	analys	sis resulte	beneath the d for Chloric Field reports	des, B	TEX, ar	nd TPH b	elow	BGT	
Describe Are	a Affected	and Cleanup A	Action Tak	No actio		essary. F on is requ	inal laborato	ory ar	nalysis d	determin	ed no	0	
regulations a public health should their or or the enviro	Il operators or the environment. In a	are required tronment. The nave failed to	o report ar acceptance adequately OCD accep	is true and comp ad/or file certain r se of a C-141 repo investigate and r stance of a C-141	elease no ort by the emediate	otifications a e NMOCD m e contaminati	nd perform correct arked as "Final R on that pose a thr	ctive acti eport" d eat to gr	ons for rele oes not reli ound water	eases which eve the oper , surface wa	may en ator of ter, hur	danger liability man hea	,
l	vin a	wihale	24				OIL CON	SERV	ATION	DIVISIO	N		
Signature:	0	wifale				Annroyed by	Environmental S	necialist					
Printed Name	Erin G	arifalos				rapproved by	Environmental 5	pecialist	•				
		onmenta		rdinator		Approval Dat	te:]	Expiration l	Date:			
E-mail Addre	ess: erin.	garifalos	@bp.	com		Conditions of	Approval:			Attached			
Date: Nover		017 ets If Necess		(832) 609-7048									

bp



BP America Production Company 200 Energy Court Farmington, NM 87401

September 14, 2017

Bureau of Land Management Whitney Thomas 6251 College Suite A Farmington, NM 87402

VIA EMAIL

Re: Notification of plans to close/remove a below grade tank

Well Name: JACQUES LS 001A

API#: 3004522427

Dear Mrs. Thomas,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about September 19, 2017. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required please contact me for a specific time (505)-326-9497.

Sincerely,

Steven Moskal

BP America Production Company

Garifalos, Erin

From:

Buckley, Farrah (CH2M HILL)

Sent:

Friday, September 15, 2017 11:51 AM

To:

'Smith, Cory, EMNRD'; 'Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us)';

'brandon.powell@state.nm.us'

Cc:

'jeffcblagg@aol.com'; 'blagg_njv@yahoo.com'; Moskal, Steven; Garifalos, Erin

Subject:

BP Pit Close Notification - JACQUES LS 001A

BP America Production Company

200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: CORY.SMITH@STATE.NM.US; VANESSA.FIELDS@STATE.NM.US

September 15, 2017

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

JACQUES LS 001A API 30-045-22427 (P) Section 21– T31N – R09W San Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 21bbl BGT and a 95bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around September 19, 2017.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Steven Moskal

BP Field Environmental Coordinator

(505) 326-9497

Farrah Buckley
BGT Project Support
970-946-9199 -cell

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

CHENT: BP				API#: 300452	2427					
CLIENI.			1410177.0	TANK ID (if applicble):	Α					
FIELD REPORT:	FIELD REPORT: (circle one): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER:									
SITE INFORMATION	I: SITE NAME: JACC	UES LS #1A		DATE STARTED: 09	/18/17					
QUAD/UNIT: P SEC: 29 TWP:	31N RNG: 9W P	PM: NM CNTY: S	SJ ST: NM	DATE FINISHED:						
		STOIK	E	ENVIRONMENTAL SPECIALIST(S):	JCB					
				GI FI FV:	6 244'					
2)										
3)										
4)	GPS COORD.:		DISTANCE/BEA	RING FROM W.H.:						
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S)	# OR LAB USED:	ALL		OVM READING					
	<u>2</u> 7' SAMPLE DATE: 09			15B/8021B/300.0 (CI)	0.0					
COHESION (ALL OTHERS): NON COHESIVE SLIGHTLY CONSISTENCY (NON COHESIVE SOILS): LC MOISTURE: DRY (SLIGHTLY MOIST) MOIST / W SAMPLE TYPE: GRAB (COMPOSITE) #	Y COHESIVE / COHESIVE / HIGHLY COHESI OOSE FIRM / DENSE / VERY DENSE JET / SATURATED / SUPER SATURATED OF PTS. 5	DENSITY (COHESIVE CLAY SE HC ODOR DETECTED: YES D	YS & SILTS): SOFT / FIRM /	STIFF / VERY STIFF / HARD	GHLY PLASTIC					
		ENT: YES NO EXPLANATION -								
APPARENT EVIDENCE OF A RELEASE OBSERVE	ED AND/OR OCCURRED : YES NO E									
		N SAMDI ING								
OTHER: NINIOCD OR BLIN NOT FILEDLIN	TO WITNESS CONTINUATION	Y SAMPLING.								
EXCAVATION DIMENSION ESTIMATION:				, ,	NA					
	EAREST WATER SOURCE: >1,0	00' NEAREST SURFACE WA	ATER: <1,000' NMOC	CD TPH CLOSURE STD:	100 ppm					
SITE SKETCH	BGT Located: off on	site PLOT PLAN	circle: attached 0\M	1 CALIB. READ. = 100.1	.ppm RF =1.00					
			↑ own	I CALIB. GAS = 100	ppm					
RERM	/	(N TIME	: 12:45 am/pm DATE: _	09/18/17					
4		\		MISCELL, NO	TES					
7	X X X X	T.	l v		,,					
		BERM	_							
1	(21)-A PROD.		-		2					
	PBGTL TANK		-							
1	B.G.				10/10					
			0	OCD Appr. date(s): 02/	17/16					
FIELD REPORT: (circle one): BGT CONFIRMATION! RELEASE INVESTIGATION / OTHER PAGE # 1 or 1 DATE STRING: OTHER PAGE # 1 or 1 DATE STRING: OP9/18/17 DATE PINSHED: OP9/18										
		*****	_A	BGT Sidewalls Visible: Y	/N					
P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199 PAGE # 1 of 1 DATE STATED O9/18/17 DATE STATED OF ONLY OF										
			PROX.; W.H. = WELL HEAD;							
			AINING WALL; NA - NOT	Magnetic declination: 1	0°E					
			/18/17							

Analytical Report

Lab Order 1709995

Date Reported: 9/21/2017

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Client Sample ID: 21 BGT 5-pt @ 7'

Project: Jacquez LS 1A

Collection Date: 9/18/2017 1:12:00 PM

Lab ID: 1709995-002

Matrix: SOIL

Received Date: 9/19/2017 8:45:00 AM

Analyses	Result	PQL Q	ual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	MRA
Chloride	ND	30	mg/Kg	20	9/19/2017 12:31:06 PM	33942
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS	6			Analyst	TOM
Diesel Range Organics (DRO)	ND	9.5	mg/Kg	1	9/19/2017 12:48:58 PM	33938
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	9/19/2017 12:48:58 PM	33938
Surr: DNOP	91.7	70-130	%Rec	1	9/19/2017 12:48:58 PM	33938
EPA METHOD 8015D: GASOLINE RANG	E				Analyst	NSB
Gasoline Range Organics (GRO)	ND	3.4	mg/Kg	1	9/19/2017 11:23:26 AM	G45720
Surr: BFB	98.4	54-150	%Rec	1	9/19/2017 11:23:26 AM	G45720
EPA METHOD 8021B: VOLATILES					Analyst:	NSB
Benzene	ND	0.017	mg/Kg	1	9/19/2017 11:23:26 AM	B45720
Toluene	ND	0.034	mg/Kg	1	9/19/2017 11:23:26 AM	B45720
Ethylbenzene	ND	0.034	mg/Kg	1	9/19/2017 11:23:26 AM	B45720
Xylenes, Total	ND	0.067	mg/Kg	1	9/19/2017 11:23:26 AM	B45720
Surr: 4-Bromofluorobenzene	110	66.6-132	%Rec	1	9/19/2017 11:23:26 AM	B45720

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 2 of 6
- P Sample pH Not In Range
- RL Reporting Detection Limit
 - Sample container temperature is out of limit as specified

	nain-	-ot-Cu	stody Record	Turn-Around	Time:	SAME DAY	١,			ы	ALI	-	NV	TE	20	DI B	A E	NT	'AI	
Client:	BP AV	KERICA		☐ Standard	Rush	SAME DAT		14			NA									-
F	3 Alda	EdG.	EEDIE INC	Project Name	:		7 6		7.		ww.ha								,,,	•
Mailing	Address	:	HOME LOVE	JACE	QUEZ LS	5 1A		40	04.11								400			
				Project #:			-				s NE		-							
Phone	H. E(1)	5 - 77	0-1187				12.5	16	91. 50	5-345	5-3975	Anal	Fax	10000				100	W 100	3.11
email o		5 54	0-1183	Project Mana	nor.			2	<u> </u>	7		l		Req	ues				7	
	Package:			1	-		(8021)	onl	MRC				SO,	S.						
□ Stan	_		☐ Level 4 (Full Validation)	ERI	N GAR	<i>IFALOS</i>	(80	TPH (Gas only)	/ DRO / MRO)		SIMS)		Anions (F,CI,NO ₃ ,NO ₂ ,PO ₄ ,SO ₄)	PCB						
Accredi				Sampler: J	FEF E	BLAGO	10	H H	/ DR				102,1	8082						_
O NEL	AP	☐ Othe	r		Yes	□ No →	T T	+	20	18	04.1)		3,7	_		8				Z
□ EDD	(Type)			Sample Tem		1-6=		MTBE	(G	bd 4	od 5	stals	N,K	ides	(A	9	00			2
				ATO91(9) Container) Dragge setime		N A	Σ	8015B (GRO	TPH (Method 418.1)	EDB (Method 504.1) PAH's (8310 or 8270	RCRA 8 Metals	(F,C	8081 Pesticides	8260B (VOA)	8270 (Semi-VOA)	CHURIORS			Air Bubbles (Y or N)
Date	Time	Matrix	Sample Request ID	Type and #	Preservative Type	HEAL No.	×	X	1 80	<u>S</u>	3 (N	R	suc	1 Pe	0B	s) 0	7			Rib
,				MroHk.		1709995	BTEX	BTEX	TPH	효	ED ED	S	Anic	808	826	827	Ĭ			Air
18/100	1702	3011	95 BET (C.S.	10221		-(1)	X		X								V			
4	1312	1/	21 Bit 87	11	11	~07			X								X		\top	+
	13.0		3-70-10-1			-02	7			\neg									+	+
							+	\vdash		+	+		-		_				+	+
							+			+	-	-	-					-	+	+
_							+	\vdash	-	+	+	\vdash	-		_		\vdash	_	+	+
							-			-	_	\vdash	-		_		\vdash	\rightarrow	+	+
										_	_	-	-		_			\rightarrow	_	+
												\perp	_		_				_	\perp
							_					_							\perp	
Date:	Time:	Relinquish	ed by:	Received by:		Date Time		mark	s: Z	ill	BP		2.0	,	,0					
Pers	1407	My	1 0049	Mysa	DE .	140 TOT 140	7				tet:						FA	US.		
Date:	Time:	Relinquish		Received by:	/	Pate 097 ime 117	7				VH	_			52					
9/18/17	1826	100	W/ N Chabo	1 Ch	in -	1 0845	-		l	EF	·F	- (68	7						

Hall Environmental Analysis Laboratory, Inc.

WO#:

1709995

21-Sep-17

Client:

Blagg Engineering

Project:

Jacquez LS 1A

Sample ID MB-33942

SampType: mblk

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 33942

RunNo: 45725

HighLimit

Prep Date: 9/19/2017

Analysis Date: 9/19/2017

SeqNo: 1453030

SPK value SPK Ref Val %REC LowLimit

Units: mg/Kg

%RPD

%RPD

RPDLimit

Qual

Analyte Chloride

Result

PQL ND

SampType: Ics

1.5

TestCode: EPA Method 300.0: Anions

Client ID:

LCSS

Sample ID LCS-33942

Batch ID: 33942

PQL

RunNo: 45725

Prep Date: 9/19/2017

Analysis Date: 9/19/2017

SeqNo: 1453031

Units: mg/Kg

RPDLimit

Qual

Analyte

SPK value SPK Ref Val %REC

94.8

Chloride

14

1.5

15.00

HighLimit 110

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix
- Η Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank
- Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- Reporting Detection Limit
- Sample container temperature is out of limit as specified

Page 3 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#:

1709995

21-Sep-17

Client:

Blagg Engineering

Project:

Jacquez LS 1A

Sample ID MB-33938	SampT	уре: МЕ	BLK	Tes	tCode: El	PA Method	8015M/D: Die	esel Rang	e Organics	
Client ID: PBS	Batch	ID: 339	938	R	RunNo: 4	5710				
Prep Date: 9/19/2017 Analysis Date: 9/19/2017 SeqNo: 1451362 Units: mg/Kg										
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	9.3		10.00		92.9	70	130			

Sample ID LCS-33938	SampType: LCS			TestCode: EPA Method 8015M/D: Diesel Range Organics						
Client ID: LCSS	Batch ID: 33938			RunNo: 45710						
Prep Date: 9/19/2017	Analysis Date: 9/19/2017 SeqNo: 1451448 Units: mg/Kg									
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	47	10	50.00	0	93.1	73.2	114			
Surr: DNOP	4.6		5.000		92.1	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 4 of 6

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1709995

21-Sep-17

Client:

Blagg Engineering

Project:

Jacquez LS 1A

Sample ID RB

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

Client ID:

Batch ID: G45720

RunNo: 45720

Prep Date:

Analysis Date: 9/19/2017

5.0

SeqNo: 1451976

PQL

Units: mg/Kg

Analyte Gasoline Range Organics (GRO) Result ND

%REC LowLimit HighLimit

Qual

Surr: BFB

Sample ID 2.5UG GRO LCS

960

1000

SPK value SPK Ref Val

96 1

150

RPDLimit

SampType: LCS

TestCode: EPA Method 8015D: Gasoline Range

%RPD

%RPD

Client ID: LCSS

Batch ID: G45720

5.0

RunNo: 45720

54

Prep Date:

Analysis Date: 9/19/2017

SeqNo: 1451977 %REC

Units: mg/Kg

Analyte Gasoline Range Organics (GRO) Result PQL

SPK value SPK Ref Val 25.00 0

90.0 76.4

LowLimit

HighLimit 125 **RPDLimit** Qual

Surr: BFB

22 1100

1000

109

54

150

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- **PQL** Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Detection Limit
- Sample container temperature is out of limit as specified

Page 5 of 6

Hall Environmental Analysis Laboratory, Inc.

Result

ND

1.0

WO#:

RPDLimit

RPDLimit

1709995

21-Sep-17

Client: Project:

Prep Date:

Analyte

Blagg Engineering

Jacquez LS 1A

Sample ID RB

SampType: MBLK

TestCode: EPA Method 8021B: Volatiles

Client ID: PBS

Batch ID: **B45720**

Analysis Date: 9/19/2017

PQL

RunNo: 45720 SeqNo: 1451989

SPK value SPK Ref Val %REC LowLimit

Units: mg/Kg

HighLimit

%RPD

Qual

Qual

Benzene ND 0.025 Toluene ND 0.050 Ethylbenzene ND 0.050

Xylenes, Total Surr: 4-Bromofluorobenzene

Client ID: LCSS

Prep Date:

Sample ID 100NG BTEX LCS

SampType: LCS

Batch ID: **B45720**

0.10

TestCode: EPA Method 8021B: Volatiles

RunNo: 45720

103

Analysis Date: 9/19/2017

SeqNo: 1451990

Units: mg/Kg

132

SPK value SPK Ref Val %REC %RPD Analyte Result PQL HighLimit 0.025 1.000 103 80 120 Benzene 1.0 1.000 0 98.0 80 120 0.98 0.050 Toluene 1.000 0 103 80 120 Ethylbenzene 1.0 0.050 3.1 3.000 103 80 120 Xylenes, Total 0.10 1.000 66.6 132 Surr: 4-Bromofluorobenzene 1.1 111

1.000

Qualifiers:

- Value exceeds Maximum Contaminant Level
- Sample Diluted Due to Matrix D
- Holding times for preparation or analysis exceeded H
- ND Not Detected at the Reporting Limit
- Practical Quanitative Limit POL
- % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank
- Value above quantitation range
- Analyte detected below quantitation limits I
 - Sample pH Not In Range
- Reporting Detection Limit
- Sample container temperature is out of limit as specified

Page 6 of 6



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: BLAGG	Work Order Number	1709995	*	RcptNo:	1						
Received By: Anne Thor	me 9/19/2017 8:45:00 AM		aone Am	_							
Completed By: Anne Thor			ane Il-								
Reviewed By:	9/19/17										
Chain of Custody											
1. Custody seals intact on sa	ample bottles?	Yes	No 🗌	Not Present 🗹							
2. Is Chain of Custody comp	elete?	Yes 🗹	No 🗆	Not Present							
3. How was the sample deliv	Courier										
<u>Log In</u>											
4. Was an attempt made to	Yes 🗹	No 🗆	· NA 🗆								
5. Were all samples received	Yes 🗹	No 🗆	NA 🗆								
6. Sample(s) in proper conta	Yes 🗹	No 🗆									
7. Sufficient sample volume	for indicated test(s)?	Yes 🗹	No 🗆								
8, Are samples (except VOA	Yes 🗸	No 🗌									
9. Was preservative added to	Yes	No 🗹	NA 🗆								
10.VOA vials have zero head	Yes 🗌	No 🗆	No VOA Vials								
11. Were any sample contain	Yes	No 🗹	# of preserved								
				bottles checked							
Does paperwork match be (Note discrepancies on ch	Yes 🗹	No L	for pH: (<2 o	r >12 unless noted)							
13. Are matrices correctly idea		Yes 🗹	No 🗆	Adjusted?							
14. Is it clear what analyses w	Yes 🗹	No 🗆									
15. Were all holding times abl	Yes 🗹	No 🗆	Checked by:								
(If no, notify customer for	authorization.)										
Special Handling (if app	olicable)										
16. Was client notified of all d	iscrepancies with this order?	Yes	No 🗆	NA 🗹							
Person Notified:	Date	Della distanti della constanti di	regressivers entrance species (see								
By Whom:	Via: [eMail	Phone Fax	☐ In Person							
Regarding:		MINISTER PROGRAMMENT AND	THE ALL EAST OF THE ALL DESIGNATION OF THE AL	COLUMN DESCRIPTION DE LA COLUMN DE C							
Client Instructions:				A CONTRACTOR OF THE PROPERTY O							
17. Additional remarks:											
18. Cooler Information Cooler No Temp °C 1 1.0	Condition Seal Intact Seal No Seal No	Seal Date	Signed By								



