OIL CONS. DIV DIST. 3

Form C-144 Revised April 3, 2017

State of New Mexico

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

District I	State of New Mexico
1625 N. French Dr., Hobbs, NM 88240	Energy Minerals and Natural Resources
District II 811 S. First St., Artesia, NM 88210	Department
District III	Oil Conservation Division
1000 Rio Brazos Road, Aztec, NM 87410 District IV	1220 South St. Francis Dr.
1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM 87505

1 \ 1 \	Propo	sed Alternat	tive Method Pe	rmit or Closure	<u>Plan Applic</u>	ation						
Type of action: Below grade tank registration												
Permit of a pit or proposed alternative method												
	Closure of a pit, below-grade tank, or proposed alternative method											
	☐ Modification to an existing permit/or registration ☐ Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank,											
			n only submitted for	an existing permitted of	or non-permitted	pit, below-grade tank,						
	or proposed alter											
				per individual pit, below								
Please be advised the environment. Nor	hat approval of this redoes approval relieve	quest does not relie the operator of its r	ve the operator of liabilities to comply to	ty should operations result with any other applicable g	in pollution of surf governmental author	face water, ground water or the crity's rules, regulations or ordinances.						
Operator: BP A	merica Productio	on Company		OGRID #: 7	778							
Address: 200 E	nergy Court, Far	mington, NM 87	7401									
	name: LAWSON 0											
			OC	D Permit Number:								
U/L or Otr/Otr	L Sec	ction 10	Township 30N	Range 08W	County: San	Juan						
Center of Propos	ed Design: Latitude	36.82491	_ Township	ongitude -107.66694		NAD83						
			oal Trust or Indian Allo									
2												
☐ Pit: Subsec	etion F, G or J of 19	.15.17.11 NMAC										
	Drilling Workov											
			☐ Multi-Well Fluid N	Management I	ow Chloride Dril	ling Fluid ves no						
				☐ HDPE ☐ PVC ☐ C								
		THICKIESS			, ther							
☐ String-Reinfo				77.1	1 D' I	W - D						
Liner Seams:	Welded Factor	y Other		Volume:bt	ol Dimensions: L	x W x D						
3.												
	etank: Subsection			KA								
Volume: 65	b	bl Type of fluid:	Produced Water									
	on material: Steel											
☐ Secondary c	ontainment with leal	k detection Vi	sible sidewalls, liner, 6	-inch lift and automatic o	verflow shut-off							
☐ Visible side	walls and liner	Visible sidewalls o	nly Other Single	e wall/ Double bottom	; sidewalls not	visible						
			HDPE PVC									
Emer type. The	KIICSS		IIDIE 🗀 I VE 🗀 C	Juici								
4. Alternative I	Mathod:											
				4 - C F- F								
Submittal of an e	exception request is i	required. Exception	ons must be submitted t	to the Santa Fe Environm	ental Bureau offic	e for consideration of approval.						
5.												
Fencing: Subse	ction D of 19.15.17.	11 NMAC (Applies	s to permanent pits, ten	nporary pits, and below-g	rade tanks)							
		strands of barbed	wire at top (Required is	flocated within 1000 feet	of a permanent re	esidence, school, hospital,						
institution or chi		arbad wire averte	spaced between one an	nd four feet								
		anded wife evenly	spaced between one an	id tour reet								
Alternate. Pl	ease specify			-								

Pit, Below-Grade Tank, or



Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)										
Screen Netting Other										
Monthly inspections (If netting or screening is not physically feasible)										
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC										
Variances and Exceptions: Variances and Exceptions Variances: Variance of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.										
9. Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.										
General siting										
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA									
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No									
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality										
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No									
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No									
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	☐ Yes ☐ No									
Below Grade Tanks										
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)										
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No									
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 										
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300 feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									

Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Temporary Pit Non-low chloride drilling fluid										
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
thin 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image										
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Within 300 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Permanent Pit or Multi-Well Fluid Management Pit										
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No									
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:										
11. Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC										
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC										
Previously Approved Design (attach copy of design) API Number: or Permit Number:										

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC										
 □ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC □ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC □ Quality Control/Quality Assurance Construction and Installation Plan □ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC □ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC □ Nuisance or Hazardous Odors, including H₂S, Prevention Plan □ Emergency Response Plan □ Oil Field Waste Stream Characterization □ Monitoring and Inspection Plan □ Erosion Control Plan 										
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC										
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F	luid Management Pit									
Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	Ü									
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC										
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. In 19.15.17.10 NMAC for guidance.										
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No									
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No									
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA									
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No									
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No									
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No									
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance										

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality											
	☐ Yes ☐ No										
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division											
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 											
Within a 100-year floodplain. FEMA map											
16.											
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC											
17. Operator Application Certification:											
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and bel	lief.										
Name (Print): Title:											
Signature: Date:											
e-mail address: Telephone:											
18. OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)											
OCD Representative Signature: Approval Date: 2	7/05/05										
OCD Representative Signature: Approval Date: 217 Title: Constant Specialist OCD Permit Number:	[105]05										
Title: Environmental Specalist OCD Permit Number:	[105]05										
Title: OCD Permit Number: 19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not											
Title: OCD Permit Number: 19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting											
Title: OCD Permit Number: OCD Permit Number:	t complete this										

22.	
Operator Closure Certification:	
	ed with this closure report is true, accurate and complete to the best of my knowledge and
benef. Taiso certify that the closure compiles with all applica	able closure requirements and conditions specified in the approved closure plan.
Name (Print): Erin Garifalos	Title: Field Environmental Coordinator
erin garifialos	
Signature:	Date: December 14, 2017
e-mail address: erin.garifalos@bp.com	Telephone: (832) 609-7048

BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

LAWSON 001R

API No. 3004524973

Unit Letter L Section 10 T 30N R 08W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.

Notice is attached.

2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice was provided and is attached.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for recycling.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	65 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	10	< 0.021
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	<0.083
TPH	US EPA Method SW-846 418.1 or 8015 extended	100	<49
Chlorides	US EPA Method 300.0 or 4500B	620	<30

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled for chloride, TPH and BTEX with all concentrations below the stated limits. The field report and laboratory reports are attached.

7. BP shall notify the division District III office of its results on form C-141.

C-141 is attached.

8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results indicate a release has not occurred. Attached is a laboratory report and C-141.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

Sampling results indicate a release has not occurred. Attached is a laboratory report and field report. The location will be reclaimed when the well is plugged and abandoned.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area has been backfilled and a 105 BBL shallow low profile above-grade tank set atop BGT location. The location will be reclaimed once the well is plugged and abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area has been backfilled and a 105 BBL shallow low profile above-grade tank set atop BGT location. The location will be reclaimed once the well is plugged and abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area has been backfilled and a 105 BBL shallow low profile above-grade tank set atop BGT location. The location will be reclaimed once the well is plugged and abandoned.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover

The area has been backfilled and a 105 BBL shallow low profile above-grade tank set atop BGT location. The location will be reclaimed once the well is plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

The area has been backfilled and a 105 BBL shallow low profile above-grade tank set atop BGT location. The location will be reclaimed once the well is plugged and abandoned.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

Closure report on C-144 form is included including photos of reclamation completion.

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised April 3, 2017 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

			Rele	ease Notific	cation	and Co	rrective A	ction	l						
						OPERA	ΓOR		Initial	al Report		Final Report			
Name of Company BP America Production Company						Contact Erin Garifalos Telephone No. (832) 609-7048									
Address 200 Energy Court, Farmington, NM 87401 Facility Name LAWSON 001R						-	e: Natural Gas Wel	II.							
Surface Ow				Mineral (A DI No	.3004524973					
Surface Ow	ner Federal								APINO	1,3004524973					
II.: A I attan	t Letter Section Township Range Feet from the North/South Line Feet from the East/West Line County _														
Unit Letter	10	30N		2,400	Sou		1,150	We		S	an	Juan			
			Latitud	e 36.82491	L	ongitude1	07.66694	NAD	83						
				NAT	TURE	OF REL	EASE								
Type of Rele	ase:: none						Release:: unkno			Recovered:: N					
Source of Re	lease: belo	w grade ta	nk - 65	bbl		Date and F	lour of Occurrence	e:	Date and n/a	Hour of Disco	overy:				
Was Immedi	ate Notice (Yes 🗸	No □ Not R	equired	If YES, To	Whom?								
By Whom?						Date and H									
Was a Water	course Reac		Yes 🗸	No		If YES, Vo	lume Impacting t	the Wate	ercourse.						
If a Watercon	irse was Im	pacted, Descri	ibe Fully.*	t											
Describe Cau	ise of Proble	em and Remed	dial Action	Sam Soil a	analys	sis resulte	beneath the d for Chlorid Field reports	les, B	TEX, ar	nd TPH be	elow	BGT			
Describe Are	a Affected a	and Cleanup A	Action Tak	en.*		-	" 11 1		1	1 - 1 1	1				
						essary. F on is requ	inal laborato ired.	ory ar	naiysis d	determine	a no				
regulations a public health should their or the enviro	Il operators or the envir operations h nment. In a	are required to conment. The ave failed to a	acceptance acceptance adequately OCD accep	nd/or file certain re te of a C-141 repo investigate and r	release nort by the remediate	otifications are e NMOCD m e contaminati	knowledge and und perform correct arked as "Final Roon that pose a three the operator of the correction of the correctio	etive act eport" de eat to gr	ions for rele loes not reli round water	eases which meeter the operate, surface water	nay end tor of l er, hum	langer iability an health			
Signature:	rain g	orifalo	4				OIL CONS			DIVISION	<u>1</u>				
Printed Nam	Erin G	arifalos				Approved by	Environmental S ₁	pecialis	::						
		onmenta		rdinator		Approval Dat	e:		Expiration 1	Date:					
E-mail Addre	ess: erin.	garifalos	@bp.	com		Conditions of	Approval:			Attached					
Date: Decer				(832) 609-7048											

bp



BP America Production Company 200 Energy Court Farmington, NM 87401

October 16, 2017

Bureau of Land Management Whitney Thomas 6251 College Suite A Farmington, NM 87402

VIA EMAIL

Re: Notification of plans to close/remove a below grade tank

Well Name: LAWSON 001R

API#: 3004524973

Dear Mrs. Thomas,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about October 19, 2017. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required please contact me for a specific time (832)-609-7048.

Sincerely,

Erin Garifalos

BP America Production Company

From:

Buckley, Farrah (CH2M HILL)

To:

Smith, Cory, EMNRD; Fields, Vanessa, EMNRD (Vanessa, Fields@state.nm.us)

Cc: Subject: jeffcblagg@aol.com; blagg_njv@yahoo.com; Garifalos, Erin

Subject: Date: BP Pit Close Notification - LAWSON 001R Monday, October 16, 2017 2:55:49 PM

BP America Production Company

200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: <u>CORY.SMITH@STATE.NM.US</u>; <u>VANESSA.FIELDS@STATE.NM.US</u>

October 16, 2017

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

LAWSON 001R API 30-045-24973 (L) Section 10- T30N - R08W San Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 95bbl BGT and a 21BBL BGT that will no longer be operational at this well site. We anticipate this work to start on or around October 19, 2017.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Erin Garifalos

Field Environmental Coordinator - San Juan

Cell: 832-609-7048

Farrah Buckley BGT Project Support 970-946-9199 -cell

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

CLIENT: BP	API #: 30045 2 TANK ID (if applicble):	24973 A			
FIELD REPORT:	PAGE#: 1	of 1			
SITE INFORMATION	: SITE NAME: LAWSO	N #1R		DATE STARTED: 10	0/19/17
QUAD/UNIT: L SEC: 10 TWP:		NIDE OIL	ST: NM	DATE FINISHED:	
1/4 -1/4/FOOTAGE: 2,400'S / 1,1 LEASE #: NM012711	50'W NW/SW LEASE PROD. FORMATION: MV/DK C	YPE: FEDERAL STATE STRIKE ONTRACTOR: BP-J. GO		ENVIRONMENTAL	NJV
REFERENCE POINT		36.8249		GL ELEV.:	6,242'
1) 65 BGT (SW/DB) - A	GPS COORD.: 36	.82491 X 107.66694	DISTANCE/BEA	ARING FROM W.H.:117.5	5', S84E
2)	GPS COORD.:		DISTANCE/BEA	ARING FROM W.H.:	
3)	GPS COORD.:		DISTANCE/BEA	ARING FROM W.H.:	
4)	GPS COORD.:		DISTANCE/BEA	ARING FROM W.H.:	
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # 0	OR LAB USED: HALL			OVM READING
1) SAMPLE ID: 5PC - TB @ 5' (6	55)-A SAMPLE DATE: 10/19			15B/8021B/300.0 (CI)	(ppm)
2) SAMPLE ID:					
3) SAMPLE ID:					
4) SAMPLE ID: 5) SAMPLE ID:					
SOIL DESCRIPTION SOIL COLOR: MODE		SILT SILTY CLAY / CLAY / GRAV	EL / OTHER		
MOISTURE: DRY SLIGHTLY MOIST / WE SAMPLE TYPE: GRAB (COMPOSITE) # DISCOLORATION/STAINING OBSERVED: YES N	OF PTS5 O EXPLANATION -	ANY AREAS DISPLAYING WETNE	SS: YES NO EXPLA	NATION -	
SITE OBSERVATION APPARENT EVIDENCE OF A RELEASE OBSERVE EQUIPMENT SET OVER RECLAIMED AREA: OTHER: NMOCD OR BLM REPS. NOT PR	DAND/OR OCCURRED: YES NO EXPL YES NO EXPLANATION - 105 BB	ANATION:	ABOVE-GRADE TA	NK TO BE SET ATOP BG	ST LOCATION.
EXCAVATION DIMENSION ESTIMATION: DEPTH TO GROUNDWATER: >100' N	NA ft. X NA EAREST WATER SOURCE: >1,000	ft. X NA ft. NEAREST SURFACE WATER:		TIMATION (Cubic Yards) :	NA 5,000 ppm
SITE SKETCH	BGT Located: off on sit	e PLOT PLAN cir	cle: attached	I CALIB. READ. = NA	nnm
		5 [120112 ut 5	_ OVIV	CALIB. GAS = NA E: NA am/pm DATE:	ppm
⊕ W.H. SEPAR	ATOR—	(65)-A PBGTL T.B. ~ 5' B.G.	R	MISCELL. NO VO: REF#: P-872 ID: VHIXONEVI PJ#:	
COMPR	ESSOR BERM	FENCE	P	ermit date(s): 06	on / N
NOTES: BGT = BELOW-GRADE TANK; E.D. = EXCAVATIC T.B. = TANK BOTTOM; PBGTL = PREVIOUS BELC APPLICABLE OR NOT AVAILABLE; SW-SINGLE	DW-GRADE TANK LOCATION; SPD = SAMPLE F	ELOW; T.H. = TEST HOLE; ~ = APPROX. POINT DESIGNATION; R.W. = RETAINING	W.H. = WELL HEAD;	BGT Sidewalls Visible: Yagnetic declination:	
NOTES: GOOGLE EARTH IMAGE	RY DATE: 10/5/2016.	ONSITE: 10/19/	17		

Analytical Report

Lab Order 1710B18

Date Reported: 10/24/2017

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Client Sample ID: 5PC-TB @ 5' (65)-A

Project: LAWSON #1R

Collection Date: 10/19/2017 1:00:00 PM

Lab ID: 1710B18-001

Matrix: SOIL

Received Date: 10/20/2017 7:15:00 AM

Analyses	Result	PQL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analy	st: MRA
Chloride	ND	30	mg/Kg	20	10/20/2017 11:33:58	AM 34535
EPA METHOD 8015M/D: DIESEL RAN	GE ORGANICS				Analy	st: TOM
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	10/20/2017 11:35:06	AM 34530
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	10/20/2017 11:35:06	AM 34530
Surr: DNOP	104	70-130	%Rec	1	10/20/2017 11:35:06	AM 34530
EPA METHOD 8015D: GASOLINE RAI	NGE				Analy	st: NSB
Gasoline Range Organics (GRO)	ND	4.1	mg/Kg	1	10/20/2017 10:04:40	AM 34513
Surr: BFB	94.4	15-316	%Rec	1	10/20/2017 10:04:40	AM 34513
EPA METHOD 8021B: VOLATILES					Analy	st: NSB
Benzene	ND	0.021	mg/Kg	1	10/20/2017 10:04:40	AM 34513
Toluene	ND	0.041	mg/Kg	1	10/20/2017 10:04:40	AM 34513
Ethylbenzene	ND	0.041	mg/Kg	1	10/20/2017 10:04:40	AM 34513
Xylenes, Total	ND	0.083	mg/Kg	1	10/20/2017 10:04:40	AM 34513
Surr: 4-Bromofluorobenzene	97.3	80-120	%Rec	1	10/20/2017 10:04:40	AM 34513

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank
- E Value above quantitation range
- Analyte detected below quantitation limits Page 1 of 7 J
- Sample pH Not In Range P
- RL Reporting Detection Limit
- Sample container temperature is out of limit as specified

Chain-of-Custody Record			Turn-Around T	ime:	SAME	١,		1	н	A	п	FI	NV	T	20	N	ME	NT	FAI	ı.		
Client:	BLAG	G ENGR.	/ BP AMERICA	Standard Rush DAY														\T				
				Project Name:						١	wwv	v.ha	llen	viro	nme	ntal	.com	1				
Mailing Address: P.O. BOX 87			X 87		LAWSON #	1R		490	01 H	awki	ins N	NE -	Alb	uqu	erqu	ue, N	1M 8	710	9			
	BLOOMFIELD, NM 87413			Project #:				Te	1. 50	5-34	5-39	975	F	ax !	505-	-345	-410	7				
Phone #: (505) 632-1199							Hi.				А	naly	/sis	Rec	lues	t			1	49		
email or F	ax#:			Project Manag	er:									4				(1)	П	П		\Box
QA/QC Package: Standard Level 4 (Full Validation)			Level 4 (Fulf Validation)		NELSON VE	ELEZ	(8021B)	only)	MRO)			(S)		04,50	/ 8082 PCB's			er - 300.1)			a	
Accreditat	ion:			Sampler:	NELSON VE	LEZ ny	- (8)	(Gas	DRO /	F	1	SIN		102,	3082			/ water		ĺ	du	
□ NELAP		☐ Other		On lices a later	M Ade	□ No	1	TPH (Gas	0/0	418.	504	827((0	03,N	8/8		(A)	300.0			e Sa	Z
☐ EDD (Ty	pe)			Sample Temp	erature (8 1	ţ	+	(GR(poc	g	or	etal	C,N	cide	(A)	i-VC	1 1		e l	osit	30
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAGNO.	BTEX ←MTE	BTEX + MTBE	TPH 8015B (GRO /	TPH (Method 418.1)	EDB (Method 504.1)	PAH (8310 or 8270SIMS)	RCRA 8 Metals	Anions (F,CI,NO ₃ ,NO ₂ ,PO ₄ ,SO ₄)	8081 Pesticides	8260B (VOA)	8270 (Semi-VOA)	Chloride (soil		Grab sample	5 pt. composite sample	Air Bubbles (Y or N)
10/19/17	1300	SOIL	5PC - TB @ 5 '(65)-A	4 oz 1	Cool	-cod	٧		٧									٧			٧	
																					T	
10/19/17	1330	SOIL	5PC - TB @ 6 '(21)-B	4 oz 1	Cool	7002	٧		٧									٧			V	
										\Box	\neg											
																				\neg		
										\dashv	\neg	-								\neg		\neg
								\Box				_	\neg							\dashv	\neg	
										\dashv	\dashv	_						$\overline{}$		\dashv		\dashv
										\dashv	\dashv				_					-	\dashv	\dashv
										-		_						_		-	\dashv	-
Date: 19/17	Time:	Relinquish	ed by:	Received by:	1/21/	Date Time		arks:		BILL D	EREN	CE#V	WHEN	LAPP	LICAE	BLE;		VITH C	ORRE	SPON	DING	VID
Date:	Time:	Relinquishe	ed by:	Received by:	Want	Date Time	C			ERIN VHIX			_	/ VAI	NCE	HIXC	N					
10/19/17	1854		What	1 (In	- Ki	-0715	Ref	eren			P - 8		-									

Hall Environmental Analysis Laboratory, Inc.

WO#:

1710B18

24-Oct-17

Client:

Blagg Engineering

Project:

LAWSON #1R

Sample ID MB-34535

SampType: mblk

TestCode: EPA Method 300.0: Anions

Client ID: Prep Date:

PBS

Batch ID: 34535

RunNo: 46533

Units: mg/Kg

Qual

Analyte

10/20/2017

Analysis Date: 10/20/2017

SeqNo: 1482732

HighLimit

%RPD **RPDLimit**

Chloride

PQL

Sample ID LCS-34535

SampType: Ics

TestCode: EPA Method 300.0: Anions

Client ID: LCSS

Batch ID: 34535

PQL

RunNo: 46533

Prep Date: 10/20/2017

Analysis Date: 10/20/2017

Result

SeqNo: 1482733

Units: mg/Kg

%RPD **RPDLimit**

Analyte

1.5

SPK value SPK Ref Val %REC LowLimit

%REC 95.2

HighLimit

15.00

110

Qual

Chloride

14

SPK value SPK Ref Val

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- H Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- Sample pH Not In Range RL Reporting Detection Limit
- Sample container temperature is out of limit as specified

Page 3 of 7

Hall Environmental Analysis Laboratory, Inc.

WO#:

1710B18

24-Oct-17

Client:

Blagg Engineering

Project:

LAWSON #1R

Sample ID LCS-34530	SampType: LCS			TestCode: EPA Method 8015M/D: Diesel Range Organics							
Client ID: LCSS	Batch	D: 34	530	RunNo: 46527							
Prep Date: 10/20/2017	Analysis Date: 10/20/2017			SeqNo: 1481982			Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Diesel Range Organics (DRO)	46	10	50.00	0	92.5	73.2	114				
Surr: DNOP	5.0		5.000		100	70	130				

Sample ID MB-34530	SampT	уре: МЕ	BLK	TestCode: EPA Method 8015M/D: Diesel Range Organics						
Client ID: PBS	Batch	ID: 34	530	R	RunNo: 4	6527				
Prep Date: 10/20/2017	Analysis D	ate: 10)/20/2017	S	SeqNo: 1	481983	Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	10		10.00		105	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 4 of 7

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1710B18

24-Oct-17

Client:

Blagg Engineering

Project:	LAWSO	N #1R										
Sample ID	MB-34513	SampT	ype: MI	BLK	TestCode: EPA Method 8015D: Gasoline Range							
Client ID:	PBS	Batch ID: 34513			RunNo: 46523							
Prep Date:	10/19/2017	Analysis Da	ate: 1	0/20/2017	SeqNo: 1482429 Units: mg/Kg							
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Gasoline Rang Surr: BFB	ge Organics (GRO)	ND 990	5.0	1000		98.6	15	316				
Sample ID	LCS-34513	SampTy	ype: LC	s	Tes	tCode: E	PA Method	8015D: Gaso	line Rang	е		
Client ID:	LCSS	Batch	ID: 34	513	RunNo: 46523							
Prep Date:	10/19/2017	Analysis Da	ate: 1	0/20/2017	5	SeqNo: 1	482430	Units: mg/K	g			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
	e Organics (GRO)	30	5.0	25.00	0	119	75.9	131				
Surr: BFB		1100		1000		109	15	316				
Sample ID	RB	SampTy	pe: MI	BLK	TestCode: EPA Method 8015D: Gasoline Range							
Client ID:	PBS	Batch	ID: G4	16557	F	RunNo: 4	6557					
Prep Date:		Analysis Da	ate: 1	0/23/2017	8	SeqNo: 1	483268	Units: %Rec	:			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Surr: BFB		1200		1000		118	15	316				
Sample ID	2.5UG GRO LCS	SampTy	/pe: LC	s	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	е		
Client ID:	LCSS	Batch	ID: G4	16557	F	RunNo: 4	6557					
Prep Date:		Analysis Da	ate: 1	0/23/2017	8	SeqNo: 1	483269	Units: %Rec				
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Surr: BFB		1200		1000		122	15	316				
Sample ID	MB-34534	SampTy	/pe: MI	BLK	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	e		
Client ID:	PBS	Batch	ID: 34	534	F	RunNo: 4	6557					
Prep Date:	10/20/2017	Analysis Da	ate: 10	0/23/2017	S	SeqNo: 1	483272	Units: %Rec				
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Surr: BFB		1100		1000		115	15	316				
Sample ID	LCS-34534	SampTy	/pe: LC	s	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	е		
Client ID:	LCSS	Batch	ID: 34	534	R	RunNo: 4	6557					
Prep Date:	10/20/2017	Analysis Da	ate: 10	0/23/2017	S	SeqNo: 1	483273	Units: %Rec				
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	

Qualifiers:

Surr: BFB

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

1300

1000

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

15

316

E Value above quantitation range

129

J Analyte detected below quantitation limits

Page 5 of 7

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1710B18 24-Oct-17

Client:

Blagg Engineering

Project:

LAWSON #1R

Project: LAWSO	N#IK											
Sample ID MB-34513	SampType	e: MB	BLK	TestCode: EPA Method 8021B: Volatiles								
Client ID: PBS	Batch ID	345	513	RunNo: 46523								
Prep Date: 10/19/2017	Analysis Date: 10/20/2017			SeqNo: 1482460			Units: mg/Kg					
Analyte	Result F	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	ND 0	.025										
Toluene	ND 0	.050										
Ethylbenzene		.050										
Xylenes, Total	ND	0.10										
Surr: 4-Bromofluorobenzene	1.0		1.000		102	80	120					
Sample ID LCS-34513	CS-34513 SampType: LCS				TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS	Batch ID	345	513	R	RunNo: 4	6523						
Prep Date: 10/19/2017	Analysis Date	: 10	/20/2017	S	SeqNo: 1	482461	Units: mg/K	g				
Analyte	Result F	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Benzene	0.98 0	.025	1.000	0	97.7	77.3	128					
Toluene	0.97 0	.050	1.000	0	97.0	79.2	125					
Ethylbenzene	0.99 0	.050	1.000	0	98.6	80.7	127					
Xylenes, Total	2.9	0.10	3.000	0	97.9	81.6	129					
Surr: 4-Bromofluorobenzene	1.0		1.000		103	80	120					
Sample ID RB	SampType	BLK	TestCode: EPA Method 8021B: Volatiles									
Client ID: PBS	Batch ID	: B4	6557	R	tunNo: 4	6557						
Prep Date:	Analysis Date	: 10	/23/2017	S	eqNo: 1	483300	Units: %Red	:				
Analyte	Result P	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Surr: 4-Bromofluorobenzene	1.1		1.000		113	80	120					
Sample ID 100NG BTEX LCS	SampType	e: LC	s	Test	Code: El	PA Method	8021B: Volat	iles				
Client ID: LCSS	Batch ID	: B4	6557	R	unNo: 4	6557						
Prep Date:	Analysis Date	: 10	/23/2017	S	eqNo: 1	483301	Units: %Red	;				
Analyte	Result P	QL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Surr: 4-Bromofluorobenzene	1.2		1.000		116	80	120					
Sample ID MB-34534	SampType	e: MB	LK	Test	Code: El	PA Method	8021B: Volat	iles				
Client ID: PBS	Batch ID	345	534	R	unNo: 4	6557						
Prep Date: 10/20/2017	Analysis Date	: 10	/23/2017	S	eqNo: 1	483304	Units: %Rec	;				
Analyte	Result P	QL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Surr: 4-Bromofluorobenzene	1.1		1.000		114	80	120					

Qualifiers:

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix

Holding times for preparation or analysis exceeded H

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix

Analyte detected in the associated Method Blank

Value above quantitation range

Reporting Detection Limit

Analyte detected below quantitation limits

P Sample pH Not In Range

Sample container temperature is out of limit as specified

Page 6 of 7

Hall Environmental Analysis Laboratory, Inc.

WO#:

1710B18

24-Oct-17

Client:

Blagg Engineering

Project:

LAWSON #1R

Sample ID LCS-34534

SampType: LCS

TestCode: EPA Method 8021B: Volatiles

Client ID: Prep Date:

LCSS

Batch ID: 34534

PQL

RunNo: 46557

10/20/2017

Analysis Date: 10/23/2017

SeqNo: 1483305

Units: %Rec

Analyte

Result

SPK value SPK Ref Val

%RPD **RPDLimit**

Qual

Surr: 4-Bromofluorobenzene

1.000

%REC

LowLimit

HighLimit

80

1.2

122

120

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix
- Holding times for preparation or analysis exceeded H
- Not Detected at the Reporting Limit ND
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix
- В Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- Sample container temperature is out of limit as specified

Page 7 of 7



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107

Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: BLAGG		Work Order Number:	1710	318		Rcptl	No: 1
Received By: Anne T	'home	10/20/2017 7:15:00 AM	1		ame Ilm	_	
Completed By: Anne T	Thome	10/20/2017 7:30:37 AN 0 20 17	1		ame Il-	_	
Chain of Custody							
1. Custody seals intact of	n sample bottles?		Yes		No 🗌	Not Present	
2. Is Chain of Custody of	omplete?		Yes	\checkmark	No 🗆	Not Present	
3. How was the sample	delivered?		Cour	ier			
<u>Log In</u>							
4. Was an attempt made	to cool the samples	?	Yes	✓	No 🗆	NA [
5. Were all samples rece	eived at a temperature	e of >0° C to 6.0°C	Yes	V	No 🗌	NA []
6. Sample(s) in proper of	ontainer(s)?		Yes	V	No 🗌		
7. Sufficient sample volu	me for indicated test(s)?	Yes	✓	No 🗆		
8. Are samples (except \	/OA and ONG) prope	rly preserved?	Yes	\checkmark	No 🗆		
9. Was preservative add	ed to bottles?		Yes		No 🗹	NA [
10.VOA vials have zero h	eadspace?		Yes		No 🗌	No VOA Vials	2
11. Were any sample con	tainers received brok	en?	Yes		No 🗹	# of preserved	
10 -						bottles checked	
12.Does paperwork matc (Note discrepancies or			Yes	V	No 📙	for pH:	2 or >12 unless noted)
13. Are matrices correctly	••	f Custody?	Yes	V	No 🗆	Adjusted?	
14. Is it clear what analyse	es were requested?		Yes	V	No 🗆		
15. Were all holding times (If no, notify customer			Yes	\checkmark	No 🗆	Checked by	y:
(ii no, notify describer	ioi addionaacon.)						
Special Handling (if	applicable)						
16. Was client notified of a	all discrepancies with	this order?	Yes		No 🗆	NA B	
Person Notified:	All of Allies and speciments raves and according to	Date	AUSTRALIA (AUSTRALIA AUSTRALIA AUSTRALIA AUSTRALIA AUSTRALIA AUSTRALIA AUSTRALIA AUSTRALIA AUSTRALIA AUSTRALIA	Market Balance	zykelekterestelektelestelektelektelektelektelektel		
By Whom:		Via:	_ eMa	ii 🗌 F	Phone Fax	☐ In Person	
Regarding:							<u>'</u>
Client Instruction	is:						
17. Additional remarks:							
18. <u>Cooler Information</u> <u>Cooler No</u> <u>Temp</u> 1 1.0	°C Condition S Good Ye		Seal Da	te	Signed By		



