District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.

Santa Fe. NM 87505

Oll 60 NS Div Dispersive grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

Fight of the appropriate NMOCD District Office. State of New Mexico

Form C-144

Pit, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application

Type of action: Below grade tank registration Permit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
T. (
Operator: WPX Energy Production, LLC OGRID #: 120782
Address: PO Box 640/721 S Main Aztec, NM 87410
Facility or well name: Rosa Unit #146
API Number: <u>30-039-25513</u> OCD Permit Number:
U/L or Qtr/Qtr N Section 28 Township 31N Range 5W County: Rio Arriba
Center of Proposed Design: Latitude N36.86602 Longitude W107.37015 NAD83
Surface Owner: Federal ☐ State ☐ Private ☐ Tribal Trust or Indian Allotment
Pit: Subsection F, G or J of 19.15.17.11 NMAC Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling Fluid yes no Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D Selow-grade tank: Subsection I of 19.15.17.11 NMAC Volume: 120 bbl Type of fluid: Produced Water Tank Construction material: Fiberglass Tank w/Banded 30-mil HDPE Secondary Liner Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner type: Thickness mil HDPE PVC Other
Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. 5. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet
Alternate. Please specify

6. Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other		
☐ Monthly inspections (If netting or screening is not physically feasible)		
7.		
Signs: Subsection C of 19.15.17.11 NMAC		
☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
☐ Signed in compliance with 19.15.16.8 NMAC		
8. X		
Variances and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.		
Please check a box if one or more of the following is requested, if not leave blank:		
 □ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. □ Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. 		
9. Siting Criteria (regarding permitting): 19.15.17.10 NMAC		
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accematerial are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	ptable source	
General siting		
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.	☐ Yes ☐ No	
- □ NM Office of the State Engineer - iWATERS database search; □ USGS; □ Data obtained from nearby wells	□ NA □	
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No	
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No	
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No	
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	☐ Yes ☐ No	
Below Grade Tanks		
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured	☐ Yes ☐ No	
from the ordinary high-water mark).	L res L No	
- Topographic map; Visual inspection (certification) of the proposed site		
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No	
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)		
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial	☐ Yes ☐ No	
application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	,	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	

Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Temporary Pit Non-low chloride drilling fluid		
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No	
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within 300 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Permanent Pit or Multi-Well Fluid Management Pit		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No	
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:		
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doct attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number: or Permit Number:	15.17.9 NMAC	

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the	documents are
attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment	
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan	
Emergency Response Plan Oil Field Waste Stream Characterization	
Monitoring and Inspection Plan Erosion Control Plan	
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F Alternative	luid Management Pit
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	
14. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be	attached to the
closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
15. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC	
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable south provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. In 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	

 Written confirmation or verification from the municipality; Written approval obtained from the municipality 	pality Yes No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USC Society; Topographic map	GS; NM Geological Yes No
Within a 100-year floodplain FEMA map	Yes No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be at by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NM Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Su Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	MAC 3 NMAC absection K of 19.15.17.11 NMAC riate requirements of 19.15.17.11 NMAC
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of	my knowledge and belief.
Name (Print): Title:	
Signature: Date:	
e-mail address: Telephone:	
e-mail address:	ons (see attachment)
OCD Approval: Permit Application (including cosure plan) Closure Plan (only) OCD Condition (OCD Representative Signature:	proval Date:
OCD Approval: Permit Application (including cosure plan) Closure Plan (only) OCD Condition OCD Representative Signature: Application (including cosure plan) Closure Plan (only) OCD Condition OCD Permit Number: 19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure at the closure report is required to be submitted to the division within 60 days of the completion of the closure as section of the form until an approved closure plan has been obtained and the closure activities have been completed.	proval Date:

22.		
Operator Closure Certification:		
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and		
belief. I also certify that the closure complies with all applicable closure req	uirements	and conditions specified in the approved closure plan.
Name (Driet). Deboud Water	Tial.	English and the Constitute
Name (Print): <u>Deborah Watson</u>	Title:	Environmental Specialist
A		
Debrah Wath_		
Signature:	Date:	December 28, 2017
e-mail address: deborah.watson@wpxenergy.com		Telephone: 505-333-1880
		•

WPX Energy Production Co., LLC San Juan Basin: New Mexico Assets

Below-Grade Tank Removal Closure Report Rosa Unit #146 (API #30-039-25513) Unit Letter N, Section 28, T31N, R05W Rio Arriba County, NM

In accordance with Rule 19.15.17.13 NMAC, the following plan describes the general closure requirements of below-grade tanks (BGT) on WPX Energy Production Co, LLC (WPX) locations in the San Juan Basin of New Mexico. This is WPX's standard closure procedure for all BGTs regulated under Rule 19.15.17 NMAC and operated by WPX. For those closures which do not conform to this standard closure plan, a separate well/pit specific closure plan will be developed and utilized.

Mr. Randolph Bayliss, NMOCD, approved the WPX BGT closure plan on October 20, 2017. (See Enclosed Form C-144)

Closure Notice:

1. Prior to initiating any BGT Closure except in the case of an emergency, WPX will notify the surface owner of the intent to close the BGT by certified mail no later than 72 hours or 1 week before closure and a copy of this notification will be included in the closure report. In the case of an emergency, the surface owner of record will be notified as soon as practical.

Approved Variance: If the surface owner is of public entity (i.e.: BLM) WPX Energy Production, LLC will notify by email the intent to close the BGT in place of a certified mail letter. WPX Energy Production, LLC will request a read receipt of the email which will be equal and/ or equivalent notification as certified mail.

WPX notified BLM, prior to BGT closure. The notification email and filed sundry is attached.

- 2. Notice of Closure will be given to the Aztec District office between 72 hours and one week of the scheduled closure via email or phone. The notification of closure will include the following:
 - a. Operators Name (WPX)
 - b. Well Name and API Number
 - c. Location (USTR)

WPX sent notification to the District III Office via email on October 20, 2017. The notification is attached. The District III Office was advised of time and date of closure. No representatives from NMOCD were in attendance during BGT closure sampling on October 25, 2017.

Closure Method:

3. All liquids will be removed from the BGT following cessation of operation. Produced water will be disposed at an NMOCD approved facility depending on the proximity of the BGT site. Facilities may include: Rosa Unit SWD #1 (Order: SWD-916, API: 30-039-27055), Rosa Unit SWD #2 (Order: SWD-1236-0, API: 30-039-30812), Jillson Fed. SWD #001 (Order: R10168/R10168A, API: 30-039-25465), Middle Mesa SWD #001 (Order: SWD-350-0, API: 30-045-27004) and/or Basin Disposal (Permit: NM-01-0005). Solids and sludges will be shoveled and /or vacuumed out for disposal at Envirotech (Permit Number NM-01-0011) or Industrial Ecosystems Inc (Permit Number NM-01-0010B).

Liquids were removed prior to closure of the BGT.

4. WPX will obtain prior approval from NMOCD to dispose, recycle, reuse, or reclaim the BGT and provide documentation of the disposition of the BGT in the closure report. Steel materials will be recycled or reused as approved by the Division. Fiberglass tanks will be empty, cut up or shredded, and EPA cleaned for disposal as solid waste. Liners materials will be cleaned without soils or contaminated material for disposal as solid waste. Fiberglass tanks and liner materials will meet the conditions of 19.15.35 NMAC.

Disposal will be at a licensed disposal facility, such as San Juan Regional Landfill operated by Waste Management under NMED Permit SWM-052426.

The BGT and liner were disposed of in a division-approved manner.

5. Any equipment associated with the BGT that is no longer required for some other purpose, following the closure will be removed from the location.

All associated equipment was removed from the location.

- 6. Following removal of the tank and any liner material, WPX will test the soils beneath the BGT as follows:
 - a. At a minimum, a five-point composite sample will be taken to include any obvious stained or wet soils or any other evidence of contamination.

A five-point composite sample (BGT-1) was collected from beneath the BGT following BGT removal on October 25, 2017. No obvious stained soils were observed beneath the BGT.

c. The laboratory sample shall be analyzed for the constituents listed in Table 1. Results will be reported to the Division following receipt from the lab on Form C-141.

The sample was submitted to Hall Environmental Analysis Laboratory, Albuquerque, NM, for analysis of benzene, BTEX, TPH, and chlorides. The analytical laboratory report is attached. Form C-141 is attached.

Table 1: Closure Criteria for BGTs

	Table 1. Closure Cit	icita fui DG15	
Components	Testing Methods(1)	Closure Limits (2) (mg/kg)	Results (mg/kg)
Benzene	EPA SW-846 Method 8021B or 8260B	0.2	<0.023
BTEX	EPA SW-846 Method 8021B or 8260B	50	<0.21
Total TPH	EPA SW-846 Method 418.1	100	<20
Chlorides	EPA 300.0	250	<30

⁽¹⁾ Or other test methods approved by the division

7. If the Division and/or WPX determine there is a release, WPX will comply with WPX will comply with 19.15.17.13.C.3b.

Sampling results indicate no release occurred from the BGT. See attached Form C-141.

8. Upon completion of the tank removal, the excavation will be backfilled with non-waste earthen material compacted and covered with a minimum of one foot of top soil or background thickness whichever is greater and to existing grade. The surface will be re-contoured to match the native grade and prevent ponding.

The BGT location was backfilled with clean soil and compacted during following BGT removal. The BGT location will be reclaimed when it is no longer needed for production operations.

⁽²⁾ Numerical limits or natural background level, whichever is greater (19.15.17.13 NMAC)

9. For those portions of the former BGT area no longer required for production activities, WPX will seed the disturbed areas the first favorable growing season after the BGT is covered. Seeding will be accomplished via drilling on the contour whenever practical, or by other Division-approved methods. WPX will notify the Division when reclamation and re-vegetation is complete.

Reclamation of the BGT shall be considered complete when:

- a. Vegetative cover reflects a life form ratio of +/- 50% of pre-disturbance levels
- b. Total percent plant cover of at least 70% of pre-disturbance levels (Excluding noxious weeds)

OR

c. Pursuant to 19.15.17.13.H.5d WPX will comply with obligations imposed by other applicable federal or tribal agencies in which their re-vegetation and reclamation requirements provide equal or better protection of fresh water, human health and the environment.

The BGT location was backfilled with clean soil and compacted during following BGT removal. The BGT location will be reclaimed when it is no longer needed for production operations.

10. For those portions of the former BGT area required for production activities, reseeding will be done at well abandonment, and following the procedure noted above.

The BGT location was backfilled with clean soil and compacted during following BGT removal. The BGT location will be reclaimed when it is no longer needed for production operations.

Closure Report:

All closure activities will include proper documentation and will be submitted to OCD within 60 days of the BGT closure on a Closure Report using Division Form C-144. (**Operator Closure Certification has been completed**.) The Report will include the following:

- Proof of Closure Notice (surface owner & NMOCD)
- Backfilling & Cover Installation
- Confirmation Sampling Analytical Results
- Disposal Facility Name(s) and Permit Number(s)
- Application Rate & Seeding techniques
- Photo Documentation of Reclamation

Attachments:

C-144 Closure Approval
BLM Notification (emails)
NMOCD Notification (emails)
Form C-141
Laboratory Analytical Report (#1710F03)
Photograph log

Form C-144 July 21, 2008

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe. NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application

Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: WILLIAMS PRODUCTION COMPANY, LLC OGRID #: 120782
Address: PO Box 640 Aztec, NM 87410
Facility or well name: ROSA UNIT #146
API Number: 3003925513 OCD Permit Number:
Section 28N Township 31N Range 05W County RIO ARRIBA
Latitude: 36.86603999999998 Longitude 107.37026 NAD: 1983 Surface Owner: <u>FEDERAL</u>
Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other String-Reinforced Liner Seams: Welded Factory Other
Subsection I of 19.15.17.11 NMAC Volume: 120
5. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify		
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No	
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No	
Within a 100-year floodplain FEMA map	Yes No	

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
12.
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
☐ Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
12
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached.
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
 Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14,
<u>Proposed Closure</u> : 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative
Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (Only for temporary pits and closed-loop systems)
☐ In-place Burial ☐ On-site Trench Burial
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
 ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13. Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.	D NMAC) more than two
Disposal Facility Name: Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future set Yes (If yes, please provide the information below) No	vice and operations?
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	c
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sou provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate disconsidered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Just demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	trict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☑ No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☑ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☑ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☑ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☑ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☑ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☑ No
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☑ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☑ No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☑ No
Within a 100-year floodplain FEMA map	☐ Yes ☑ No
18. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	15.17.11 NMAC

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): HOLLY C. PERKINS Title: EH&S SPECIALIST
Signature: Ally C. Perkis Date: 2/11/2009
e-mail address: holly.perkins@williams.com Telephone: 505-634-4209
20. OCD Approval: ☐ Permit Application (including closure plan) ☐ OCD Conditions (see attachment)
OCD Representative Signature:Approval Date:20Oct17
Title: Hydrologist OCD Permit Number: n.a.
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
Closure Completion Date:
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
24.
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude Longitude NAD: 1927 1983
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Williams Production Co., LLC San Juan Basin: New Mexico Assets Below-Grade Tank Removal Closure Plan

In accordance with Rule 19.15.17.13 NMAC, the following plan describes the general closure requirements of below-grade tanks (BGT) on Williams Production Co, LLC (WPX) locations in the San Juan Basin of New Mexico. This is WPX's standard closure procedure for all BGTs regulated under Rule 19.15.17 NMAC and operated by WPX. For those closures which do not conform to this standard closure plan, a separate well/pit specific closure plan will be developed and utilized.

Closure Conditions and Timing:

Pursuant to 19.15.17.13 (A) NMAC, WPX will initiate closure of any BGT should any one of these conditions occur:

- The Division requires closure because of imminent danger to fresh water, public health or the environment.
- The Integrity of the BGT fails. Notification will be within 48 hours to the Division and closure will be schedule as specified in 19.15.17.12 (A)(5) NMAC.
- WPX chooses to take the BGT out-of-service due to operational needs. Closure
 under these conditions will be closed within 60 days of cessation of the BGT's
 operation.
- BGTs installed prior to June 16, 2008 that do not meet the requirements under 19.15.17.11.1(6) NMAC and WPX chooses not to retrofit or upgrade. Closure under these conditions will be completed within five years (by June 16, 2013).

General Plan Requirements:

- Prior to initiating any BGT Closure except in the case of an emergency, WPX will
 review County Tax Records for the current surface owner of record. The surface
 owner of record will be notified of the intent to closure the BGT by certified mail and
 a copy of this notification will be included in the closure report. In the case of an
 emergency, the surface owner of record will be notified as soon as practical.
- Notice of Closure will be given to the Aztec District office between 72 hours and one
 week of the scheduled closure via email or phone. The notification of closure will
 include the following:
 - a. Operators Name (WPX)
 - b. Well Name and API Number
 - c. Location (USTR)
- 3. All piping will be rerouted to an alternative produced water storage/disposal location (e.g. surface tanks, temporary frac tank, ...). The well will be temporarily shutin until the rerouting is completed.
- 4. All produced water will be removed from the BGT following discharge-pipe rerouting. Produced water will be disposed at one of the following NMOCD approved facilities depending on the proximity of the BGT site: Rosa Unit SWD #1 (Order: SWD-916, API: 30-039-27055), Rosa Unit #94 (Order: SWD-3RP-1003-0, API: 30-039-23035), Jillson Fed. SWD #001 (Order: R10168/R10168A, API: 30-039-25465), Middle Mesa SWD #001 (Order: SWD-350-0, API: 30-045-27004) and/or Basin Disposal (Permit: NM-01-0005).
- 5. Solids and sludges will be shoveled and /or vacuumed out for disposal at Envirotech (Permit Number NM-01-0011).
- 6. WPX will obtain prior approval from NMOCD to dispose, recycle, reuse, or reclaim the BGT and provide documentation of the disposition of the BGT in the closure report.

 Steel materials will be recycled or reused as approved by the Division. Fiberglass tanks will be empty, cut up or shredded, and EPA cleaned for disposal as solid waste. Liners materials will be cleaned without soils or contaminated material for disposal as

- solid waste. Fiberglass tanks and liner materials will meet the conditions of paragraph 1 subsection D of 19.15.9.712 NMAC. Disposal will be at a licensed disposal facility, presently San Juan Regional Landfill operated by Waste Management under NMED Permit SWM-052426.
- 7. Any equipment associated with the BGT that is no longer required for some other purpose, following the closure will be removed from the location.
- 8. Following removal of the tank and any liner material, a five-point composite sample will be taken of the excavation and tested per 19.15.17.13(E)(4) NMAC as identified in Table 1. Grab samples will be collected from any area that is wet, discolored or showing other evidence of a release. Results will be report to the Division following receipt from the lab on Form C-141.

Table 1: Closure Criteria for BGTs

(Anniomika)		
Benzene	EPA SW-846 Method 8021B or 8260B	0.2
BTEX	EPA SW-846 Method 8021B or 8260B	50
TPH	EPA SW-846 Method 418.1(1)	100
Chlorides	EPA SW-846 Method 300.1(1)	250(2)

- (1) Method modified for solid waste.
- ^[2] If background concentration of Chlorides greater than 250 mg/Kg, then higher concentration will be used for closure.
- 9. If the Division and/or WPX determine there is a release, WPX will comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC.
- 10. Upon completion of the tank removal, the excavation will be backfilled with non-waste earthen material compacted and covered with a minimum of one foot of top soil or background thickness whichever is greater and to existing grade. The surface will be recontoured to match the native grade and prevent ponding.
- 11. For those portions of the former pit area no longer required for production activities, WPX will seed the disturbed areas the first growing season after the pit is covered. Seeding will be accomplished via drilling on the contour whenever practical, or by other Division-approved methods. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintained that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs. Note: If a surface owner agreement requires reseeding or other surface restoration that do not meet the revegetation requirements of 19.15.17.13.I NMAC then WPX will submit the proposed alternative with written documentation that the surface owner agrees to the alternative, for Division approval.
- 12. For those portions of the former pit area required for production activities, reseeding will be done at well abandonment, and following the procedure noted above.

Closure Report:

All closure activities will include proper documentation and will be submitted to OCD within 60 days of the BGT closure on a Closure Report using Division Form C-144. The Report will include the following:

- Proof of Closure Notice (surface owner & NMOCD)
- Backfilling & Cover Installation
- Site Diagram with coordinates
- Available Inspection reports
- Confirmation Sampling Analytical Results
- Disposal Facility Name(s) and Permit Number(s)
- Application Rate & Seeding techniques
- Photo Documentation of Reclamation

Watson, Debbie

From:

Watson, Debbie

Sent:

Friday, October 20, 2017 9:15 AM

To:

'Smith, Cory, EMNRD'; 'Fields, Vanessa, EMNRD'; 'Thomas, Leigh'; Foley, Brandon M.

Cc:

Bradshaw, Rob

Subject:

BGT Closure Notification-Three Locations

Tracking:

Recipient

Delivery

'Smith, Cory, EMNRD'

'Fields, Vanessa, EMNRD'

'Thomas, Leigh' Foley, Brandon M.

Bradshaw, Rob

Delivered: 10/20/2017 9:16 AM

Good Morning,

WPX has scheduled BGT closures at the following locations for Wednesday, October 25, 2017. Sampling will begin at the Rosa Unit #15A at 9:00 am and proceed to the remaining BGTs. Please note locations are located in the same general area.

Operator: WPX Energy Production, LLC

Well Name and API Number: Rosa Unit #015A (30-039-25525)

Well Head Location: N36.868213, W107.3794556

BGT Location: N36.86827, W107.37985

Surface Owner: Federal Lease #:SF 078764

Location: Unit Letter J, Section 29, Township 31N, Range 5W, Rio Arriba County, NM

BGT Removal and sampling: Wednesday, October 25, 2017 at 9:00 AM

Operator: WPX Energy Production, LLC

Well Name and API Number: Rosa Unit #26C (30-039-27597)

Well Head Location: N36.855999, W107.3770523

BGT Location: N36.86090, W107.37675

Surface Owner: State

Location: Unit Letter I, Section 32, Township 31N, Range 5W, Rio Arriba County, NM

BGT Removal and sampling: Wednesday, October 25, 2017 TBD

Operator: WPX Energy Production, LLC

Well Name and API Number: Rosa Unit #146 (30-039-25513)

Well Head Location: N36.8657608, W107.3703232

BGT Location: N36.866039, W107.37026

Surface Owner: Federal Lease #:SF 078769

Location: Unit Letter N, Section 28, Township 31N, Range 5W, Rio Arriba County, NM

BGT Removal and sampling: Wednesday, October 25, 2017 TBD

Please contact me with any questions. Thank you.

Have a great weekend,

Debbie

Deborah Watson Environmental Specialist PO Box 640 | Aztec, NM 87410 office 505.333.1880 | cell 505.386.9693 | fax 505.333.1805

Watson, Debbie

From:

Microsoft Outlook

To:

Smith, Cory, EMNRD; Fields, Vanessa, EMNRD

Sent:

Friday, October 20, 2017 9:16 AM

Subject:

Relayed: BGT Closure Notification-Three Locations

Delivery to these recipients or groups is complete, but no delivery notification was sent by the destination server:

Smith, Cory, EMNRD (Cory.Smith@state.nm.us)

Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us)

Subject: BGT Closure Notification-Three Locations

Watson, Debbie

From:

Microsoft Outlook

To:

Thomas, Leigh

Sent:

Friday, October 20, 2017 9:16 AM

Subject:

Relayed: BGT Closure Notification-Three Locations

Delivery to these recipients or groups is complete, but no delivery notification was sent by the destination server:

Thomas, Leigh (I1thomas@blm.gov)

Subject: BGT Closure Notification-Three Locations

Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT ()() 2 ()

RECEIVED

FORM APPROVED OMB No. 1004-0137 Expires: January 31, 2018

5. Lease Serial No.

SF 078769 6. If Indian, Allottee or Tribe Name

Do not use t	his form for proposals	to drill or to r	e-enter ai	Office	6. If Indian, Allotte	e or Tribe Name	
	T IN TRIPLICATE - Other instr	uctions on page 2	71 20110 1110		7. If Unit of CA/Ag Rosa Unit	reement, Name and	or No.
1. Type of Well					9 Well Name and N	Jo	
Oil Well	☐ Gas Well ☐ Other				Rosa Unit #146	vo.	-
2. Name of Operator				1			
3a. Address	.0	3b. Phone No. (inc. 505-333-1800	clude area cod	de)		or Exploratory Area	
					11. Country or Paris Rio Arriba, NM	sh, State	
12.	CHECK THE APPROPRIATE B	OX(ES) TO INDICA	ATE NATUR	E OF NOTIC	E, REPORT OR OT	THER DATA	
TYPE OF SUBMISSION			TYF	PE OF ACTIO	ON		
□Notice of Intent	Acidize	Deepen		Produc	ction (Start/Resume)	□Wate	r ShutOff
	☐Alter Casing	☐ Hydraulic Fra	cturing	Reclar	nation	☐ Well	Integrity
Subsequent Report	Casing Repair	☐ New Constru	action	Recon	nplete	Other	BGT Closure
TFinal Abandonment Notice	☐ Change Plans	☐ Plug and Ab	andon	Temp	orarily Abandon		
	☐ Convert to Injection	☐Plug Back		Water	Disposal		
			inspection.)				
A 120 bbi bd i will be c	losed off October 25, 20.	17.					
For all questions/conce	erns regarding this matte	er, please cont	act Debor	ah Watso	n.		**
			W.			5. 7 mg - 7 - 7	G
14. I hereby certify that the foregoin Deborah Watson	ng is true and correct. Name (Print	ted/Typed) Title	: Environm	ental Spec	ialist		
WT Signature Och 7	Vater	Dat	e: 10/20/17	7			
Abandoned well. Use Form 31603 (APD) for SICIN Proposeds. SUBMIT IN TRIPLICATE - Other instructions on page 2 1. Type of Well Oil Well Gas Well Other S. Well Amme and No. Rosa Unit #146							
	NA		Title S	ups	NRS	Date /0/2	3/12
certify that the applicant holds legal	or equitable title to those rights in		Office	400			

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Revised April 3, 2017

Form C-141

Oil Conservation Division 1220 South St. Francis Dr. Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Attached

	, , , , , , , , , , , , , , , , , , , ,			Sa	nta Fe, NM 8	150	05					
			Rele	ease Notific	ation and	Co	rrective A	ction				
					OPER	ΑT	OR	1		l Report	\boxtimes	Final Report
Name of Co	mpany W	PX Energy I	Productio	n, LLC			orah Watson			. respect		
Address PO			10440110	, 220			0.505-333-188	0				
Facility Nan	ne Rosa U	nit #146					e Well Pad					
Surface Ow	nor Fodoro	1		Minoral O	wner Federal				A DI No	.30-039-25	513	
Surface Ow	ner redera	.1		Ivillieral O	wher rederal				AFINO	.30-039-23	313	
				LOCA	TION OF R		EASE					
Unit Letter	Section	Township	Range	Feet from the	North/South Lir	ie	Feet from the	East/W	est Line		Coun	ty
N	28	31N	5W	998	South		1517	W.	est]	Rio Arı	riba
						W/1/						
			L	atitude N36.86	502 Longitude	WI	07.37015 NAD	283				
				NAT	URE OF RE	LE	CASE					
Type of Relea			ease		Volume of Re					Recovered 1		
Source of Rel							Occurrence No F	Release	Date and	Hour of Di	scover	y No Release
Was Immedia		If YES, To W N/A	hom	1?								
Required			i es	No Not	N/A							
					Date and Hou	r N//	A					
By Whom? Was a Watercourse Reached?							mpacting the Wa	tercourse).			
							1 0					
If a Watercou	rse was Imi	pacted. Descr	ibe Fully.*	k								
N/A		,										
D'1 C	CD1-1-	1 D	1:-1 A -4:	T-1 *								
Describe Cau				n Taken.* lected beneath the	BGT on October	25	2017. Laborator	v analyti	cal results	for BGT-1	were re	enorted
				nalytical report (H				. y arrany er	our rooure	101 201 1		.portou
Describe Area	Δ ffected a	and Cleanup A	Action Tak	ren *								
Describe Area	Affected	ind Cicanup F	iction Tax	icii.								
No further ac	tion is recor	nmended.										
I hought conti	G, that tha i	nformation ai	van ahava	is true and compl	ata ta tha hast of		enougladge and u	ndorston	that pure	uant to NIM	OCD m	ulec and
				is true and compliand/or file certain re								
				ce of a C-141 repor								
				investigate and re								
				tance of a C-141 r	eport does not rel	ieve	the operator of i	responsib	ility for co	mpliance w	ith any	other
federal, state,							OIL CONS	CEDV	TION	DIVISIO	NI	
	Nu	man Wi	M				OIL CON	SERVE	ATION .	DIVISIC	714	
Signature:												
_					Approved	by E	Environmental Sp	pecialist:				
Printed Name	: Deborah	Watson										
Title: Enviror	mental Spe	ecialist			Approval	Date	:	E	xpiration I	Date:		

Conditions of Approval:

Date: 12/28/17

E-mail Address: deborah.watson@wpxenergy.com

Phone: 505-333-880

^{*} Attach Additional Sheets If Necessary



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107

Website: www.hallenvironmental.com

November 07, 2017

Debbie Watson WPX Energy 721 S Main Ave Aztec, NM 87410 TEL: (505) 333-1880

FAX

RE: Rosa Unit 146

OrderNo.: 1710E57

Dear Debbie Watson:

Hall Environmental Analysis Laboratory received 1 sample(s) on 10/27/2017 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

Analytical Report

Lab Order 1710E57

Date Reported: 11/7/2017

Hall Environmental Analysis Laboratory, Inc.

CLIENT: WPX Energy

Project: Rosa Unit 146

Lab ID: 1710E57-001

Client Sample ID: BGT-1

Collection Date: 10/25/2017 2:11:00 PM

Received Date: 10/27/2017 8:00:00 AM

Analyses	Result	PQL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 418.1: TPH					Analyst	MAB
Petroleum Hydrocarbons, TR	ND	20	mg/Kg	1	11/3/2017	34763
EPA METHOD 300.0: ANIONS					Analyst	MRA
Chloride	ND	30	mg/Kg	20	11/4/2017 12:51:49 AM	34812
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS				Analyst	: TOM
Diesel Range Organics (DRO)	ND	9.7	mg/Kg	1	10/30/2017 7:59:06 PM	34690
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	10/30/2017 7:59:06 PM	34690
Surr: DNOP	87.3	70-130	%Rec	1	10/30/2017 7:59:06 PM	34690
EPA METHOD 8015D: GASOLINE RANG	E				Analyst	NSB
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	10/29/2017 12:49:09 AM	M 34671
Surr: BFB	86.5	15-316	%Rec	1	10/29/2017 12:49:09 AM	M 34671
EPA METHOD 8021B: VOLATILES					Analyst	NSB
Benzene	ND	0.023	mg/Kg	1	10/29/2017 12:49:09 AM	VI 34671
Toluene	ND	0.047	mg/Kg	1	10/29/2017 12:49:09 AM	M 34671
Ethylbenzene	ND	0.047	mg/Kg	1	10/29/2017 12:49:09 AM	M 34671
Xylenes, Total	ND	0.093	mg/Kg	1	10/29/2017 12:49:09 AM	M 34671
Surr: 4-Bromofluorobenzene	97.9	80-120	%Rec	1	10/29/2017 12:49:09 AM	M 34671

Matrix: SOIL

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 1 of 6
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1710E57

07-Nov-17

Client:

WPX Energy

Project:

Rosa Unit 146

Sample ID MB-34812

SampType: mblk

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 34812

RunNo: 46865

Prep Date: 11/3/2017

Analysis Date: 11/3/2017

SeqNo: 1496174

Units: mg/Kg

HighLimit

RPDLimit

Qual

Analyte Chloride

PQL Result ND 1.5

Sample ID LCS-34812

SampType: Ics

TestCode: EPA Method 300.0: Anions

Batch ID: 34812

RunNo: 46865

Units: mg/Kg

Client ID: LCSS Prep Date: 11/3/2017

Analysis Date: 11/3/2017

SeqNo: 1496175

Analyte

%REC LowLimit

%RPD **RPDLimit** Qual

PQL

110

Result 15

15.00

SPK value SPK Ref Val %REC LowLimit

%RPD

Chloride

SPK value SPK Ref Val

1.5

0

99.7

90

HighLimit

Qualifiers:

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

Holding times for preparation or analysis exceeded H

Not Detected at the Reporting Limit ND Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix

Analyte detected in the associated Method Blank B

Value above quantitation range E

J Analyte detected below quantitation limits

P Sample pH Not In Range Reporting Detection Limit RL

Sample container temperature is out of limit as specified

Page 2 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#:

1710E57

07-Nov-17

Client:

WPX Energy

Project:

Rosa Unit 146

Sample ID MB-34763

SampType: MBLK

TestCode: EPA Method 418.1: TPH

Client ID:

PBS

Batch ID: 34763

RunNo: 46854

Prep Date: 11/2/2017

Analysis Date: 11/3/2017 PQL

20

SeqNo: 1494254

Units: mg/Kg

Analyte

Result ND

SPK value SPK Ref Val %REC LowLimit

HighLimit %RPD

RPDLimit

Qual

Petroleum Hydrocarbons, TR Sample ID LCS-34763

SampType: LCS

TestCode: EPA Method 418.1: TPH

%REC

89.6

Client ID: LCSS

Batch ID: 34763

Analysis Date: 11/3/2017

RunNo: 46854 SeqNo: 1494255

Units: mg/Kg

HighLimit

126

RPDLimit Qual

Analyte Petroleum Hydrocarbons, TR

Sample ID LCSD-34763

Prep Date: 11/2/2017

SampType: LCSD

90

0

80.5 TestCode: EPA Method 418.1: TPH

Client ID: LCSS02

Batch ID: 34763

PQL

20

RunNo: 46854

LowLimit

LowLimit

Units: mg/Kg

HighLimit

Prep Date: 11/2/2017

Result

91

Analysis Date: 11/3/2017

20

SeqNo: 1494256

%RPD

RPDLimit Qual

Analyte Petroleum Hydrocarbons, TR PQL

SPK value SPK Ref Val 100.0

100.0

SPK value SPK Ref Val

0

%REC 90.6

80.5

1.14 126

%RPD

Qualifiers:

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

Holding times for preparation or analysis exceeded H

ND Not Detected at the Reporting Limit

Practical Quanitative Limit **PQL**

% Recovery outside of range due to dilution or matrix

Analyte detected in the associated Method Blank

Е Value above quantitation range

J Analyte detected below quantitation limits Page 3 of 6

P Sample pH Not In Range

RL Reporting Detection Limit

Sample container temperature is out of limit as specified

	e e	
		·

Hall Environmental Analysis Laboratory, Inc.

Result

48

4.5

PQL

10

WO#:

1710E57

07-Nov-17

Client:

WPX Energy

Project:

Analyte

Surr: DNOP

Diesel Range Organics (DRO)

Rosa Unit 146

Sample ID MB-34690	SampType: MBL		TestCode: EPA Method 8015M/D: Diesel Range Organics				
Client ID: PBS	Batch ID: 34690)	RunNo: 46729				
Prep Date: 10/28/2017	Analysis Date: 10/30	0/2017	SeqNo: 1489218	Units: mg/Kg			
Analyte	Result PQL SI	PK value SPK Ref \	/al %REC LowLimit	HighLimit %RPD	RPDLimit Qual		
Diesel Range Organics (DRO)	ND 10						
Motor Oil Range Organics (MRO)	ND 50						
Surr: DNOP	8.6	10.00	85.8 70	130			
Sample ID LCS-34690	SampType: LCS		TestCode: EPA Method 8015M/D: Diesel Range Organics				
Client ID: LCSS	Batch ID: 34690		RunNo: 46729				
Prep Date: 10/28/2017	Analysis Date: 10/30	/2017	SeqNo: 1489220	Units: mg/Kg			

LowLimit

73.2

70

95.3

90.7

HighLimit

114

130

%RPD

RPDLimit

SPK value SPK Ref Val %REC

50.00

5.000

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

Page 4 of 6

Hall Environmental Analysis Laboratory, Inc.

WO#: 1710E57

07-Nov-17

Client:

WPX Energy

Project:

Analyte

Rosa Unit 146

Sample	ID	MB-3467

SampType: MBLK Batch ID: 34671

TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS

RunNo: 46715

%REC

Prep Date:

10/27/2017

Analysis Date: 10/28/2017

SeqNo: 1488464

Units: mg/Kg

HighLimit

%RPD **RPDLimit**

Qual

Gasoline Range Organics (GRO) Surr: BFB

Result ND 830

1000

25.00

1000

SPK value SPK Ref Val

83 2

316

Sample ID LCS-34671

Prep Date: 10/27/2017

SampType: LCS

TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS

Batch ID: 34671

PQL

5.0

RunNo: 46715

100

89.7

75.9

LowLimit

LowLimit

15

15

LowLimit

Analyte

Result

Analysis Date: 10/28/2017 PQL

5.0

SPK value SPK Ref Val %REC

0

SeqNo: 1488465

Units: mg/Kg HighLimit

131

316

%RPD

%RPD

%RPD

RPDLimit

Qual

Surr: BFB

Gasoline Range Organics (GRO)

900

25

Result

SampType: MBLK

Analysis Date: 10/29/2017

TestCode: EPA Method 8015D: Gasoline Range

Client ID: **PBS**

Sample ID MB-34656

Batch ID: 34656

RunNo: 46720 SeqNo: 1488743

Units: %Rec

HighLimit

RPDLimit

Qual

Analyte Surr: BFB

Prep Date:

SampType: LCS

1000

83.3

TestCode: EPA Method 8015D: Gasoline Range

316

Sample ID LCS-34656 Client ID:

Prep Date:

LCSS

10/26/2017

10/26/2017

Batch ID: 34656

Analysis Date: 10/29/2017

PQL

SPK Ref Val

SPK value SPK Ref Val %REC

RunNo: 46720 SeqNo: 1488744

Units: %Rec

RPDLimit Qual

Analyte Surr: BFB Result 930

1000

SPK value

%REC 93.4 HighLimit 316

15

LowLimit

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix
- В Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- Sample pH Not In Range
- Reporting Detection Limit RI. Sample container temperature is out of limit as specified W

Page 5 of 6

Hall Environmental Analysis Laboratory, Inc.

SampType: LCS

WO#:

1710E57

07-Nov-17

Client: Project:

Sample ID LCS-34671

WPX Energy Rosa Unit 146

Sample ID MB-34671 SampType: MBLK TestCode: EPA Method 8021B: Volatiles Client ID: PBS Batch ID: 34671 RunNo: 46715 Prep Date: 10/27/2017 Analysis Date: 10/28/2017 SeqNo: 1488504 Units: mg/Kg Analyte PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Result ND 0.025 Benzene Toluene ND 0.050 Ethylbenzene ND 0.050 ND 0.10 Xylenes, Total 95.5 120 Surr: 4-Bromofluorobenzene 0.95 1.000 80

Campio is 200 01011	recteded. El A metriod our B. Volution									
Client ID: LCSS	F	RunNo: 4	6715							
Prep Date: 10/27/2017 Analysis Date: 10/28/2017				8	SeqNo: 1	488505	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.98	0.025	1.000	0	98.4	77.3	128			
Toluene	0.98	0.050	1.000	0	97.5	79.2	125			
Ethylbenzene	0.96	0.050	1.000	0	95.7	80.7	127			
Xylenes, Total	3.0	0.10	3.000	0	98.6	81.6	129			
Surr: 4-Bromofluorobenzene	0.93		1.000		93.1	80	120			

TestCode: EPA Method 8021B: Volatiles

Sample ID	MB-34656	SampTy	pe: MI	BLK	Tes	tCode: E	PA Method	8021B: Volat	iles			
Client ID:	PBS	Batch	ID: 34	656	F	RunNo: 4	6720					
Prep Date:	10/26/2017	Analysis Da	ite: 1	0/29/2017	S	SeqNo: 1	488778	Units: %Red	:			
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Surr 4-Brom	offuorobenzene	0.95	i	1.000		95.2	80	120				

Sample ID LCS-34656	SampType	e: LCS	Test	Code: E	PA Method	8021B: Volat	iles		
Client ID: LCSS	Batch ID	34656	R	unNo: 4	6720				
Prep Date: 10/26/2017	Analysis Date	10/29/2017	S	eqNo: 1	488779	Units: %Red			
Analyte	Result F	PQL SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	0.97	1,000		97 1	80	120			

Suil, 4-Dioinioiluoropenzene 0.97 1.000 97.1 00 120

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 6 of 6

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109

Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name:	WPX ENERGY	Work Order Num	ber: 1710E57		RcptNo: 1								
Received By: Completed By:	Sophia Campuzano Erin Melendrez	10/27/2017 8:00:00 10/27/2017 9:40:54		Sophia Corpor	-								
Reviewed By:	NL	10/27/17		74.30									
Chain of Cus	tody												
1. Custody sea	als intact on sample bottles?		Yes 🗌	No 🗆	Not Present ✓								
2. Is Chain of C	Custody complete?	Yes 🗸	No 🗌	Not Present									
3. How was the	e sample delivered?		Courier										
Log In													
4. Was an atte	empt made to cool the samples	?	Yes 🗹	No 🗆	NA 🗆								
5. Were all san	nples received at a temperatur	e of >0° C to 6.0°C	Yes 🗹	No 🗌	NA 🗆								
6. Sample(s) in	n proper container(s)?	Yes 🗹	No 🗌										
7. Sufficient sa	mple volume for indicated test	(s)?	Yes 🗹	No 🗌									
8. Are samples	(except VOA and ONG) prope	rly preserved?	Yes 🗸	No 🗔									
9. Was preserv	rative added to bottles?	Yes	No 🗹	NA 🗆									
10.VOA vials ha	ave zero headspace?		Yes	No 🗆	No VOA Vials 🗹								
11. Were any sa	ample containers received brok	Yes	No 🗹	# of preserved									
12. Does paperv	vork match bottle labels?	Yes 🗹	No 🗆	bottles checked for pH:									
	pancies on chain of custody)				>12 unless noted)								
13. Are matrices	correctly identified on Chain of	Yes 🗸	No 🗆	Adjusted?									
	at analyses were requested?		Yes 🗸	No 🗌									
	ling times able to be met? customer for authorization.)		Yes 🗹	No 📙	Checked by:								
0													
	ling (if applicable)												
16. Was client no	otified of all discrepancies with	this order?	Yes 🗌	No 🗆	NA 🗹	1 -							
	Notified:	Date	9:										
By Who	CONTRACTOR OF THE PROPERTY AND THE PROPE	Via:	eMail F	hone Fax	In Person								
Regard	ing: instructions:												
	,		-										
17. Additional re					•								
18. Cooler Info		eal Intact Seal No	Seal Date	Signed By									
1		t Present											

Chain-of-Custody Record		Turn-Around	Time:									_										
Client: WPX Eneray			Standard □ Rush				HALL ENVIRONMENTAL ANALYSIS LABORATORY															
			Project Name:			www.hallenvironmental.com																
Mailing Address: 72 5 Maun			Rosa Unit # 146			4901 Hawkins NE - Albuquerque, NM 87109																
Aztec, NM		Project #:			Tel. 505-345-3975 Fax 505-345-4107																	
Phone #: 505 333 1880			1												Req		-					
email or Fax#: deborah, wason@woxenery, com			Project Manager:																			
QA/QC Package:					3021	38 01				(S		10,4	CB's									
Standard			D Watson			88	9	(%)			SIM		9,	2 P(
Accreditation		Sampler: D Watson			TMBS (8021)	TPH (Gas only)	GRO DRO MRO	-	=	8270 SIMS)		DN DN	808						2			
□ NELAP □ Other			On ice			P	+	(K)	418.1)	504	or 82	8	Q3,	es /		OA)				ō		
Date	Time	Matrix	Sample Request ID		Preservative Type	HĒ	AL No.	BTEX +-NITBE	BTEX + MTBE	TPH 8015B (TPH (Method	EDB (Method 504.1)	PAH's (8310 or	RCRA 8 Metals	Anions (* 6), NO3, NO2, PO4, SO4)	8081 Pesticides / 8082 PCB's	8260B (VOA)	8270 (Semi-VOA)				Air Bubbles (Y or N)
10.25.17	1411	Sol	B6T-1	Hoz dun	cid	-00	<u> </u>	X	B.	X	X	EI	P/	R	X) 80	82	82		+		Ai
							2													+	\pm	
																						+
Date:	Time: 1540	Relinquish	ed by: Watu ed by:	Received by: Charles Time Pholin 1546 Received by: Date Time Time 10/27/17 0800			Remarks:															
•	with 1941 And Walt		Can 1 1	7 _ 10	/27 //7	0800																
124/17	1441	1/ YV	of Walt	John M. Milli																		

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

WPX Energy Production, LLC Rosa Unit #146 BGT Closure Report Photograph Log

WPX Energy Production, LLC

Rosa Unit #146

28-31N-05W Rio Arriba County, New Mexico

Date: October 25, 2017

Photograph #1




WPX Energy Production, LLC

Rosa Unit #146

28-31N-05W Rio Arriba County, New Mexico

Date: October 25, 2017

Photograph #2



WPX Energy Production, LLC Rosa Unit #146 BGT Closure Report Photograph Log


WPX Energy Production, LLC

Rosa Unit #146

28-31N-05W Rio Arriba County, New Mexico

Date: October 26, 2017

Photograph #3



WPX Energy Production, LLC

Rosa Unit #146

28-31N-05W Rio Arriba County, New Mexico

Date: October 27, 2017

Photograph #4

