

District I
1625 N French Dr, Hobbs, NM 88240
Phone (575) 393-6161 Fax (575) 393-0720

District II
811 S First St, Artesia, NM 88210
Phone (575) 748-1283 Fax (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone (505) 334-6178 Fax (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone (505) 476-3460 Fax (505) 476-3462

State of New Mexico
Energy Minerals and Natural Resources

Form C-101
Revised July 18, 2013

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

OIL CONS. DIV DIST. 2
AMENDED REPORT
DEC 13 2017

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

Operator Name and Address Dugan Production Corp. 709 East Murray Drive Farmington, New Mexico 87401		OGRID Number 006515
Property Code 317434	Property Name PGA Unit 16	API Number 30-045-35801
		Well No #1

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
B	16	23N	11W		708	N	1790	E	San Juan

* Proposed Bottom Hole Location

UL - Lot	Section	Township	Range	Lot Idn	Feet from	N/S Line	Feet From	E/W Line	County
B	16	23N	11W		708	N	1790	E	San Juan

9. Pool Information

Pool Name Basin Fruitland Coal	Pool Code 71029
-----------------------------------	--------------------

Additional Well Information

11. Work Type N	12. Well Type G	13. Cable/Rotary R	14. Lease Type S	15. Ground Level Elevation 6226'-GL
16. Multiple N	17. Proposed Depth Pictured Cliffs/BFC	18. Formation Pictured Cliffs/BFC	19. Contractor TBD	20. Spud Date ASAP
Depth to Ground water		Distance from nearest fresh water well		Distance to nearest surface water

We will be using a closed-loop system in lieu of lined pits

21. Proposed Casing and Cement Program

Type	Hole Size	Casing Size	Casing Weight/lb	Setting Depth	Sacks of Cement	Estimated TOC
Surface Csg	12-1/4"	8-5/8"	24# J-55 STC	120-ft	99-cf	Surface
Production Csg	7-7/8"	5-1/2"	14# J-55 STC	650-ft	120-cf	Surface

Casing/Cement Program: Additional Comments

--

22. Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Double Ram	2,000 psi	Low Press 250 psig High Press 2,000 psig	Schafer 9" 2000 Series

<p>23. I hereby certify that the information given above is true and complete to the best of my knowledge and belief I further certify that I have complied with 19.15.14.9 (A) NMAC <input type="checkbox"/> and/or 19.15.14.9 (B) NMAC <input type="checkbox"/> if applicable. Signature: <i>Kurt Fagrelus</i></p>	OIL CONSERVATION DIVISION	
	Approved By: <i>Charles Hen</i> 1-29-2018	
Printed name: Kurt Fagrelus	Title	
Title: Vice President Land and Exploration	Approved Date	Expiration Date
E-mail Address: kfagrelus@duganproduction.com		
Date: 12/11/2017	Phone: 505-325-1821	Conditions of Approval Attached

SEE ATTACHED NMOCD
CONDITIONS OF APPROVAL

APD was held for 5.9
Compliance

District I
1625 N. French Drive, Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First Street, Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Drive, Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 1, 2011

Submit one copy to
Appropriate District Office

OIL CONSERVATION DIVISION

1220 South St. Francis Drive
Santa Fe, NM 87505

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30.045.35801		² Pool Code 71629	³ Pool Name BASIN FRUITLAND COAL
⁴ Property Code 317434	⁵ Property Name PGA UNIT 16		⁶ Well Number 1
⁷ GRID No. 006515	⁸ Operator Name DUGAN PRODUCTION CORPORATION		⁹ Elevation 6226'

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	16	23N	11W		708	NORTH	1790	EAST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

¹² Dedicated Acres 320.0 Acres - E/2	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--	-------------------------------	----------------------------------	-------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom-hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Kurt Fagrelius 12/11/2017
Signature Date
Kurt Fagrelius
Printed Name
kfagrelius@duganprouction.com
E-mail Address

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date Revised: OCTOBER 25, 2017
Date of Survey: OCTOBER 11, 2017

Signature and Seal of Professional Surveyor




JASON C. EDWARDS
Certificate Number 15269

Well Control Equipment Schematic for 2,000 psi BOP


EXHIBIT 7.

BOP Stack



Choke & Kill

Manifold



Working Pressure for all equipment is 2,000 psi or greater

DUGAN PRODUCTION CORP.
PGA 16 #1

Directions from the Intersection of US Hwy 550 & US Hwy 64

in Bloomfield, NM to Dugan Production Corporation PGA Unit 16 #1

708' FNL & 1790' FEL, Section 16, T23N, R11W, N.M.P.M., San Juan County, NM

Latitude: 36.232302°N Longitude: 108.006772°W Datum: NAD1983

From the intersection of US Hwy 550 & US Hwy 64 in Bloomfield, NM, travel Southerly on US Hwy 550 for 27.9 miles to State Hwy #57 @ Mile Marker 123.4;

Go Right (South-westerly) on State Hwy #57 for 3.2 miles to fork in roadway;

Go Left (South-westerly) remaining on State Hwy #57 for 2.6 miles to fork in roadway;

Go Right (Westerly) exiting State Hwy #57 onto County Road #7635 for 0.9 miles to fork in roadway;

Go Left (Southerly) remaining on County Road #7635 for 1.4 miles to fork in roadway;

Go Right (Westerly) exiting County Road #7635 onto County Road #7515 for 0.7 miles to fork in roadway;

Go Left (South-westerly) exiting County Road #7515 onto existing roadway for 1.4 miles to fork in roadway;

Go Right (Westerly) for 2.0 miles to fork in roadway;

Go Left (Westerly) which is straight for 0.2 miles to fork in roadway;

Go Right (Westerly) which is straight for 4.4 miles to begin proposed access on left-hand side of roadway which continues for 720.7' to staked Dugan PGA Unit 16 #1 location.

State of New Mexico
Energy, Minerals and Natural Resources Department

Susana Martinez
Governor

Ken McQueen
Cabinet Secretary

Matthias Sayer
Deputy Cabinet Secretary

David R. Catanach, Division Director
Oil Conservation Division



New Mexico Oil Conservation Division Conditions of Approval
C-101 Application for Permit to Drill

Operator Signature Date: 12/11/17

Well information;

Operator Duxen, Well Name and Number PGA Unit 16 #14

API# 30-045-35801, Section 16, Township 23 N/S, Range 11 E SW

Conditions of Approval: (See the below checked and handwritten conditions)

- Notify Aztec OCD 24hrs prior to casing & cement.
- Hold C-104 for directional survey & "As Drilled" Plat
- Hold C-104 for NSL, NSP, DHC
- Spacing rule violation. Operator must follow up with change of status notification on other well to be shut in or abandoned
- Regarding the use of a pit, closed loop system or below grade tank, the operator must comply with the following as applicable:
 - A pit requires a complete C-144 be submitted and approved prior to the construction or use of the pit, pursuant to 19.15.17.8.A
 - A closed loop system requires notification prior to use, pursuant to 19.15.17.9.A
 - A below grade tank requires a registration be filed prior to the construction or use of the below grade tank, pursuant to 19.15.17.8.C
- Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
- Submit Gas Capture Plan form prior to spudding or initiating recompletion operations
- Regarding Hydraulic Fracturing, review EPA Underground Injection Control Guidance 84
- Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system.
- Well-bore communication is regulated under 19.15.29 NMAC. This requires well-bore Communication to be reported in accordance with 19.15.29.8.

Chad Pen
NMOCD Approved by Signature

1-29-2018
Date