District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144 Revised April 3, 2017

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

<u>Pit, Below-Grade Tank, or</u> <u>Proposed Alternative Method Permit or Closure Plan Application</u>

Type of action: Below grade tank registration Permit of a pit or proposed alternative method Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. Departor: BP America Production Company OGRID #: 778 Address: OGRID #: 778
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. 1. Operator: BP America Production Company Address: 200 Energy Court, Farmington, NM 87401
Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. Operator: BP America Production Company OGRID #: 778 Address: 200 Energy Court, Farmington, NM 87401
Operator: BP America Production Company Address: 200 Energy Court, Farmington, NM 87401
Address: 200 Energy Court, Farmington, NM 87401
Facility or well name: E.E. ELLIOTT A 001A
API Number: 3004522058 OCD Permit Number:
U/L or Qtr/Qtr O Section 15 Township 30N Range 09W County: San Juan
Center of Proposed Design: Latitude 36.80716 Longitude -107.76437 NAD83
Surface Owner: 🔳 Federal 🗌 State 🗌 Private 🗀 Tribal Trust or Indian Allotment
Temporary: Drilling Workover Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling Fluid yes no Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other String-Reinforced Liner Seams: Welded Factory Other Volume:bbl Dimensions: Lx Wx D
3. Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: 95 bbl Type of fluid: Produced Water
Tank Construction material: Steel
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ■ Other Single wall/ Double bottom; sidewalls not visible
Liner type: Thicknessmil
4. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.
5.
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)
Four foot height, four strands of barbed wire evenly spaced between one and four feet
Alternate. Please specify

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other	
☐ Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC	
8	
Variances and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
9. Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptate are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	ptable source
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. - □ NM Office of the State Engineer - iWATERS database search; □ USGS; □ Data obtained from nearby wells	Yes No
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	☐ Yes ☐ No
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No

Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit Non-low chloride drilling fluid	
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Permanent Pit or Multi-Well Fluid Management Pit	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
10. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N	MAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the docattached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number:	NMAC 15.17.9 NMAC
11.	
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:	

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment	documents are
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC	
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems)	luid Management Pit
☐ In-place Burial ☐ On-site Trench Burial ☐ Alternative Closure Method	
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	attached to the
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. In 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	Yes No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plans to the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17. Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cann Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	.11 NMAC 15.17.11 NMAC
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete to the best of my knowledge and believe the complete the complete to the best of my knowledge and believe the complete the complete to the best of my knowledge and believe the complete th	
e-mail address: Date: Telephone:	
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 1	8106/18
Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: 11/2/2017	
20. Closure Method: Weste Frequestion and Remarks On Site Closure Method Alternative Closure Method Weste Remarks (Closed le	1)
■ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-logical If different from approved plan, please explain.	oop systems only)

22. Operator Closure Certification:	
I hereby certify that the information and attachments submitted with	this closure report is true, accurate and complete to the best of my knowledge and osure requirements and conditions specified in the approved closure plan.
Name (Print): Erin Garifalos	Title: Field Environmental Coordinator
Signature:UTIN GOTIFIALOS	Date:
e-mail address: erin.garifalos@bp.com	Telephone: (832) 609-7048

BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

E.E. ELLIOTT A 001A

API No. 3004522058

Unit Letter O Section 15 T 30N R 09W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.

Notice is attached.

2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice was provided and is attached.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
 - BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for recycling.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	95 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	10	< 0.017
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.069
TPH	US EPA Method SW-846 418.1 or 8015 extended	100	<47
Chlorides	US EPA Method 300.0 or 4500B	620	<30

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled for Chloride, TPH and BTEX with all concentrations below the stated limits. The field report and laboratory reports are attached.

7. BP shall notify the division District III office of its results on form C-141.

C-141 is attached.

8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results indicate a release has not occurred. Attached is a laboratory report and C-141.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

Sampling results indicate a release has not occurred. Attached is a laboratory report and field report. The location will be reclaimed when the well is plugged and abandoned.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area has been backfilled and a 105 BBL shallow low profile above-grade tank set atop BGT location. The location will be reclaimed once the well is plugged and abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area has been backfilled and a 105 BBL shallow low profile above-grade tank set atop BGT location. The location will be reclaimed once the well is plugged and abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area has been backfilled and a 105 BBL shallow low profile above-grade tank set atop BGT location. The location will be reclaimed once the well is plugged and abandoned.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

The area has been backfilled and a 105 BBL shallow low profile above-grade tank set atop BGT location. The location will be reclaimed once the well is plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

The area has been backfilled and a 105 BBL shallow low profile above-grade tank set atop BGT location. The location will be reclaimed once the well is plugged and abandoned.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

BP did not meet the 60 closure completion requirement due to the holidays. Closure report on C-144 form is included including photos of reclamation completion.

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II

1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Hobbs, NM 87505

* Attach Additional Sheets If Necessary

State of New Mexico Energy Minerals and Natural Resources

Revised April 3, 2017

Form C-141

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

		-			4-6-6-6	The second second								
			Rele	ease Notifi	cation	and Co	orrective A	ction						
						OPERA	ГOR	al Report		Final Report				
				tion Compan		Contact Erin Garifalos								
				n, NM 8740		Telephone No. (832) 609-7048								
Facility Nai	me E.E. E	ELLIOTT A	001A			Facility Type: Natural Gas Well								
Surface Ow	ner: Fed	eral		Mineral (Owner:	Federal			API No	.300452	2058	3		
				LOCA	ATION	OF RE	LEASE							
Unit Letter	Section	Township	Range	Feet from the	North/	South Line	Feet from the	East/W	Vest Line	County				
0	15	30N	09W	1,180	Sou	ıth	1,480	Eas	t	5	ar	Juan		
			Latitud	le 36.80716	Lo	ngitude -1	07.76437	NAD8	33					
				NAT		OF REL								
Type of Rele	ase:: none	Э					Release:: unkn			Recovered::				
Source of Re	lease: belo	w grade ta	nk - 95	bbl		Date and F	Hour of Occurrence	ce:	Date and n/a	Hour of Dis	covery	:		
Was Immedi						If YES, To	Whom?		11/4					
			Yes 🗸	No Not R	equired									
By Whom?	D	1 10				Date and H		1 117						
Was a Water	course Read		Yes 🗸	No		If YES, Vo	olume Impacting t	the Wate	rcourse.					
If a Watercon	irse was Im	pacted, Descr	ibe Fully.*	k										
Describe Con	as of Duck!	am and Dama	dial Astica	Tolon *										
Describe Cat	ise of Probl	em and Reme	diai Actioi	Sam	pling o	of the soil	beneath the	BGT	was do	ne durin	g rer	noval.		
				Soil	analys	is resulte	d for Chloric	les, B	TEX, ar	nd TPH b	elow	BGT		
				closu	ure sta	ndards. F	Field reports	and la	aborato	ry results	are	attached.		
Describe Are	a Affected	and Cleanup	Action Tak	en.*			in al laborat		م مامیرام		l	_		
							inal laborate	ory an	alysis c	aetermin	ea n	0		
				remedia	ii aciio	n is requ	irea.							
I honoby cont	fr that the	information of	luon about	is two and some	lata to the	a hast of my	knowledge and u	m donatan	d that muna	want to NIM	OCD #	aloo and		
							nd perform correct							
public health	or the envi	ronment. The	acceptanc	e of a C-141 repo	ort by the	NMOCD m	arked as "Final R	eport" de	oes not reli	eve the oper	ator of	liability		
							on that pose a three the operator of							
		ws and/or regi												
		A					OIL CON	SERV	ATION	DIVISIO	N			
1	run g	Wilfale	24											
Signature:						Approved by	Environmental S	pecialist						
		arifalos												
Title: Field	Envir	onmenta	al Cool	rdinator	I	Approval Dat	te:	E	Expiration 1	Date:				
E-mail Addre	ess: erin.	garifalos	@bp.	com		Conditions of	Approval:			Attached				
Date: Janua	arv 2. 20	18	Phone	(832) 609-70	048					- Attached				

bp



BP America Production Company 200 Energy Court Farmington, NM 87401

October 27, 2017

Bureau of Land Management Whitney Thomas 6251 College Suite A Farmington, NM 87402

VIA EMAIL

Re: Notification of plans to close/remove a below grade tank Well Name: EE ELLIOTT A 001A

API#: 3004522058

Dear Mrs. Thomas,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about October 31, 2017. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required please contact me for a specific time (832)-609-7048.

Sincerely,

Erin Garifalos

BP America Production Company

From:

Buckley, Farrah (CH2M HILL)

To:

Smith, Cory, EMNRD; Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us)

Cc:

jeffcblagg@aol.com; blagg_njv@yahoo.com; Garifalos, Erin

Subject: Date: BP Pit Close Notification - EE ELLIOTT A 001A Friday, October 27, 2017 11:09:21 AM

BP America Production Company

200 Energy Court Farmington, NM 87401 Phone: (505) 326-9200

SENT VIA E-MAIL TO: <u>CORY.SMITH@STATE.NM.US</u>; <u>VANESSA.FIELDS@STATE.NM.US</u>

October 27, 2017

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

EE ELLIOTT A 001A API 30-045-22058 (0) Section 15-T30N-R09W San Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 95bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around October 31, 2017.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Erin Garifalos

Field Environmental Coordinator - San Juan

Cell: 832-609-7048

Farrah Buckley BGT Project Support 970-946-9199 -cell

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

, , , DD	BI AGG E	NGINEERING, INC.		2004523	0050
CLIENT: BP		LOOMFIELD, NM 874	13	API#: 3004522	:050
	(50	05) 632-1199		TANK ID (if applicble):	
FIELD REPORT:	(circle one): BGT CONFIRMATION	/ RELEASE INVESTIGATION / OTHER:		PAGE#: 1 o	of
SITE INFORMATION	I: SITE NAME: E.E. EL	LIOTT A #1A		DATE STARTED: 10/3	31/17
QUAD/UNIT: 0 SEC: 15 TWP:	30N RNG: 9W PM:	NM CNTY: SJ ST:	NM	DATE FINISHED:	
1/4 -1/4/FOOTAGE: 1,180'S / 1,4	80'E SW/SE LEASE	TYPE: FEDERAL/STATE/FEE/II	NDIAN	ENVIRONMENTAL	
LEASE#: SF078139	PROD. FORMATION: MV C	ONTRACTOR: BP - J. GONZALI	ES	SPECIALIST(S):	JV
REFERENCE POINT			7.76394	GL ELEV.: 6	-
1) 95 BGT (SW/DB)	GPS COORD.: 36	5.80716 X 107.76437	DISTANCE/BEAF	RING FROM W.H.:61', S'	17W
2)	GPS COORD.:		DISTANCE/BEAR	RING FROM W.H.:	
3)				RING FROM W.H.:	
	GPS COORD.:		DISTANCE/BEAF	RING FROM W.H.:	OVM
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # (I/17 SAMPLETIME: 1315 LAB ANALYS	801	5B/8021B/300.0 (CI)	READING (ppm)
1) SAMPLE ID: 5PC - IB @ 5	· · ·			13D/0021D/300.0 (OI)	IVA
3) SAMPLE ID:			IS:		
		SAMPLE TIME: LAB ANALYS			
SOIL DESCRIPTION		SAMPLE TIME: LAB ANALYS			
	RATE BROWN Y COHESIVE / COHESIVE / HIGHLY COHESIVE DOSE FIRM DENSE / VERY DENSE ET / SATURATED / SUPER SATURATED FOF PTS. 5	PLASTICITY (CLAYS): NON PLASTIC / SLIGHTL DENSITY (COHESIVE CLAYS & SILTS): SI HC ODOR DETECTED: YES NO EXPLANATION ANY AREAS DISPLAYING WETNESS: YES	Y PLASTIC / CO OFT / FIRM / S ΠΟΝ -	STIFF / VERY STIFF / HARD	ILY PLASTIC
SITE OBSERVATION		YES NO EXPLANATION -			
APPARENT EVIDENCE OF A RELEASE OBSERVE EQUIPMENT SET OVER RECLAIMED AREA: OTHER: NMOCD OR BLM REPS. NOT PR	DAND/OR OCCURRED : YES NO EXPLANATION - 105 BB	ANATION:	GRADE TAN	NK TO BE SET ATOP BGT I	OCATION.
EXCAVATION DIMENSION ESTIMATION:			ATION EST	TIMATION (Cubic Yards) :	NA
	EAREST WATER SOURCE: >1,000	NEAREST SURFACE WATER: <1,00	O' NMOC	D TPH CLOSURE STD: 1,0	00 ppm
SITE SKETCH	BGT Located: off on sit	PLOT PLAN circle: atta	ched	CALIB. READ. = NA pp	m RF =1.00
SEPARATOR	₹→	- COMPRESSOR	N TIME		NA
			- w	MISCELL. NOT O:	IES
			_	EF#: P-831	
PBGTL	→(x x x) BERM		VI	D: VHIXONEVB2)
T.B. ~ 5'^ B.G.		⊕ w .н.	P.	J #:	
				ermit date(s): 06/1	
		FENCE	Tan		1/1/ ter
PRO TAI	JU.		ID A	ppm = parts per million	
		V 0		BGT Sidewalls Visible: Y /	
NOTES: BGT = BELOW-GRADE TANK; E.D. = EXCAVATIO	ON DEPRESSION: R.G. = RELOWICEADE: D = D	X - S.		BGT Sidewalls Visible: Y /	
T.B. = TANK BOTTOM; PBGTL = PREVIOUS BEL APPLICABLE OR NOT AVAILABLE; SW - SINGLI	OW-GRADE TANK LOCATION; SPD = SAMPLE F E WALL; DW - DOUBLE WALL; SB - SINGLE BOT	POINT DESIGNATION; R.W. = RETAINING WALL; NA -	NOT M	lagnetic declination: 10	°E
NOTES: GOOGLE EARTH IMAGI	ERY DATE: 10/5/2016.	ONSITE: 10/31/17			

Analytical Report

Lab Order 1711001

Date Reported: 11/2/2017

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Client Sample ID: 5PC-TB @ 5' (95)

Project: EE ELLIOTT A #1A

Collection Date: 10/31/2017 1:15:00 PM

Lab ID: 1711001-001

Matrix: SOIL

Received Date: 11/1/2017 7:00:00 AM

Analyses	Result	PQL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	MRA
Chloride	ND	30	mg/Kg	20	11/1/2017 11:03:11 AM	34738
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS				Analyst	TOM
Diesel Range Organics (DRO)	ND	9.3	mg/Kg	1	11/1/2017 10:37:23 AM	34734
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	11/1/2017 10:37:23 AM	34734
Surr: DNOP	91.3	70-130	%Rec	1	11/1/2017 10:37:23 AM	34734
EPA METHOD 8015D: GASOLINE RANG	E				Analyst	NSB
Gasoline Range Organics (GRO)	ND	3.5	mg/Kg	1	11/1/2017 8:44:08 AM	34720
Surr: BFB	83.5	15-316	%Rec	1	11/1/2017 8:44:08 AM	34720
EPA METHOD 8021B: VOLATILES					Analyst	NSB
Benzene	ND	0.017	mg/Kg	1	11/1/2017 8:44:08 AM	34720
Toluene	ND	0.035	mg/Kg	1	11/1/2017 8:44:08 AM	34720
Ethylbenzene	ND	0.035	mg/Kg	1	11/1/2017 8:44:08 AM	34720
Xylenes, Total	ND	0.069	mg/Kg	1	11/1/2017 8:44:08 AM	34720
Surr: 4-Bromofluorobenzene	91.6	80-120	%Rec	1	11/1/2017 8:44:08 AM	34720

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank
- E Value above quantitation range
- Analyte detected below quantitation limits Page 1 of 5 J
- P Sample pH Not In Range
- RL Reporting Detection Limit
- Sample container temperature is out of limit as specified

13/17 [7]		177	Date:, Time:												10/31/17 /315	Date Time	☐ EDD (Type)	□ NELAP	Accreditation:	QA/QC Package: Standard	email or Fax#:	Phone #:		Mailing Address:		Client: BLAG	
Camples s	Neimquisned by.	10	Relinquished by												SOIL	Matrix		□ Other				(505) 632-1199	BLOOM	P.O. BOX 87		G ENGR.	Sh-L
vies submitted to Hall Environmental may be su		Mary	ed by:/												5PC-TB @ 5 '(95)	Sample Request ID				Level 4 (Full Validation)		2-1199	BLOOMFIELD, NM 87413	X 87		BLAGG ENGR. / BP AMERICA	Ciralli-Ci-Custody Record
bcontracted to other	Maceived by	Ken	Received by:												4 02 1	Type and #	Sample Temperature	eal tig	Sampler:		Project Manager:		Project #:	æ	Project Name:	☐ Standard	uiii-Around i ime:
accredited laboratories	1	bet													Cool	Preservative Type	erature /	M ^e Yes	NELSON VELEZ	NELSON VELEZ	jer.			ELLIOTT A		☑ Rush	Ime:
This contan on malian at	11/01/17	1 ~	Date Time												102	HEALING.		□ No	LEZ NY	TEZ				#1A		DAY	SAME
Kele	D.f.	8	Remarks:												<	BTEX + MTB	C + 	TMB	5 (8	021B)						П	_
Kelerence #	<	CONTACT	ırks:			_	_		_	_	_		_	_		BTEX + MTB		-	-				Tel	490			_
. #			(0)	_	_	-		_	_	-	-	_	-	_	<	TPH 8015B (_		_	/ MRO)	_		505	1 На			
1	VHIXONEVB2	& REFERENCE # WHEN APPLICABLE; ERIN GARIFALOS / VANCE HIXON	LL DIR	_		-	_	-			_	-	-	_		TPH (Meth EDB (Meth	_						Tel. 505-345-3975	4901 Hawkins NE -	8	≥ :	I
F- 831	NEV	ARI	ECTLY	_	_	_		-	-	_	-	-	-	-		PAH (8310	_			AS)	_		-397	s NE	₩.	5	
115	82	ALO:	TOB	_	-		-				-					RCRA 8 Me	_	_	73111	13)		Ana	U		halle	7	773
		S/V	P USII		-											Anions (F,C	_	_	102.	PO ₄ .SC)4)	alysi	Fax	lbuo	nvir	SIS	Ž
		ANC	NG TH	_			-		-	_		_		_		8081 Pesti	_		_		_	Is Re	50	Juero	mno		S
		ABLE:	E CON			-				_		-				8260B (VO	_				_	Analysis Request	5-34	,ent	enta	5	D C
		NO	TACT	_							1					8270 (Sem	-	(AC			_	1s	Fax 505-345-4107	Z	www.hallenvironmental.com	BC	Ž
			BILL DIRECTLY TO BP USING THE CONTACT WITH CORRESPONDING												<	Chloride (soi		_	/ wa	ter - 300).1)		07	Albuquerque, NM 87109	3	LABORATORY	ENVIRONMENTAL
			CORR																					9		2	Z
			ESPO													Grab samp	le									0	TA
			DING												٧	5 pt. comp	osit	e sa	mpi	e		F				7	1 4

I unit-Around 1 Ime:

Hall Environmental Analysis Laboratory, Inc.

WO#:

1711001

02-Nov-17

Client:

Blagg Engineering

Project:

EE ELLIOTT A #1A

Sample ID MB-34738

SampType: mblk

TestCode: EPA Method 300.0: Anions

TestCode: EPA Method 300.0: Anions

Client ID:

Batch ID: 34738

RunNo: 46795

Prep Date:

SeqNo: 1493559

Units: mg/Kg

Analyte

11/1/2017

Analysis Date: 11/1/2017

RPDLimit

Qual

Chloride

Result PQL ND

SPK value SPK Ref Val %REC LowLimit

HighLimit

%RPD

%RPD

Sample ID LCS-34738

SampType: Ics

RunNo: 46795

Client ID:

LCSS

Batch ID: 34738

SeqNo: 1493560

Units: mg/Kg

Prep Date: 11/1/2017

Analysis Date: 11/1/2017

14

%REC

RPDLimit

Qual

Analyte Chloride

PQL

1.5

SPK value SPK Ref Val 15.00

95.2

HighLimit 110

Qualifiers:

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit ND

PQL Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix

В Analyte detected in the associated Method Blank

Value above quantitation range E

J Analyte detected below quantitation limits Page 2 of 5

P Sample pH Not In Range

RL Reporting Detection Limit

Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1711001

02-Nov-17

Client: Project:

Blagg Engineering

EE ELLIOTT A #1A

Sample ID LCS-34734 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 34734 RunNo: 46793 Prep Date: 11/1/2017 Analysis Date: 11/1/2017 SeqNo: 1492094 Units: mg/Kg %REC HighLimit %RPD **RPDLimit** Qual Analyte Result PQL SPK value SPK Ref Val Diesel Range Organics (DRO) 46 50.00 92.0 70 Surr: DNOP 4.1 5.000 81.9 130

Sample ID MB-34734	SampT	ype: ME	BLK	TestCode: EPA Method 8015M/D: Diesel Range Organics								
Client ID: PBS	Batch	ID: 34	734 RunNo: 46793									
Prep Date: 11/1/2017	Analysis D	ate: 11	1/1/2017	S	SeqNo: 1	492095	Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Diesel Range Organics (DRO)	ND	10										
Motor Oil Range Organics (MRO)	ND	50										
Surr: DNOP	8.8		10.00		87.7	70	130					

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

nits Page 3 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#:

1711001

02-Nov-17

Client: Project: Blagg Engineering

Sample ID MB-34720

EE ELLIOTT A #1A

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS

Batch ID: 34720

RunNo: 46791

Prep Date:

Result

ND

850

SeqNo: 1492520

316

10/31/2017

Analysis Date: 11/1/2017

Units: mg/Kg

Qual

Analyte Gasoline Range Organics (GRO)

PQL 5.0

SPK value SPK Ref Val %REC LowLimit

HighLimit

15

75.9

Surr: BFB

Sample ID LCS-34720

SampType: LCS

TestCode: EPA Method 8015D: Gasoline Range

%RPD

Client ID: LCSS

Batch ID: 34720

RunNo: 46791

85.0

Prep Date: 10/31/2017

Analysis Date: 11/1/2017

SeqNo: 1492521

Units: mg/Kg

316

Analyte Gasoline Range Organics (GRO) Result

SPK value SPK Ref Val 25.00

1000

%REC LowLimit 100

HighLimit 131

%RPD **RPDLimit**

RPDLimit

Qual

Surr: BFB

25 5.0

15

950 1000 95.1

Qualifiers:

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

Holding times for preparation or analysis exceeded H

Not Detected at the Reporting Limit

Practical Quanitative Limit POL

% Recovery outside of range due to dilution or matrix

Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits Page 4 of 5

Sample pH Not In Range

Reporting Detection Limit RL

Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1711001

02-Nov-17

Client:

Blagg Engineering

Project:

EE ELLIOTT A #1A

Sample ID MB-34720	SampType: MBLK			TestCode: EPA Method 8021B: Volatiles						
Client ID: PBS	Batch ID: 34720			RunNo: 46791						
Prep Date: 10/31/2017	Analysis Date: 11/1/2017			SeqNo: 1492552			Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.94		1.000		93.7	80	120			

Sample ID LCS-34720	SampType: LCS			TestCode: EPA Method 8021B: Volatiles						
Client ID: LCSS	Batch ID: 34720			R	RunNo: 4					
Prep Date: 10/31/2017	Analysis Date: 11/1/2017			SeqNo: 1492553			Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.91	0.025	1.000	0	90.8	77.3	128			
Toluene	0.91	0.050	1.000	0	90.6	79.2	125			
Ethylbenzene	0.90	0.050	1.000	0	90.0	80.7	127			
Xylenes, Total	2.7	0.10	3.000	0	91.4	81.6	129			
Surr: 4-Bromofluorobenzene	0.93		1.000		93.1	80	120			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Page 5 of 5



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107

Website: www.hallenvironmental.com

Sample Log-In Check List

BLAGG Work Order Number: 1711001 RcptNo: 1 Client Name: anne Sham Received By: **Anne Thorne** 11/1/2017 7:00:00 AM an Ilm Completed By: **Anne Thorne** 11/1/2017 7:11:11 AM 11h111 Reviewed By: Chain of Custody No 🗆 Not Present Yes T 1. Custody seals intact on sample bottles? No 🗌 Not Present Yes V 2. Is Chain of Custody complete? 3 How was the sample delivered? Courier Log In No 🗌 NA 🗌 Yes V 4. Was an attempt made to cool the samples? 5. Were all samples received at a temperature of >0° C to 6.0°C Yes 🗸 No NA 🗌 No 🗌 Yes V 6. Sample(s) in proper container(s)? Yes V 7. Sufficient sample volume for indicated test(s)? No 🗌 8. Are samples (except VOA and ONG) properly preserved? No V NA 🗌 Yes 9. Was preservative added to bottles? No VOA Vials 🗸 Yes No 10. VOA vials have zero headspace? Yes No V 11. Were any sample containers received broken? # of preserved bottles checked No 🗌 for pH: Yes V 12. Does paperwork match bottle labels? (<2 or >12 unless noted) (Note discrepancies on chain of custody) Adjusted? No 🗌 Yes 🗸 13. Are matrices correctly identified on Chain of Custody? Yes 🗸 No 🗌 14, is it clear what analyses were requested? Yes 🗸 No 🗌 Checked by: 15. Were all holding times able to be met? (If no, notify customer for authorization.) Special Handling (if applicable) Yes No 🗌 NA V 16. Was client notified of all discrepancies with this order? Person Notified: Date By Whom: Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person Regarding: Client Instructions: 17. Additional remarks: 18. Cooler Information Cooler No Temp °C Condition Seal Intact Seal No Seal Date 1.6 Good



