District I 1625 N. Franch Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 Revised April 3, 2017

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office. For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

6299	Proposed Alternat	Pit, Below-G		Plan Applic	ation	
	Permit of a j Closure of a	n to an existing perm	k, or proposed alterna		NMOCD MAR 16 20 pitsbelowternder	
	structions: Please submit one app	lication (Form C-144)	per individual pit, below	v-grade tank or alt	ternative request	
Please be advised that a	approval of this request does not relieve s approval relieve the operator of its re	ve the operator of liabilit	y should operations result	in pollution of surfa	ace water, ground wa	tter or the as or ordinances.
1. Operator: BP Ame	erica Production Company		OGRID #: 7	78		
	rgy Court, Farmington, NM 87	7401				
	e: PRITCHARD 008					
ADI Number 300	4524686	00	D. Dommit Number			
API Number: 000	4524686 Section 04	00	D Permit Number:	San San	Juan	
U/L or Qtr/Qtr	Section 04	_ lownship	Range	County:County	NUDOO	
	Design: Latitude 36.74921				NAD83	
Surface Owner: 🔳 I	Federal 🗌 State 🗌 Private 🗌 Trib	al Trust or Indian Allo	tment			
Lined Unline	mergency Cavitation P&A ed Liner type: Thickness	mil 🔲 LLDPE 🗌	HDPE PVC C	Other		_
3.	1k: Subsection I of 19.15.17.11 N	TAN	KA			
	bbl Type of fluid:					
Tank Construction n						
	ainment with leak detection Vis	cible sidewalls liner 6	inch lift and automatic a	warflow shut off		
	s and liner Visible sidewalls or				ble	
	ss mil					
Emer type. Thickne						
4.	hod					
	ption request is required. Exceptio	ne must be submitted t	o the Santa Fe Environm	ental Bureau office	for consideration of	fapproval
	phon request is required. Exceptio	ins must be submitted t				n approvai.
5. Fanaing: Subsection	n D of 19.15.17.11 NMAC (Applies	to paymonat pita tam	novem nite and halow a	mada tamba)		
Chain link, six fe	eet in height, two strands of barbed v				sidence, school, hos	pital,
institution or church,	four strands of barbed wire evenly s	spaced between one an	d four feet			
Alternate. Please						
						\bigcirc
Fo	orm C-144	Oil Conservat	ion Division		Page 1 of 6	(23)

6. <u>Netting</u> : Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
7.	
Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
Signed in compliance with 19.15.16.8 NMAC	
 8. <u>Variances and Exceptions:</u> Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. <i>Please check a box if one or more of the following is requested, if not leave blank:</i> □ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. □ Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. 	
9.	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	ptable source
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank □ NM Office of the State Engineer - iWATERS database search; □ USGS; □ Data obtained from nearby wells	□ Yes □ No □ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) Written confirmation or verification from the municipality; Written approval obtained from the municipality 	🗌 Yes 🗌 No
 Within the area overlying a subsurface mine. (Does not apply to below grade tanks) Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	🗌 Yes 🗌 No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗌 Yes 🗌 No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	🗌 Yes 🗌 No
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured	□ Yes □ No
from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	
 Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
 Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.	🗌 Yes 🗌 No
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No

Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No
Temporary Pit Non-low chloride drilling fluid	
 Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No
 Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes No
Permanent Pit or Multi-Well Fluid Management Pit	
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No
 Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
10. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N <i>Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached.</i> Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:	cuments are
11. Multi Wall Fluid Managament Bit Chaeldist, Subsection P of 10 15 17 0 NMAC	
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached.	

^{12.} <u>Permanent Pits Permit Application Checklist</u> : Subsection B of 19.15.17.9 NMAC <i>Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the</i>	documents are
 attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC 	
 Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC 	
 Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC 	
 Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC 	
 Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H₂S, Prevention Plan Emergency Response Plan 	
 Dil Field Waste Stream Characterization Monitoring and Inspection Plan 	
 Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC 	
13. <u>Proposed Closure</u> : 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F	luid Management Pit
Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)	
 On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial 	
Alternative Closure Method	
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
15.	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sou provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. In 19.15.17.10 NMAC for guidance.	
 Ground water is less than 25 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	□ Yes □ No □ NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA
 Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	□ Yes □ No □ NA
 Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No
 Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗌 No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	
Form C-144 Oil Conservation Division Page 4 of	of 6

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. * - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes 🗌 No				
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Image: Confirmation of the temperature of temperature o					
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological					
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No				
Within a 100-year floodplain.	Yes No				
 16. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 					
17. Operator Application Certification:					
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.					
Name (Print): Title:					
Signature: Date:					
e-mail address: Telephone:					
18. <u>OCD Approval:</u> Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)	1.				
OCD Representative Signature: Approval Date: Approval Date:	2/18				
Title: <u>ENVironmentel Spec.</u> OCD Permit Number:					
Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not con- section of the form until an approved closure plan has been obtained and the closure activities have been completed.					
Closure Completion Date: 3/14/2018					
20. Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop If different from approved plan, please explain.	systems only)				
 21. <u>Closure Report Attachment Checklist</u>: Instructions: Each of the following items must be attached to the closure report. Please indication mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure for private land only) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique 	cate, by a check				

Oil Conservation Division

22. <u>Operator</u><u>Closure Certification</u>:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): Erin Garifalos

Signature:

Title: Field Environmental Coordinator

vin garifalos

Date: February 7, 2018

e-mail address: erin.garifalos@bp.com

Telephone: (832) 609-7048

BP AMERICA PRODUCTION COMPANY SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

PRITCHARD 008

API No. 3004524686

Unit Letter P Section 04 T 29N R 08W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.

Notice is attached.

2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice was provided and is attached.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

BP BGT Closure Plan 04-01-2010

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for recycling.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	21 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	10	< 0.023
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.091
TPH	US EPA Method SW-846 418.1 or 8015 extended	100	<51
Chlorides	US EPA Method 300.0 or 4500B	620	<30

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

> Soil under the BGT was sampled for chloride, TPH and BTEX with all concentrations below the stated limits. The field report and laboratory reports are attached.

BP shall notify the division District III office of its results on form C-141.
 C-141 is attached.

BP BGT Closure Plan 04-01-2010

8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results indicate a release has not occurred. Attached is a laboratory report and C-141.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

Sampling results indicate a release has not occurred. Attached is a laboratory report and field report. The location will be reclaimed when the well is plugged and abandoned.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area has been backfilled. BGT location's surface condition is clear, but within the site's operational area. The location will be reclaimed once the well is plugged and abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area has been backfilled. BGT location's surface condition is clear, but within the site's operational area. The location will be reclaimed once the well is plugged and abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area has been backfilled. BGT location's surface condition is clear, but within the site's operational area. The location will be reclaimed once the well is plugged and abandoned.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

The area has been backfilled. BGT location's surface condition is clear, but within the site's operational area. The location will be reclaimed once the well is plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

The area has been backfilled. BGT location's surface condition is clear, but within the site's operational area. The location will be reclaimed once the well is plugged and abandoned.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

Closure report on C-144 form is included including photos of reclamation completion.

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

BP BGT Closure Plan 04-01-2010

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised April 3, 2017

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Release	Notification	and	Corrective	Action
ITCICHOC	1 TOTHER CLOIL	86 XX XA	COLLECTIVE	TROUNDAR

						OPERA	ГOR		🗌 Initia	al Report		Final Repor
	Name of Company BP America Production Company					Contact Erin Garifalos						
				on, NM 87401		Telephone No. (832) 609-7048						
Facility Nar	nePRITC	CHARD 00	8			Facility Typ	e: Natural Ga	as We				
Surface Ow	ner: Fede	eral		Mineral C)wner:	Federal			API No	.300452	4686	6
						N OF REI						
Unit Letter	Section	Township	Range	Feet from the		South Line	Feet from the		West Line	County		Lucas
Р	04	29N	08W	800	Sou	uth	800	Eas	st	5	an	Juan
	Latitude 36.74921 Longitude -107.67416 NAD83											
				NAT	URE	OF REL	EASE					
Type of Relea	ase:: none	9					Release: : unkno			Recovered: :		
Source of Re	lease: belo	w grade ta	nk - 21	bbl		Date and H	lour of Occurrence	ce:	Date and n/a	Hour of Dis	covery:	:
Was Immedia		Given?		No 🗌 Not Re	equired	If YES, To	Whom?					
By Whom?					-	Date and H	lour					
Was a Water	course Read	ched?	Yes 🗸	No		If YES, Vo	lume Impacting t	the Wat	ercourse.			
If a Watercourse was Impacted, Describe Fully.*												
		F										
Describe Cau	se of Proble	em and Reme	dial Action	n Taken.*								
					-		beneath the				<u> </u>	
					-		d for Chlorid					
Describe Are	A ffaatad	and Classing	Action Tal		10 514	indardo. 1	icia reports	anu i	aborator	y result	arc	attached.
Describe Are	a Affected	and Cleanup A	Action Tak	No actio	n nec	essary. F	inal laborate	ory a	nalysis c	determin	ed no	O
				remedia	l actio	on is requ	ired.					
				is true and comp								
				d/or file certain r e of a C-141 repo								
				investigate and r								
or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.												
							OIL CON	SERV	ATION	DIVISIC	N	
l	rung	Wilfald	es									
Signature:	Signature: Printed Name: Erin Garifalos				Approved by	Environmental S	pecialis	t:				
Printed Name	Erin G	arifalos										
		onmenta		rdinator	1	Approval Dat	e:		Expiration I	Date:		
E-mail Addre	ss: erin.	garifalos	@bp.	com	(Conditions of	Approval:			Attached		
Date: February 7, 2018 Phone: (832) 609-7048												

* Attach Additional Sheets If Necessary



BP America Production Company 380 Airport Rd Durango, CO 81303 Phone: (970) 247 6800

January 12, 2018

bp

Bureau of Land Management Whitney Thomas 6251 College Suite A Farmington, NM 87402

VIA EMAIL

Re: Notification of plans to close/remove a below grade tank Well Name: PRITCHARD 008 API #: 3004524686

Dear Mrs. Thomas,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about January 16, 2018. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required please contact me for a specific time (832)-609-7048.

Sincerely,

Erin Garifalos

BP America Production Company

From:	Buckley, Farrah (CH2M HILL)
To:	Smith, Cory, EMNRD; Fields, Vanessa, EMNRD (Vanessa, Fields@state.nm.us)
Cc:	jeffcblagg@aol.com;blagg_njv@yahoo.com; Garifalos, Erin; Gonzales, Jody J
Subject:	RE: BP Pit Close Notification - PRITCHARD 008
Date:	Monday, January 15, 2018 5:09:05 PM

The BGT's on this location will be closed tomorrow, January 16th at 1pm.

Thanks.

Farrah

From: Buckley, Farrah (CH2M HILL)
Sent: Friday, January 12, 2018 2:50 PM
To: 'Smith, Cory, EMNRD'; 'Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us)'
Cc: 'jeffcblagg@aol.com'; 'blagg_njv@yahoo.com'; Garifalos, Erin
Subject: BP Pit Close Notification - PRITCHARD 008

BP America Production Company 380 Airport Rd Durango, CO 81303 Phone: (970) 247 6800

SENT VIA E-MAIL TO: <u>CORY.SMITH@STATE.NM.US;</u> <u>VANESSA.FIELDS@STATE.NM.US</u>

January 12, 2018

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

PRITCHARD 008 API 30-045-24686 (P) Section 4 – T29N – R08W San Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to a 95bbl and a 21bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around January 16, 2018.

Should you have any questions, please feel free to contact BP at our Durango office.

Sincerely,

5

Erin Garifalos

Field Environmental Coordinator – San Juan Cell: 832-609-7048

Farrah Buckley BGT Project Support 970-946-9199 -cell

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

e ' 97

çlient:	P.O. BOX 87, BL	IGINEERING, INC. LOOMFIELD, NM 87 5) 632-1199	7413	API #: 3004524	
FIELD REPORT:		RELEASE INVESTIGATION / OTHER:	:	PAGE #: _1_ or	
SITE INFORMATION QUAD/UNIT: P SEC: 4 TWP: 1/4 -1/4/FOOTAGE: 800'S / 800'I	29N RNG: 8W PM:	PE: FEDERAL STATE / FEE		DATE FINISHED:	6/18
LEASE #: SF078487 REFERENCE POINT		STRIKE NTRACTOR: BP - J. GONZA COORD.: 36.74932 X			JV ,322'
1) 21 BGT (SW/DB) - A 2)			DISTANCE/BEA	RING FROM W.H.:	
SAMPLING DATA: 1) SAMPLE ID: 5PC - TB @ 6' (2) 2) SAMPLE ID:		18 SAMPLE TIME: 1320 LAB AN		15B/8021B/300.0 (CI)	OVM READING (ppm) NA
	SAMPLE DATE:	SAMPLE TIME: LAB AN			
SOIL DESCRIPTION: SOIL TYPE: SAND SILT SAND SILT SILTY CLAY / GRAVEL (OTHER CALICHE (MOTTLED OLIVE GRAY/WHITE) SOIL COLOR: MODERATE BROWN PLASTICITY (CLAY): NON PLASTIC / SILGHTLY PLASTIC COHESIVE (MEDIUM PLASTIC) HIGHLY PLASTIC COHESION (ALL OTHERS): NON COHESIVE (SUGHTLY COHESIVE) COHESIVE / HIGHLY COHESIVE) PLASTICITY (CLAY): NON PLASTIC / SILGHTLY PLASTIC COHESIVE (MEDIUM PLASTIC) HIGHLY PLASTIC CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM) DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SILGHTLY MOIST / WET / SATURATED / SUPER SATURATED SAMPLE TYPE: GRAB (COMPOSITE) # OF PTS. 5 ANY AREAS DISPLAYING WETNESS: YES NO EXPLANATION - DISCOLORATION/STAINING OBSERVED: YES NO EXPLANATION - UST INTEGRITY OF EQUIPMENT: YES NO EXPLANATION - ANY AREAS DISPLAYING WETNESS: YES NO EXPLANATION - APPARENT EVIDENCE OF A RELEASE OBSERVED AND/OR OCCURRED : YES NO EXPLANATION - IDS EXPLANATION - IDS EXPLANATION - COUPMENT SET OVER RECLAIMED AREA: YES NO EXPLANATION - 105 BBL SHALLOW LOW PROFILE ABOVE-GRADE TANK TO BE SET ATOP BGT LOCATION. OTHER: NMOCC OR BLM REPS. NOT PRESENT TO WITNESS CONFIRMATION SAMPLING. 105 BBL SHALLOW LOW PROFILE ABOVE-GRADE TANK TO BE SET ATOP BGT LOCATION.					
EXCAVATION DIMENSION ESTIMATION: DEPTH TO GROUNDWATER: >100' N				TIMATION (Cubic Yards) :	NA 00 ppm
SITE SKETCH	BGT Located : off on site	PLOT PLAN circle:		CALIB. READ. = <u>NA</u> pp CALIB. GAS = <u>NA</u> pp : <u>NA</u> am/pm DATE: MISCELL. NOT	NA
	(21)-A PBGTL T.B. ~ 6'	V			1/10 7/17 ^{ter} N
	OW-GRADE TANK LOCATION; SPD = SAMPLE PC E WALL; DW - DOUBLE WALL; SB - SINGLE BOTT	.OW; T.H. = TEST HOLE; ~ = APPROX.; W.H. = V INT DESIGNATION; R.W. = RETAINING WALL; I	WELL HEAD;	BGT Sidewalls Visible: Y / lagnetic declination: 10	
revised: 11/26/13				BEI10	05E-6.SKF

-

• Hall Environmental Analys	is Laborat	tory, Inc	•		Analytical Report Lab Order 1801818 Date Reported: 1/19/201	8
CLIENT: Blagg Engineering Project: PRITCHARD 8 Lab ID: 1801818-001	ARD 8 Collection Date: 1/16/2018 1:20:00 PM					
Analyses	Result	PQL Q	ual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	MRA
Chloride	ND	30	mg/Kg	20	1/17/2018 11:14:35 AM	36067
EPA METHOD 8015M/D: DIESEL RANG	SE ORGANICS				Analyst:	том
Diesel Range Organics (DRO)	ND	10	mg/Kg	1	1/17/2018 10:18:11 AM	36064
Motor Oil Range Organics (MRO)	ND	51	mg/Kg	1	1/17/2018 10:18:11 AM	36064
Surr: DNOP	92.6	70-130	%Rec	1	1/17/2018 10:18:11 AM	36064
EPA METHOD 8015D: GASOLINE RAN	GE				Analyst:	NSB
Gasoline Range Organics (GRO)	ND	4.6	mg/Kg	1	1/17/2018 9:43:07 AM	G48506
Surr: BFB	82.4	15-316	%Rec	1	1/17/2018 9:43:07 AM	G48506
EPA METHOD 8021B: VOLATILES					Analyst:	NSB
Benzene	ND	0.023	mg/Kg	1	1/17/2018 9:43:07 AM	B48506
Toluene	ND	0.046	mg/Kg	1	1/17/2018 9:43:07 AM	B48506
Ethylbenzene	ND	0.046	mg/Kg	1	1/17/2018 9:43:07 AM	B48506
Xylenes, Total	ND	0.091	mg/Kg	1	1/17/2018 9:43:07 AM	B48506
Surr: 4-Bromofluorobenzene	87.9	80-120	%Rec	1	1/17/2018 9:43:07 AM	B48506

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.
	D	Sample Diluted Due to Matrix
	Н	Holding times for preparation or analysis exceeded

- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 1 of 6
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified



Client: BLAGG ENGR. / BP AMERICA			Turn-Around Time: SAME																		
			Project Name:				ANALYSIS LABORATORY														
Mailing Address: P.O. BOX 87			PRITCHARD # 8				www.hallenvironmental.com														
BLOOMFIELD, NM 87413		Project #:				4901 Hawkins NE - Albuquerque, NM 87109 Tel. 505-345-3975 Fax 505-345-4107															
Phone #: (505) 632-1199		1				Analysis Request															
email or Fax#:		Project Manager:										-				(î	T		T.		
QA/QC Package:		Level 4 (Full Validation)	ERIN GARIFALOS			(8021B)	(Vino	MRO)	1		s)		04,SO	PCB's			er - 300.1)			a	
Accreditat	Accreditation:		Sampler: NELSON VELEZ			- (8((Gas	RO/	1)	=	SIN		02,1	3082			/ water			sample	
NELAP Other			Childe 🕺 Yes 📖 🗆 No 💯 Y				HTI (0/0	418.	504.	3270		0 ₃ ,N	s / 8		(A	300.0 /			e sa	
EDD (Type)			Contraction of the Association of the Association of the Association	eranure 24-67	40 - MA		+ =	GRO	po	po	or §	etals	CI'N	cide	(A)	-VC	11	1.	e i	osit	
Date	Time	Matrix	Sample Request ID	Ar Oll 17/13 Container Type and #	Preservative Type	:HEAL No. /%()1318	BTEX +MTB	BTEX + MTBE + TPH (Gas only)	TPH 80158 (GRO / DRO /	TPH (Method 418.1)	EDB (Method 504.1)	PAH (8310 or 8270SIMS)	RCRA 8 Metals	Anions (F,Ci,NO ₃ ,NO ₂ ,PO ₄ ,SO ₄)	8081 Pesticides / 8082	8260B (VOA)	8270 (Semi-VOA)	Chloride (soil		Grab sample	5 pt. composite
1/16/18	1320	SOIL	5PC - TB @ 6 (21) - A	4 oz 1	Cool	-201	V		٧									V		1	V
			(95)_0	305																	T
-1/10/10	1505	SOIL	SPE TO @ 5 (11) &	406 1	Cool	500			-									*	+	+	4
																				T	\neg
																			+	+	1
																			-	+	+
																			-	+	+
															-				+	+	+
								-								-			+	+	+
																			+	+	+
											-				-	-			+	+	+
				· · · · · ·							-				-		-		+	+	+
Date:	Time:	Relinquish	et bit:	Received by: Date Time			Remarks: BILL DIRECTLY TO BP USING THE CONTACT WITH CORRESPONDING.														
1/16/18	1/16/18 (43) Mint		Phaseluber 1/16/18 1431			& REFERENCE # WHEN APPLICABLE: CONTACT: ERIN GARIFALOS / VANCE HIXON															
Date: Time: Relinquished by: (7)		Received by: Date Time And MITTIF 0710			VID: VHIXONEVB2 Reference # P - 915																

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

Client: Blagg Engineering

PRITCHARD 8 **Project:**

Sample ID MB-36067	SampType: mblk	TestCode: EPA Method	300.0: Anions	
Client ID: PBS	Batch ID: 36067	RunNo: 48508		
Prep Date: 1/17/2018	Analysis Date: 1/17/2018	SeqNo: 1560534	Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit Qual
Chloride	ND 1.5			
Sample ID LCS-36067	SampType: Ics	TestCode: EPA Method	300.0: Anions	
Sample ID LCS-36067 Client ID: LCSS	SampType: Ics Batch ID: 36067	TestCode: EPA Method RunNo: 48508	300.0: Anions	
	1 31		300.0: Anions Units: mg/Kg	
Client ID: LCSS	Batch ID: 36067 Analysis Date: 1/17/2018	RunNo: 48508		RPDLimit Qual

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix S
- В Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- Reporting Detection Limit RL
- W Sample container temperature is out of limit as specified

Page 3 of 6

- 19-Jan-18
- WO#: 1801818

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

Client:Blagg EngineeringProject:PRITCHARD 8

Sample ID LCS-36064	SampT	ype: LC	s	Tes	tCode: El	PA Method	8015M/D: Die	esel Range	e Organics	
Client ID: LCSS	Batch	ID: 36	064	F	RunNo: 4	8503				
Prep Date: 1/17/2018	Analysis D	ate: 1/	17/2018	S	SeqNo: 1	559350	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	44	10	50.00	0	88.6	70	130			
Surr: DNOP	4.2		5.000		84.5	70	130			
Sample ID MB-36064	SampT	ype: ME	BLK	Tes	tCode: El	PA Method	8015M/D: Die	esel Range	e Organics	
Sample ID MB-36064 Client ID: PBS		ype: ME			tCode: El RunNo: 4		8015M/D: Die	esel Range	e Organics	
		ID: 36		F		8503	8015M/D: Die Units: mg/K	Ū	e Organics	
Client ID: PBS	Batch	ID: 36	064 17/2018	F	unNo: 4	8503		Ū	e Organics RPDLimit	Qual
Client ID: PBS Prep Date: 1/17/2018	Batch Analysis D	ID: 36 ate: 1/	064 17/2018	F	RunNo: 4 SeqNo: 1	8503 559351	Units: mg/K	g		Qual
Client ID: PBS Prep Date: 1/17/2018 Analyte	Batch Analysis D Result	ate: 1/	064 17/2018	F	RunNo: 4 SeqNo: 1	8503 559351	Units: mg/K	g		Qual

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

1801818 19-Jan-18

WO#:

Page 4 of 6

HALL ENVIRONMENTAL ANALYSIS LABORATORY	Hall Environmental Alb TEL: 505-345-3975 Website: www.ha	490 uquerq 5 FAX:	1 Hawkins NE ue, NM 87109 505-345-4107		Sample Log-In Check List					
Client Name: BLAGG	Work Order Number	: 180	1818			RcptNo:	1			
Received By: Anne Thome	1/17/2018 7:10:00 AM	l.	6	Anne	An	~				
Completed By: Anne Thorne	1/17/2018 7:23:16 AM	I	6	ame	An	~				
Reviewed By: Mr 1/12018										
Chain of Custody					_	_				
1. Is Chain of Custody complete?		Yes		No		Not Present				
2. How was the sample delivered?		Cour	ier							
Log In 3. Was an attempt made to cool the sample	\$?	Yes		No						
4. Were all samples received at a temperatu	re of >0° C to 6.0°C	Yes	V	No						
5. Sample(s) in proper container(s)?		Yes	\checkmark	No						
6. Sufficient sample volume for indicated test	(s)?	Yes		No						
7. Are samples (except VOA and ONG) prop		Yes		No						
8. Was preservative added to bottles?		Yes		No	\checkmark	NA 🗆				
9. VOA vials have zero headspace?		Yes		No		No VOA Viais 🗹				
10. Were any sample containers received bro	ken?	Yes		No		# of preserved				
11. Does paperwork match bottle labels? (Note discrepancies on chain of custody)		Yes		No		bottles checked for pH: (<2 or :	>12 unless noted)			
12. Are matrices correctly identified on Chain of	of Custody?	Yes	\checkmark	No		Adjusted?				
13. Is it clear what analyses were requested?		Yes	\checkmark	No						
14. Were all holding times able to be met? (If no, notify customer for authorization.)		Yes		No		Checked by:				
Special Handling (if applicable)										
15. Was client notified of all discrepancies wit	h this order?	Yes		No		NA 🔽				
Person Notified:	Date			MCLIDAR (SIGN	nemonencia.					
By Whom:	Via:	eMa	il 🗌 Phone		Fax	In Person				
Regarding:			in his of the second							
Client Instructions:	· · ·									
16. Additional remarks:										
17. <u>Cooler Information</u>										
	Seal Intact Seal No S	eal Da	ite Sigr	ied E	3y					
1 1.4 Good Y	es									

Page 1 of 1



