NMOCD

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144 APR 0 3 2018 Revised April 3, 2017

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

# <u>Pit, Below-Grade Tank, or</u> <u>Proposed Alternative Method Permit or Closure Plan Application</u>

Closure of a Modification Closure plan or proposed alternative method	oit or proposed alternative method pit, below-grade tank, or proposed alterna- to an existing permit/or registration only submitted for an existing permitted of	or non-permitted pit, below-grade tank,
	lication (Form C-144) per individual pit, below	
Please be advised that approval of this request does not relieve environment. Nor does approval relieve the operator of its re-		
operator: BP America Production Company	OCRID #. 7	778
Address: 200 Energy Court, Farmington, NM 874	OGRID #: <sup>7</sup>	
Facility or well name: ELLIOTT GC R 001		
API Number: 3004509039  U/L or Qtr/Qtr A Section 34	Township 30N Range 09W	County: San Juan
Center of Proposed Design: Latitude 36.77293	Longitude -107.76357	NAD83
Surface Owner: 🔳 Federal 🗌 State 🗌 Private 🗌 Triba	al Trust or Indian Allotment	
□ Pit:       Subsection F, G or J of 19.15.17.11 NMAC         Temporary:       □ Drilling       □ Workover         □ Permanent       □ Emergency       □ Cavitation       □ P&A         □ Lined       □ Unlined       Liner type: Thickness         □ String-Reinforced         Liner Seams:       □ Welded       □ Factory       □ Other         3.       ■ Below-grade tank:       Subsection I of 19.15.17.11 NM         Volume:       95       bbl       Type of fluid:         □ Tank Construction material:       Steel         □ Secondary containment with leak detection       □ Vis         □ Visible sidewalls and liner       □ Visible sidewalls on         Liner type:       Thickness      mil       □ H	mil	Other x W x D bl Dimensions: L x W x D overflow shut-off a; sidewalls not visible
Submittal of an exception request is required. Exception  5.  Fencing: Subsection D of 19.15.17.11 NMAC (Applies  Chain link, six feet in height, two strands of barbed winstitution or church)  Four foot height, four strands of barbed wire evenly s	to permanent pits, temporary pits, and below-g rire at top (Required if located within 1000 feet	grade tanks)
Alternate. Please specify		

46

Netting: *Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC  12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  Signed in compliance with 19.15.16.8 NMAC	
8.  Variances and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  □ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.  □ Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
9. Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	otable source
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. ( <b>Does not apply to below grade tanks</b> )  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine. (Does not apply to below grade tanks)  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
<ul> <li>Within an unstable area. (Does not apply to below grade tanks)</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	Yes No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	Yes No
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.)  - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application.  NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No

Within 100 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit Non-low chloride drilling fluid	
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application;  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Permanent Pit or Multi-Well Fluid Management Pit	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number:  or Permit Number:	NMAC 15.17.9 NMAC
11.  Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached.  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  A List of wells with approved application for permit to drill associated with the pit.  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC  Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	15.17.9 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:	

10	
Permaneut Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the	documents are
attached.  Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC  Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan  Emergency Response Plan  Oil Field Waste Stream Characterization  Monitoring and Inspection Plan  Erosion Control Plan  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC  Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F Alternative	Tuid Management Pit
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	
14.	
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. In 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	

adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	
Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.13 NMAC  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	11 NMAC 15.17.11 NMAC
17. Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believed.	ef.
Name (Print):	
Signature: Date:	
e-mail address: Telephone:	
OCD Approval: ☐ Permit Application (including closure plan) ☐ Closure Plan (only) ☐ OCD Conditions (see attachment)  OCD Representative Signature: ☐ Approval Date: ☐ OCD Permit Number:	12018
19.	
Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date: 2/1/2018	
(losure (lompletion lights, 4/1/2010	
20.  Closure Method:  Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loc If different from approved plan, please explain.	op systems only)

22.	
Operator Closure Certification:	
	mitted with this closure report is true, accurate and complete to the best of my knowledge and
belief. I also certify that the closure complies with all ap	plicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Erin Garifalos	Title: Field Environmental Coordinator
• • • • • • • •	
erin garifalos	Date: March 30, 2018
Signature:	Date: Malch 30, 2010
e-mail address: erin.garifalos@bp.com	Telephone: (832) 609-7048

### BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

### BELOW-GRADE TANK CLOSURE PLAN

### **ELLIOTT GC R 001**

API No. 3004509039

Unit Letter A Section 34 T 30N R 09W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

### **General Closure Plan**

1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.

#### Notice is attached.

2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

### Notice was provided and is attached.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
  - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
  - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
  - c. Basin Disposal, Permit NM-01-0005 (Liquids)
  - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
  - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

# All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

### The BGT was transported for recycling.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

### All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	95 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	10	< 0.018
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.072
TPH	US EPA Method SW-846 418.1 or 8015 extended	100	<47
Chlorides	US EPA Method 300.0 or 4500B	620	<30

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled for chloride, TPH and BTEX with all concentrations below the stated limits. The field report and laboratory reports are attached.

7. BP shall notify the division District III office of its results on form C-141.

C-141 is attached.

BP BGT Closure Plan 04-01-2010

8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results indicate a release has not occurred. Attached is a laboratory report and C-141.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

Sampling results indicate a release has not occurred. Attached is a laboratory report and field report. The location will be reclaimed when the well is plugged and abandoned.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area has been backfilled and the BGT location's surface condition is clear, but within the site's operational area. The location will be reclaimed once the well is plugged and abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area has been backfilled and the BGT location's surface condition is clear, but within the site's operational area. The location will be reclaimed once the well is plugged and abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area has been backfilled and the BGT location's surface condition is clear, but within the site's operational area. The location will be reclaimed once the well is plugged and abandoned.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

The area has been backfilled and the BGT location's surface condition is clear, but within the site's operational area. The location will be reclaimed once the well is plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

The area has been backfilled and the BGT location's surface condition is clear, but within the site's operational area. The location will be reclaimed once the well is plugged and abandoned.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
  - a. proof of closure notification (surface owner and NMOCD)
  - b. sampling analytical reports; information required by 19.15.17 NMAC;
  - c. disposal facility name and permit number
  - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
  - e. site reclamation, photo documentation.

Closure report on C-144 form is included including photos of reclamation completion.

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 1625 N. Frønch Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

### State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised April 3, 2017

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

			Rele	ease Notific	cation	and Co	orrective A	ction	l			
						<b>OPERA</b>	ГOR		_ Initia	al Report	■ Fi	inal Report
				tion Company			n Garifalos	7040				
		TT GC R		on, NM 87401			No. (832) 609- be: Natural Ga		ell			
Surface Ow	ner: Fede	eral		Mineral C						.30045090	039	
	11 00	0141				OF RE	FASE			1000 1000	,,,,	
Unit Letter	Section	Township	Range	Feet from the		South Line	Feet from the	East/\	West Line	County		
Α	34	30N	09W	790	Nor	th	1,190	Eas	st	Sa	an .	Juan
			Latitud	e 36.77293	Lo	ngitude -1	07.76357	NAD	83			
						OF REL						
Type of Rele	ase:: none	)				Volume of	Release:: unkno			Recovered:: N/		
Source of Re	lease: belo	w grade ta	nk - 95	bbl		Date and F	Iour of Occurrenc	e:	Date and n/a	Hour of Discov	/ery:	
Was Immedi		Given?		No Not Re	auimad	If YES, To	Whom?					
By Whom?			res 🗸	NO LI NOT RE	equired	Date and F	Iour					
Was a Water	course Reac						olume Impacting t	he Wate	ercourse.			
			Yes ✓									
If a Watercou	irse was Im	pacted, Descri	be Fully.*	¢ .								
Describe Cau	se of Proble	em and Remed	dial Action	Taken.* Samp	oling c	of the soil	beneath the	BGT	was do	ne during	remo	val.
					-		d for Chlorid					
					re sta	ndards. F	Field reports	and I	aborato	ry results a	ire at	tached.
Describe Are	a Affected	and Cleanup A	ction Tak	en.* No furthe	er acti	on requi	ed. Final lab	oorato	orv anal	vsis attach	ied.	
									,	,		
							knowledge and und perform correct					
public health	or the envir	ronment. The	acceptanc	e of a C-141 repo	rt by the	NMOCD m	arked as "Final Re	eport" d	oes not reli	eve the operato	or of lia	bility
							on that pose a three e the operator of r					
		ws and/or regu			1		-					
	Tin a	ATTICA - On	1				OIL CONS	SERV	ATION	DIVISION		
Signature:	run g	a again				Ammazzad by	Environmental Co					
Signature:	Erin G	arifalos				approved by	Environmental Sp	pecialist				
1		onmenta		rdinator	F	Approval Dat	e:	]	Expiration 1	Date:		
E-mail Addre	erin.	garifalos	@bp.	com		Conditions of					7	
Date: Marc	n 30. 201	18	Phone	(832) 609-70	148					Attached	7	
* Attach Addi				(552) 555 76								

# bp



BP America Production Company 380 Airport Rd Durango, CO 81303 Phone: (970) 247 6800

January 22, 2018

Bureau of Land Management Whitney Thomas 6251 College Suite A Farmington, NM 87402

#### VIA EMAIL

Re: Notification of plans to close/remove a below grade tank Well Name: ELLIOTT GAS COM R 001 API #: 3004509039

Dear Mrs. Thomas,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about January 25, 2018. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required please contact me for a specific time (832)-609-7048.

Sincerely,

Erin Garifalos

BP America Production Company

From:

Buckley, Farrah (CH2M HILL)

To:

Smith, Cory, EMNRD; Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us)

Cc: Subject: jeffcblagg@aol.com; blagg njv@yahoo.com; Garifalos, Erin

Subject

BP Pit Close Notification - ELLIOTT GAS COM R 001

Date:

Monday, January 22, 2018 4:22:44 PM

BP America Production Company 380 Airport Rd Durango, CO 81303 Phone: (970) 247 6800

### SENT VIA E-MAIL TO: <u>CORY.SMITH@STATE.NM.US</u>; <u>VANESSA.FIELDS@STATE.NM.US</u>

January 22, 2018

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE:

Notice of Proposed Below-Grade Tank (BGT) Closure

ELLIOTT GAS COM R 001 API 30-045-09039 (A) Section 34 – T30N – R09W San Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to a 21bbl and a 95bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around January 25, 2018.

Should you have any questions, please feel free to contact BP at our Durango office.

Sincerely,

Erin Garifalos

Field Environmental Coordinator - San Juan

Cell: 832-609-7048

### Farrah Buckley BGT Project Support 970-946-9199 -cell

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

					- 14- 151/ ii						
CHENT: BP		NGINEERING, INC.		API#: 3004509039							
ÇLIENT:	,	LOOMFIELD, NM 874	113	TANK ID							
	(50	05) 632-1199		(if applicble):	1						
FIELD REPORT:	(circle one): BGT CONFIRMATION	/ RELEASE INVESTIGATION / OTHER:		PAGE #:1	of						
SITE INFORMATION	I: SITE NAME: <b>ELLIOT</b>	T GC R #1		DATE STARTED: 01/30/1							
QUAD/UNIT: A SEC: 34 TWP:	30N RNG: 9W PM:	NM CNTY: SJ ST:	NM	DATE FINISHED:							
1/4 -1/4/FOOTAGE: 790'N / 1.190	1/4 -1/4/FOOTAGE: 790'N / 1,190'E NE/NE LEASE TYPE: FEDERAL STATE / FEE / INDIAN										
LEASE #: <b>SF078139</b>	PROD. FORMATION: DK C	STRIKE ONTRACTOR: BP - J. GONZAL		SPECIALIST(S):	IJV						
REFERENCE POINT	: WELL HEAD (W.H.) GPS	36.77306 X 10	7.77130		-						
1) 95 BGT (SW/DB) - A	GPS COORD.: 36	5.77293 X 107.76357	DISTANCE/BEA	RING FROM W.H.:173', \$	574W						
2)	GPS COORD.:		DISTANCE/BEA	RING FROM W.H.:							
3)	GPS COORD.:		DISTANCE/BEA	RING FROM W.H.:							
4)	GPS COORD.:		DISTANCE/BEA	RING FROM W.H.:							
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # 0	OR LAB USED: HALL			OVM READING						
1) SAMPLE ID: 5PC - TB @ 5' (9	5) - A SAMPLE DATE:01/30	0/18 SAMPLE TIME: 1200 LAB ANALY.	sis: 801	15B/8021B/300.0 (CI)	(ppm)						
2) SAMPLE ID:	SAMPLE DATE:	SAMPLE TIME: LAB ANALY	SIS:								
3) SAMPLE ID:											
4) SAMPLE ID:  5) SAMPLE ID:	SAMPLE DATE:  SAMPLE DATE:	SAMPLE TIME: LAB ANALY: SAMPLE TIME: LAB ANALY:									
SOIL DESCRIPTION											
SOIL COLOR: MODE  COHESION (ALL OTHERS): NON COHESIVE   SLIGHTLY	RATE BROWN	PLASTICITY (CLAYS): NON PLASTIC / SLIGHT DENSITY (COHESIVE CLAYS & SILTS): \$			HLY PLASTIC						
CONSISTENCY (NON COHESIVE NOILS): LC		HC ODOR DETECTED: YES NO EXPLANA									
MOISTURE: DRY/SLIGHTLYMOIST/MOIST/W	ET / SATURATED / SUPER SATURATED										
SAMPLE TYPE: GRAB COMPOSITE #		ANY AREAS DISPLAYING WETNESS: YES	NO EXPLAN	PLANATION -							
DISCOLORATION/STAINING OBSERVED: YES N											
SITE OBSERVATION APPARENT EVIDENCE OF A RELEASE OBSERVE											
EQUIPMENT SET OVER RECLAIMED AREA:		ANATION:									
OTHER: NMOCD OR BLM REPS. NOT PR	RESENT TO WITNESS CONFIRMA	ATION SAMPLING.									
EXCAVATION DIMENSION ESTIMATION:	NA ft. X NA	ft. X <b>NA</b> ft. EXCA	VATION EST	TIMATION (Cubic Yards) :	NA						
4001	EAREST WATER SOURCE: >1,000		•		000 ppm						
SITE SKETCH	BGT Located: off on sit			A.U.D. DELID							
one one ron	BOT Educated . Oil / Oil Site	PLOTPLAN CITCLE. att	A		pm RF =1.00						
				1010	pm NA						
		Φ.	N TIME								
SEPARATOR		⊕ <b>W.H.</b>		MISCELL. NO	TES						
				<i>I</i> O:							
_				EF#: P-917							
(95)-A	FENCE			ID: VHIXONEVB2	2						
PBGTL XXX				J#:	4/40						
T.B. ~ 5' B.G.	BERM				4/10						
			Tan	ovi = Organic Vapor M	05/18 eter						
			ID A	ppm = parts per million							
		V .	<u>                                 </u>	BGT Sidewalls Visible: Y /	0						
NOTES, DOT - DELONIODADE TANK E.B. EVOLUTE	MI DEDDECOION, D.O DELOUGOPADE D. D.	X - S		BGT Sidewalls Visible: Y /							
NOTES: BGT = BELOWAGRADE TANK; E.D. = EXCAVATION T.B. = TANK BOTTOM; PBGTL = PREVIOUS BELOW		ELOW; T.H. = TEST HOLE; ~ = APPROX.; W.H. = WEL POINT DESIGNATION; R.W. = RETAINING WALL; NA -		lagnetic declination: 10							
APPLICABLE OR NOT AVAILABLE; SW - SINGLE	WALL; DW - DOUBLE WALL; SB - SINGLE BOT		IV	lagnetic declination: 10							
NOTES: GOOGLE EARTH IMAGE	RY DATE: 10/5/2016.	ONSITE: 01/30/18									

### **Analytical Report** Lab Order 1801D88

Date Reported: 2/1/2018

## Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Blagg Engineering

Lab ID:

Project: ELLIOTT GC R 1

1801D88-001

Client Sample ID: 5PC-TB @ 5' (95)-A

Collection Date: 1/30/2018 12:00:00 PM

Received Date: 1/31/2018 7:00:00 AM

Analyses	Result	PQL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	CJS
Chloride	ND	30	mg/Kg	20	1/31/2018 10:37:26 AM	36280
EPA METHOD 8015D MOD: GASOLIN	NE RANGE				Analyst	AG
Gasoline Range Organics (GRO)	ND	3.6	mg/Kg	1	1/31/2018 10:09:18 AM	G48799
Surr: BFB	98.9	70-130	%Rec	1	1/31/2018 10:09:18 AM	G48799
EPA METHOD 8015M/D: DIESEL RAM	IGE ORGANICS				Analyst	TOM
Diesel Range Organics (DRO)	ND	9.4	mg/Kg	1	1/31/2018 10:10:10 AM	36279
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	1/31/2018 10:10:10 AM	36279
Surr: DNOP	103	70-130	%Rec	1	1/31/2018 10:10:10 AM	36279
EPA METHOD 8260B: VOLATILES SE	HORT LIST				Analyst	AG
Benzene	ND	0.018	mg/Kg	1	1/31/2018 10:09:18 AM	L48799
Toluene	ND	0.036	mg/Kg	1	1/31/2018 10:09:18 AM	L48799
Ethylbenzene	ND	0.036	mg/Kg	1	1/31/2018 10:09:18 AM	L48799
Xylenes, Total	ND	0.072	mg/Kg	1	1/31/2018 10:09:18 AM	L48799
Surr: 4-Bromofluorobenzene	104	70-130	%Rec	1	1/31/2018 10:09:18 AM	L48799
Surr: Toluene-d8	92.5	70-130	%Rec	1	1/31/2018 10:09:18 AM	L48799

Matrix: SOIL

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- Value above quantitation range
- Analyte detected below quantitation limits Page 1 of 7 J
- P Sample pH Not In Range
- RL Reporting Detection Limit
- Sample container temperature is out of limit as specified

Ch	nain-c	of-Cus	stody R	ecord	Turn-Around	Time:	SAME		1 1	,	н	AI	L E	·NI	/T C	20	NI N	ΛE	NI	AI	*	
Client:	BLAG	G ENGR	/ BP AMEI	RICA	☐ Standard	☑ Rush _	DAY			_			LY									
					Project Name								.halle							*		
Mailing A	ddress:	P.O. BO	X 87		EL	LIOTT GC	R #1		490	01 H	awki	ns N	E - A	lbuq	ıerq	ue, N	1M 8	7109	9			
		BLOOM	FIELD, NM 8	7413	Project #:				Te	l. 50	5-34	5-39	75	Fax	505-	345-	410	7				
Phone #:		(505) 63	32-1199										Ana	lysis	Re	ques	t				ŢŢ	
email or F	ax#:				Project Manag	ger:								(4)				300.1)		T		
QA/QC Pa	_		Level 4 (F	Full Validation)		ERIN GARI	FALOS	(8021B)	BTEX + MTBE + TPH (Gas only)	/ MRO)			(S)	Anions (F,Cl,NO <sub>3</sub> ,NO <sub>2</sub> ,PO <sub>4</sub> ,SO <sub>4</sub> )	2 PCB's			300.0 / water - 30			9	ĺ
Accreditat	ion:				Sampler:	NELSON V	ELEZ	-Sa	I (Ga	/ DRO	F	न	OSIN	NO2,	8082			W.			sample	
□ NELAP		□ Other	•		On Icel	The Art of the State of the Sta	ELINGS FREE	Ŧ	TP	0	418	504	82/	Š			OA)	300.0			te sa	or N
□ EDD (1	ype)	<del>                                      </del>			Sample Temp	erature: /g		#	BE -	99	hod	hod	U or	D,	icid	(AC	J-i			ple	posi	S
Date	Time	Matrix	Sample	Request ID	Container	Preservative	HEAL No.	1	Σ+	015	(Method 418.1)	Met	831 8 N	JS (F	Pesticides	B (X	(Ser	de (s		sample	composite	pple
Date	7,1110	IVICUIX	Cample	Nequest ID	Type and #	Туре	18/01/1088	ВТЕХ	BTEX	TPH 8015B (GRO	TPH (	EDB (Method 504.1)	PAH (8310 or 82/05IMS) RCRA 8 Metals	Anior	8081	8260B (VOA)	8270 (Semi-VOA)	Chloride (soil		Grab	5 pt.	Air Bubbles (Y or N)
1/30/18	1200	SOIL	5PC - TB @	5' (95)-A	4 oz 1	Cool	-001	٧		٧								٧			٧	
113218	TEIS	SOIL	EPG TD @	6 (24) 2	4021	Cool	W2	4		V								V	-	$\dashv$	V	
												$\top$									$\Box$	
																					$\neg$	$\neg$
																				$\top$		
				7																		
Date:	Time:	Relinquish	John C	-	Received by:	)	Date Time	Ren	arks		-		Y TO B				ACT W	ITH C	ORRES	PONE	OING	VID
1/30/18	1535	70	(n)	***	Mountal	bele	130/15 1535	C	ONTA				IFALO				ON					
Date:	Time:	Relinquish	ed by:	\	Received by:	1 1	Date Time				VHIX											
130/18	1844	1/m	stule	Jack	I Cla	me	0700		eren			P - 9:		4 ***	h1	ada - 1	hada d	- 4				
	ii necessary,	samples sub	milited to Hall Env	vironmental may be su	acontracted to other	scredited laboratorie	es. This serves as notice of	of unis	possib	niny. /	uny sut	-contra	acted da	ita Will	De Clea	arry no	ated (	m the	analytic	rai rep	ort.	

# **QC SUMMARY REPORT**

### Hall Environmental Analysis Laboratory, Inc.

WO#:

1801D88

01-Feb-18

Client:

Blagg Engineering

Project:

ELLIOTT GC R 1

Sample ID MB-36280

SampType: mblk

TestCode: EPA Method 300.0: Anions

Client ID:

**PBS** 

Batch ID: 36280

SPK value SPK Ref Val %REC LowLimit

RunNo: 48809

Prep Date: 1/31/2018

Analysis Date: 1/31/2018

SeqNo: 1571080

Units: mg/Kg

HighLimit

%RPD

**RPDLimit** Qual

Qual

Analyte Chloride

Result PQL ND 1.5

Sample ID LCS-36280

SampType: Ics Batch ID: 36280 TestCode: EPA Method 300.0: Anions

RunNo: 48809

Client ID: LCSS Prep Date: 1/31/2018

Analysis Date: 1/31/2018

SeqNo: 1571081

110

HighLimit

Analyte

Result

Units: mg/Kg

%RPD **RPDLimit** 

PQL SPK value SPK Ref Val %REC LowLimit Chloride 14 1.5 15.00 93.3

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- H Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- **PQL** Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix
- В Analyte detected in the associated Method Blank
- E
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- Reporting Detection Limit RL
- Sample container temperature is out of limit as specified

Value above quantitation range

Page 3 of 7

# **ČC SÜMMARY REPORT**

# Hall Environmental Analysis Laboratory, Inc.

WO#:

1801D88

01-Feb-18

Client:

Blagg Engineering

Project:

ELLIOTT GC R 1

Sample ID LCS-36279	SampTy	pe: LC	S	Test	tCode: El	PA Method	8015M/D: Di	esel Rang	e Organics	
Client ID: LCSS	Batch	ID: 36	279	R	RunNo: 4	8798				
Prep Date: 1/31/2018	Analysis Da	ate: 1/	31/2018	SeqNo: 1570390 Units: mg/Kg						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	50	10	50.00	0	100	70	130			
Surr: DNOP	4.6		5.000		91.2	70	130			

Sample ID MB-36279	SampT	ype: ME	BLK	Tes	tCode: El	PA Method	8015M/D: Die	esel Range	organics or	
Client ID: PBS	Batch	ID: 36	279	R	RunNo: 4	8798				
Prep Date: 1/31/2018	Analysis D	ate: 1/	31/2018	S	SeqNo: 1	570391	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	<b>RPDLimit</b>	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	9.8		10.00		98.5	70	130			

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix
- B
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- Sample container temperature is out of limit as specified

Analyte detected in the associated Method Blank

Page 4 of 7

# **ČC SÜMMARY REPORT**

# Hall Environmental Analysis Laboratory, Inc.

SampType: MS4

WO#:

TestCode: EPA Method 8260B: Volatiles Short List

1801D88

01-Feb-18

Client: Blagg Engineering
Project: ELLIOTT GC R 1

Sample ID 1801d88-002ams

		71								
Client ID: 5PC-TB @ 6'	(21)-B Batch	n ID: L4	8799	RunNo: 48799						
Prep Date:	Analysis D	Date: 1/	31/2018	S	SeqNo: 1	570982	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.77	0.021	0.8217	0	93.7	80	120			
Toluene	0.84	0.041	0.8217	0	102	80	120			
Ethylbenzene	0.85	0.041	0.8217	0	103	80	120			
Xylenes, Total	2.5	0.082	2.465	0.01754	99.2	80	120			
Surr: 4-Bromofluorobenzene	0.38		0.4108		91.8	70	130			
Surr: Toluene-d8	0.40		0.4108		96.3	70	130			
Sample ID 1801d88-002	amsd SampT	ype: MS	SD4	Tes	tCode: El	PA Method	8260B: Vola	tiles Short	List	
Client ID: 5PC-TB @ 6'	(21)-B Batch	n ID: L4	8799	F	RunNo: 4	8799				
Prep Date:	Analysis D	)ate: 1/	31/2018	8	SeqNo: 1	570983	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.74	0.021	0.8217	0	89.5	80	120	4.50	0	
Toluene	0.80	0.041	0.8217	0	96.8	80	120	5.01	0	
Ethylbenzene	0.80	0.041	0.8217	0	97.8	80	120	5.03	0	
Xylenes, Total	2.4	0.082	2.465	0.01754	97.0	80	120	2.24	0	
Surr: 4-Bromofluorobenzene	0.37		0.4108		90.2	70	130	0	0	
Surr: Toluene-d8	0.39		0.4108		95.0	70	130	0	0	
Sample ID Ics-36239	SampT	ype: LC	S4	Tes	TestCode: EPA Method 8260B: Volatiles Short List					
Client ID: BatchQC	Batch	n ID: 36	239	R	RunNo: 4	8799				
Prep Date: 1/29/2018	Analysis D	ate: 1/	31/2018	S	SeqNo: 1	570984	Units: %Re	С		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	0.46		0.5000		92.4	70	130			
Surr: Toluene-d8	0.47		0.5000		93.5	70	130			

Sample ID mb-36239	SampType	TestCode: EPA Method 8260B: Volatiles Short List							
Client ID: PBS	Batch ID	RunNo: 48799							
Prep Date: 1/29/2018	Analysis Date	SeqNo: 1570986			Units: %Rec				
Analyte	Result F	PQL SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	0.57	0.5000		113	70	130			
Surr: Toluene-d8	0.46	0.5000		92.9	70	130			

Sample ID rb	SampType: MBLK	TestCode: EPA Method 8260B: Volatiles Short List						
Client ID: PBS	Batch ID: L48799	RunNo: 48799	RunNo: 48799					
Prep Date:	Analysis Date: 1/31/2018	SeqNo: 1571178	Units: mg/Kg					
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD RPDLimit Q	ual				

#### Qualifiers:

\* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 5 of 7

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

# **QC SÜMMARY REPORT**

# Hall Environmental Analysis Laboratory, Inc.

WO#:

1801D88

01-Feb-18

Client: Project:

Blagg Engineering ELLIOTT GC R 1

Sample ID rb	SampType: MBLK			TestCode: EPA Method 8260B: Volatiles Short List						
Client ID: PBS	Batch ID: L48799			RunNo: 48799						
Prep Date:	Analysis D	Date: 1/	31/2018	8	SeqNo: 1	571178	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.51		0.5000		102	70	130			
Surr: Toluene-d8	0.47		0.5000		94.0	70	130			

Sample ID 100ng Ics	SampT	SampType: LCS4 TestCode: EPA Method					8260B: Volat	iles Short	List	
Client ID: BatchQC	Batch	1D: <b>L4</b>	8799	F	RunNo: 4	8799				
Prep Date:	Analysis D	ate: 1/	31/2018	8	SeqNo: 1	571427	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.86	0.025	1.000	0	86.0	80	120			
Toluene	0.99	0.050	1.000	0	99.4	80	120			
Ethylbenzene	0.98	0.050	1.000	0	98.4	80	120			
Xylenes, Total	2.9	0.10	3.000	0	98.2	80	120			
Surr: 4-Bromofluorobenzene	0.44		0.5000		87.0	70	130			
Surr: Toluene-d8	0.47		0.5000		94.1	70	130			

### Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Page 6 of 7

# **ÖC SÜMMARY REPORT**

### Hall Environmental Analysis Laboratory, Inc.

WO#:

1801D88

01-Feb-18

Client:

Prep Date:

Sample ID rb

Client ID:

Blagg Engineering

ELLIOTT GC R 1 Project: Sample ID 2.5ug gro Ics SampType: LCS Client ID: LCSS

Batch ID: G48799 RunNo: 48799 Analysis Date: 1/31/2018 SeqNo: 1570396

Analyte Result PQL SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** LowLimit Qual Gasoline Range Organics (GRO) 27 5.0 25.00 0 107 70 130

TestCode: EPA Method 8015D Mod: Gasoline Range

TestCode: EPA Method 8015D Mod: Gasoline Range

Units: mg/Kg

Surr: BFB 430 500.0 86.5 70 130

Prep Date: Analysis Date: 1/31/2018 SeqNo: 1570397 Units: mg/Kg

Analyte Result SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual ND 5.0

RunNo: 48799

Gasoline Range Organics (GRO) Surr: BFB 480 500.0 97.0 70 130

Sample ID Ics-36239 TestCode: EPA Method 8015D Mod: Gasoline Range SampType: LCS

Client ID: LCSS RunNo: 48799 Batch ID: 36239

SampType: MBLK

Batch ID: G48799

Prep Date: 1/29/2018 Analysis Date: 1/31/2018 SeqNo: 1570816 Units: %Rec

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual 470 Surr: BFB 500.0 945 70 130

Sample ID mb-36239 SampType: MBLK TestCode: EPA Method 8015D Mod: Gasoline Range

Client ID: PBS Batch ID: 36239 RunNo: 48799

Prep Date: 1/29/2018 Analysis Date: 1/31/2018 SeqNo: 1570817 Units: %Rec

Analyte SPK value SPK Ref Val %REC HighLimit %RPD **RPDLimit** Result POL Qual Lowl imit Surr: BFB 540 500.0 108 70 130

### Qualifiers:

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

**PQL** Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix

В Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Detection Limit

Sample container temperature is out of limit as specified

Page 7 of 7



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107

Website: www.hallenvironmental.com

# Sample Log-In Check List

Client Name:	BLAGG	Work Order Number:	1801	088			RcptNo:	1
Received By:	Anne Thome	1/31/2018 7:00:00 AM		am	u Sha	_		
Completed By:	Anne Thome	1/31/2018 7:19:39 AM		D-	A.			
Reviewed By:	M /s/kors			an				
Chain of Cus	tody			7				
1. Is Chain of C	ustody complete?	*	Yes	✓ No	).	Not Pre	sent	
2. How was the	sample delivered?		Courie	er				
Log In								
	npt made to cool the samples?		Yes [	<b>✓</b> No			NA 🗆	
4. Were all samp	ples received at a temperature o	f >0° C to 6.0°C	Yes [	<b>✓</b> No			NA 🗌	
5. Sample(s) in	proper container(s)?		Yes [	✓ No				
6 Sufficient sam	ple volume for indicated test(s)?	?	Yes 5	<b>⊘</b> No				
-	except VOA and ONG) properly		Yes 🖟	No				
_	tive added to bottles?	•	Yes [		<b>Y</b>		NA 🗆	
9. VOA vials hav	e zero headspace?		Yes [	No		No VOA V	ials 🗹	
10. Were any san	nple containers received broken	?	Yes [	No	V			
						# of prese		
	ork match bottle labels?		Yes &	No		for pH:	(1) 00	>42 unless noted)
	ancies on chain of custody)	waterly?	Yes V	P No		Adju	sted?	>12 unless noted)
	correctly identified on Chain of C t analyses were requested?		Yes V					
	ng times able to be met?		Yes V			Chec	ked by:	
	ustomer for authorization.)							
Special Handl	ing (if applicable)							
	tified of all discrepancies with th	is order?	Yes [	No			NA 🗹	
Person	Notified:	Date			-			1
By Who	m:	Via:	eMail	Phone	Fax	in Perso	on	
Regardi	ing:							
. Client Ir	nstructions:							
16. Additional ren	marks:							
17. Cooler Information Cooler No.		il Intact   Seal No   Se	eal Dáti	Signed	Ву∷			,



