NMOCD

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

APR 03 2018

Form C-144 Revised April 3, 2017

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.
For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application
Type of action: Below grade tank registration Permit of a pit or proposed alternative method Closure of a pit, below-grade tank, or proposed alternative method Modification to an existing permit/or registration Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: BP America Production Company OGRID #: 778
Address: 200 Energy Court, Farmington, NM 87401
Facility or well name: KELLY GC A 007
API Number: 3004522282 OCD Permit Number:
U/L or Qtr/Qtr H Section 15 Township 31N Range 10W County: San Juan
Center of Proposed Design: Latitude 36.900883 Longitude -107.864602 NAD83
Surface Owner: Federal State Private Tribal Trust or Indian Allotment
Pit: Subsection F, G or J of 19.15.17.11 NMAC Temporary: □ Drilling □ Workover □ Permanent □ Emergency □ Cavitation □ P&A □ Multi-Well Fluid Management Low Chloride Drilling Fluid □ yes □ no □ Lined □ Unlined Liner type: Thickness mil □ LLDPE □ HDPE □ PVC □ Other □ □ String-Reinforced Liner Seams: □ Welded □ Factory □ Other □ Volume: □ bbl Dimensions: L x W x D □
3. TABLIC A
Below-grade tank: Subsection I of 19.15.17.11 NMAC TANK A Volume: 95 bbl Type of fluid: Produced Water Tank Construction material: Steel
□ Secondary containment with leak detection □ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off □ Visible sidewalls and liner □ Visible sidewalls only □ Other Double wall/ Double bottom; sidewalls not visible Liner type: Thickness mil □ HDPE □ PVC □ Other
4. Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet



Alternate. Please specify

6. Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen □ Netting □ Other Monthly inspections (If netting or screening is not physically feasible)	
7.	
Signs: Subsection C of 19.15.17.11 NMAC ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☐ Signed in compliance with 19.15.16.8 NMAC	
Variances and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
9. <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC <i>Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptate are provided below.</i> Siting criteria does not apply to drying pads or above-grade tanks.	ptable source
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within the area overlying a subsurface mine. (Does not apply to below grade tanks) - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	Yes No
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 200 horizontal fact of a spring or a private demostic fresh water well used by less than five households for demostic or steels	
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No

Within 100 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Temporary Pit Non-low chloride drilling fluid								
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No							
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Within 300 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Permanent Pit or Multi-Well Fluid Management Pit								
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site								
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No							
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No							
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No							
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 N Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.1 and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:	NMAC 15.17.9 NMAC							
11. Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC								
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doc attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19. and 19.15.17.13 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	15.17.9 NMAC							
Previously Approved Design (attach copy of design) API Number: or Permit Number:								

12. **Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC **Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the	documents are						
attached. ☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC ☐ Climatological Factors Assessment ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Quality Control/Quality Assurance Construction and Installation Plan ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Nuisance or Hazardous Odors, including H₂S, Prevention Plan ☐ Emergency Response Plan ☐ Oil Field Waste Stream Characterization ☐ Monitoring and Inspection Plan ☐ Erosion Control Plan ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC							
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F	luid Management Pit						
Alternative Proposed Closure Method:							
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC							
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. In 19.15.17.10 NMAC for guidance.							
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No NA						
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA						
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA						
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No						
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No						
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes No						
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No						
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No						
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance							

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No							
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Yes Yes								
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map								
Within a 100-year floodplain FEMA map								
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plants are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17. Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cann Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	.11 NMAC .15.17.11 NMAC							
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believe the certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and believe the certification: Title:								
Signature: Date:								
e-mail address: Telephone:								
OCD Approval: Permit Application (including elesure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 4124 Title: OCD Permit Number:	12018							
19.								
Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: 2/8/2018								
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	t complete this							

22.	
Operator Closure Certification:	
	nitted with this closure report is true, accurate and complete to the best of my knowledge and blicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Erin Garifalos	Title: Field Environmental Coordinator
Signature:UM gwifalos	Date: March 30, 2018
e-mail address: erin.garifalos@bp.com	Telephone: (832) 609-7048

BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

KELLY GC A 007

API No. 3004522282

Unit Letter H Section 15 T 31N R 10W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.

Notice is attached.

2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice was provided and is attached.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for recycling.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	95 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	10	< 0.020
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.081
TPH	US EPA Method SW-846 418.1 or 8015 extended	100	69
Chlorides	US EPA Method 300.0 or 4500B	620	<30

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled for chloride, TPH and BTEX with all concentrations below the stated limits except TPH. The field report and laboratory reports are attached. The release will be addressed following the spill and release guidelines.

7. BP shall notify the division District III office of its results on form C-141. **C-141 is attached.**

8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results indicate a release has occurred but is below regulatory standards. Attached is a laboratory report and C-141.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

Sampling results indicate a release has occurred but is below regulatory standards. Attached is a laboratory report and field report. The location has reclaimed as the well is plugged and abandoned.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The well was recently plugged and abandoned. The BGT location's surface condition is clear

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The well was recently plugged and abandoned. The BGT location's surface condition is clear

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The well was recently plugged and abandoned. The BGT location's surface condition is clear

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

The well was recently plugged and abandoned. The BGT location's surface condition is clear

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

The well was recently plugged and abandoned. The BGT location's surface condition is clear

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

Closure report on C-144 form is included including photos of reclamation completion.

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised April 3, 2017

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

			Rele	ease Notific	ation	and Co	orrective A	ctior	1			
						OPERA'			■ Initia	al Report		Final Report
				tion Company			n Garifalos	7049				
Facility Nar	Address 200 Energy Court, Farmington, NM 87401 Telephone No. (832) 609-7048 Facility Name KELLY GC A 007 Facility Type: Natural Gas Well											
Surface Ow	Surface Owner: Federal Mineral Owner: Federal API No.3004522282											
	LOCATION OF RELEASE											
Unit Letter	Section 15	Township 31N	Range 10W	Feet from the 18 30	North/	South Line th	Feet from the 1,165	East/\\East	West Line	County	San	Juan
	Latitude 36.900883 Longitude -107.864602 NAD83											
				NAT	URE	OF REL						
Type of Rele Source of Re	ase:: none lease:.						Release: unkno			Recovered: : Hour of Dis		
Source of Re			nk - 95	obl 		n/a	W/I 0		n/a			
Was Immedia	ate Notice G		Yes 🗸	No Not Re	equired	If YES, To	wnom?					
By Whom?						Date and I						
Was a Water	course Reac		Yes 🗸	No		If YES, Vo	olume Impacting the	he Wat	ercourse.			
If a Watercou	irse was Imp	oacted, Descri	be Fully.*	•								
Describe Cau	se of Proble	m and Remed	lial Action	for Chlowill be	orides,	TPH and Back sed following	ath the BGT was TEX below BGT g the spill and re	closur	e standard	ls except T	PH. Th	e release
Describe Are	a Affected a	nd Cleanup A	ction Tak	The release			dressed follo			l and rel	ease	
regulations all public health should their of or the environ	I operators a or the environations had oment. In accomment.	are required to onment. The ave failed to a	report an acceptance dequately CD accep	d/or file certain re e of a C-141 repo investigate and re	elease no rt by the emediate	otifications as NMOCD m contaminati	knowledge and un nd perform correct arked as "Final Re on that pose a thre e the operator of r	eport" deat to greespons	ions for rele loes not reli round water ibility for co	eases which leve the open r, surface wa ompliance v	may end rator of later, hun with any	danger liability nan health
	Win a	17:1 0-	1				OIL CONS	ERV	ATION	DIVISIO	<u>N</u>	
Signature:	nun gi	Vilfalo	4						X			
Printed Name						Approved by	Environmental Sp	pecialis				
		nmenta	I Coo	rdinator		Approval Dat	e4124129	8	Expiration 1	Date:		
E-mail Addre	ss: erin.ç	garifalos	@bp.	com		Conditions of	, ,			Attached		
Date: Marc	n 30, 201	8	Phone:	(832) 609-70						Attached		
* Attach Addit						NI	F 18114	38	975	-		

bp



BP America Production Company 380 Airport Road Durango, CO 81303

February 2, 2018

BLM Albuquerque District Office 100 SUN AVE NE STE 330 Albuquerque, NM 87109

VIA EMAIL

Re: Notification of plans to close/remove a below grade tank Well Name: KELLY GC A 007

API #: 3004522282

To Whom it May Concern,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about February 6, 2018. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required please contact me for a specific time (832)-609-7048.

Sincerely,

Erin Garifalos

BP America Production Company

From:

Buckley, Farrah (CH2M HILL)

To:

Smith, Corv. EMNRD; Fields, Vanessa, EMNRD (Vanessa, Fields@state.nm.us)

Cc:

jeffcblagg@aol.com; blagg_niv@yahoo.com; Garifalos, Erin; Beebe, Sabre; Moskal, Steven

Subject:

BP Pit Close Notification - KELLY GAS COM A 007

Date:

Friday, February 02, 2018 11:06:14 AM

BP America Production Company 380 Airport Rd Durango, CO 81303 Phone: (970) 247 6800

SENT VIA E-MAIL TO: <u>CORY.SMITH@STATE.NM.US</u>; <u>VANESSA.FIELDS@STATE.NM.US</u>

February 2, 2018

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

KELLY GC A 007 API 30-045-22282 (H) Section 15 – T31N – R10W San Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to a 95bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around February 6, 2018.

Should you have any questions, please feel free to contact BP at our Durango office.

Sincerely,

Erin Garifalos

Field Environmental Coordinator – San Juan Cell: 832-609-7048

Farrah Buckley BGT Project Support 970-946-9199 -cell

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

ÇLIENT: BP	P.O. BOX 87, B	NGINEERING, INC. LOOMFIELD, NM 874 5) 632-1199	413	API #: 300452 TANK ID (if applicble):	22282 A
FIELD REPORT:	(circle one): BGT CONFIRMATION /	RELEASE INVESTIGATION / OTHER:		PAGE#: 1	of1
SITE INFORMATION	I: SITE NAME: KELLY	GC A #7		DATE STARTED: 02	2/06/18
QUAD/UNIT: H SEC: 15 TWP:	31N RNG: 10W PM:	NM CNTY: SJ ST:	NM	DATE FINISHED:	
1/4 -1/4/FOOTAGE: 1,830'N / 1,16	55'E SE/NE LEASET	YPE: FEDERAL / STATE / FEE /	INDIAN	ENVIRONMENTAL	
		STRIKE ONTRACTOR: BP - S. BEEBE			NJV
REFERENCE POINT	_		07.00470	0.5.57	0.0041
	, ,			001.1	6,234 N50.5E
95 BGT (DW/DB)	GPS COORD.:	900883 X 107.864602			
2)	GPS COORD.:			RING FROM W.H.:	
3)	GPS COORD.:		DISTANCE/BEA	RING FROM W.H.:	
4)	GPS COORD.:		DISTANCE/BEA	RING FROM W.H.:	0)/44
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # 0	OR LAB USED: HALL			OVM READING (ppm)
The state of the s	•	5/18 SAMPLE TIME: 0815 LAB ANALY		15B/8021B/300.0 (CI)	NA
2) SAMPLE ID:					
3) SAMPLE ID:					
tin 7 tody, noting the protecting the		SAMPLE TIME: LAB ANAL:			
SOIL DESCRIPTION					
SOIL COLOR: DARK YEL COHESION (ALL OTHERS): NON COHESIVE / SLIGHTL' CONSISTENCY (NON COHESIVE SOILS): LO MOISTURE: DRY / SLIGHTLY MOIST / MOIST / W SAMPLE TYPE: GRAB (COMPOSITE) # DISCOLORATION/STAINING OBSERVED: YES NO	Y COHESIVE / COHESIVE / HIGHLY COHESIVE DOSE / FIRM / DENSE / VERY DENSE ET / SATURATED / SUPER SATURATED 5 OF PTS 5 OEXPLANATION LOST INTEGRITY OF EQUIPMENT:		SOFT / FIRM / ATION -	STIFF / VERY STIFF / HARD	
APPARENT EMDENCE OF A RELEASE OBSERVE EQUIPMENT SET OVER RECLAIMED AREA: OTHER: GAS WELL RECENTLY PLUGGI 5.5 FT. BELOW GRADE. SAMPLED SO	YES NO EXPLANATION - ED & ABANDONED (P&A). NMOO	CD REP. NOT PRESENT TO WITNES			DROCK AT
EXCAVATION DIMENSION ESTIMATION: DEPTH TO GROUNDWATER: >100' N	NA ft. X NA EAREST WATER SOURCE: >1,000			TIMATION (Cubic Yards) : CD TPH CLOSURE STD:	1,000 ppm
SITE SKETCH					ррп
SITE SKETCH	BGT Located : off on site	e PLOT PLAN circle: att			_ppm RF =1.00
NOTES: BGT = BELOW-GRADE TANK; E.D. = EXCAVATION	P&A RKER DN DEPRESSION; B.G. = BELOW GRADE; B = BE	PBGTL T.B. ~ 5' B.G. FENCE LLINER ATH BGT ELOW, T.H. = TEST HOLE; ~= APPROX.; W.H. = WE OINT DESIGNATION; R.W. = RETAINING WALL; NA	A S G P O Tar IC A	CD Appr. date(s): 04/	:REST :72 /09/10 /08/16 Meter :/ N
APPLICABLE OR NOT AVAILABLE; SW - SINGLI	E WALL; DW - DOUBLE WALL; SB - SINGLE BOT	A STATE OF THE PROPERTY OF THE	<u>IV</u>	agrieuc declination:	10 =
NOTES: GOOGLE EARTH IMAG	ERY DATE: 3/15/2015.	ONSITE: 02/06/18			

Analytical Report

Lab Order 1802343

Date Reported: 2/8/2018

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Client Sample ID: 5PC-TB @ 5' (95)

Project: KELLY GC A 7

Collection Date: 2/6/2018 8:15:00 AM

Lab ID: 1802343-001

Matrix: SOIL

Received Date: 2/7/2018 7:00:00 AM

Analyses	Result	PQL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	CJS
Chloride	ND	30	mg/Kg	20	2/7/2018 12:21:43 PM	36396
EPA METHOD 8015M/D: DIESEL RANG	GE ORGANICS				Analyst	JME
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	2/7/2018 8:38:07 AM	36394
Motor Oil Range Organics (MRO)	69	49	mg/Kg	1	2/7/2018 8:38:07 AM	36394
Surr: DNOP	101	70-130	%Rec	1	2/7/2018 8:38:07 AM	36394
EPA METHOD 8015D: GASOLINE RAN	IGE				Analyst	NSB
Gasoline Range Organics (GRO)	ND	4.0	mg/Kg	1	2/7/2018 11:37:58 AM	G48962
Surr: BFB	91.2	15-316	%Rec	1	2/7/2018 11:37:58 AM	G48962
EPA METHOD 8021B: VOLATILES					Analyst	NSB
Benzene	ND	0.020	mg/Kg	1	2/7/2018 11:37:58 AM	B48962
Toluene	ND	0.040	mg/Kg	1	2/7/2018 11:37:58 AM	B48962
Ethylbenzene	ND	0.040	mg/Kg	1	2/7/2018 11:37:58 AM	B48962
Xylenes, Total	ND	0.081	mg/Kg	1	2/7/2018 11:37:58 AM	B48962
Surr: 4-Bromofluorobenzene	96.2	80-120	%Rec	1	2/7/2018 11:37:58 AM	B48962

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank
- E Value above quantitation range
- Analyte detected below quantitation limits Page 1 of 5 J
- P Sample pH Not In Range
- RL Reporting Detection Limit
- Sample container temperature is out of limit as specified

Chain-of-Custody Record				Turn-Around 7	ime:	SAME				1	IA			AIV	/TE	20	D.I.	ME	N	ΓĂ				
Client:	BLAG	G ENGR.	/ BP AMERICA	☐ Standard	☑ Rush _	DAY)			H										AT					
				Project Name:																-				
Mailing A	ddress:	P.O. BO	X 87	1 1	CELLY GC A	# 7	www.hallenvironmental.com 4901 Hawkins NE - Albuquerque, NM 87109																	
		BLOOM	FIELD, NM 87413	Project #:)5-34				-	-		-410							
Phone #:		(505) 63	32-1199	1			116	1		H	41	1000			Rec	100								
email or F	ax#:			Project Manag	jer:									4)				£.						
QA/QC Pa	-		Level 4 (Full Validation)		SABRE BEE	BE	0218)	8+ (8021B)	30218)	(Aluo	/ MRO)			(S)		PO4,50	2 PCB's			ter - 300.1)			e	
Accreditat	tion:			Sampler:	NELSON V	ELEZ 977	-F	(Gas	DRO /	ਜ:	1)	OSIN		102,	808			/ water			dm			
□ NELAF		□ Other		THE RESERVE THE PARTY OF THE PA	-⊠ Yes	E No:⊲	1	TPH	_	418	504	827	S	103,1	es/		OA)	300.0			te sa	Sr N		
□ EDD (Гуре)			Sample Temp	érature :	S Formula	1	BE +	GR (GR	hod	hod	0 or	leta	CI,N	ticid	OA)	ni-V	- 10		ple	posi	s (Y		
Date	Time	Matrix	Sample Request ID	Container Type and # Machical	Preservative Type	HEAL No.7	BTEX +MH	BTEX + MTBE	TPH 8015B (GRO	TPH (Method 418.1)	EDB (Method 504.1)	PAH (8310 or 8270SIMS)	RCRA 8 Metals	Anions (F,CI,NO ₃ ,NO ₂ ,PO ₄ ,SO ₄)	8081 Pesticides / 8082	8260B (VOA)	8270 (Semi-VOA)	Chloride (soil - 300.0		Grab sample	5 pt. composite sample	Air Bubbles (Y or N)		
2/6/18	0815	SOIL	5PC-TB@ 5 '(95)	4 oz 1	Cool	-00	V		1	,				_	~	~		٧		_	٧			
						201																		
																				_				
			; \$																\Box					
											:													
Date: 2/6/18	Time: /7//	Relinquish	h V	Received by:	Halter	Date Time 7/1/18 /7/1	Rem	arks	:			FORM				BE FC	RWA	RDED	FROM	A BP.	IF NO	т,		
Date: 2/4/15	Time: [834	Relinquish	st Walter	Received by:	hund	Date Time 02/01/08																		
. 1 . 0	If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.																							

Hall Environmental Analysis Laboratory, Inc.

WO#:

1802343

08-Feb-18

Client:

Blagg Engineering

Project:

KELLY GC A 7

Sample ID MB-36396

SampType: mblk

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 36396

RunNo: 48963

Prep Date:

2/7/2018

Analysis Date: 2/7/2018

SeqNo: 1576512

Units: mg/Kg

HighLimit

%RPD

RPDLimit Qual

Qual

Analyte Chloride

Result PQL ND

Sample ID LCS-36396

SampType: Ics

TestCode: EPA Method 300.0: Anions

RunNo: 48963

Client ID: LCSS Prep Date: 2/7/2018 Batch ID: 36396

Units: mg/Kg

Analyte

Analysis Date: 2/7/2018

SeqNo: 1576513

HighLimit

%RPD **RPDLimit**

SPK value SPK Ref Val

%REC

90

Chloride

14

1.5 15.00

0

SPK value SPK Ref Val %REC LowLimit

95.0

110

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- **PQL** Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix
- В Analyte detected in the associated Method Blank
- Value above quantitation range E
- Analyte detected below quantitation limits
 - Sample pH Not In Range
- RL Reporting Detection Limit

P

Sample container temperature is out of limit as specified

Page 2 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#:

1802343

08-Feb-18

Client:

Blagg Engineering

Project:

KELLY GC A 7

Project: KELLY	GC A /	
Sample ID MB-36394	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics
Client ID: PBS	Batch ID: 36394	RunNo: 48946
Prep Date: 2/7/2018	Analysis Date: 2/7/2018	SeqNo: 1574942 Units: mg/Kg
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Diesel Range Organics (DRO)	ND 10	
Motor Oil Range Organics (MRO)	ND 50	
Surr: DNOP	9.6 10.00	95.8 70 130
Sample ID LCS-36394	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics
Client ID: LCSS	Batch ID: 36394	RunNo: 48946
Prep Date: 2/7/2018	Analysis Date: 2/7/2018	SeqNo: 1574943 Units: mg/Kg
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Diesel Range Organics (DRO)	54 10 50.00	0 108 70 130
Surr: DNOP	5.1 5.000	103 70 130
Sample ID MB-36390	SampType: MBLK	TestCode: EPA Method 8015M/D: Diesel Range Organics
Client ID: PBS	Batch ID: 36390	RunNo: 48946
Prep Date: 2/6/2018	Analysis Date: 2/7/2018	SeqNo: 1576206 Units: %Rec
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Surr: DNOP	9.5 10.00	95.3 70 130
Sample ID LCS-36390	SampType: LCS	TestCode: EPA Method 8015M/D: Diesel Range Organics
Client ID: LCSS	Batch ID: 36390	RunNo: 48946
Prep Date: 2/6/2018	Analysis Date: 2/7/2018	SeqNo: 1576208 Units: %Rec
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Surr: DNOP	5.0 5.000	101 70 130

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- Page 3 of 5

- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1802343

08-Feb-18

Client:

Blagg Engineering

Project:

KELLY GC A 7

Sample ID RB

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS Batch ID: G48962

PQL

5.0

RunNo: 48962

Prep Date:

Surr: BFB

Analysis Date: 2/7/2018

SeqNo: 1576174

%REC

Units: mg/Kg

Qual

Analyte Gasoline Range Organics (GRO)

ND

Result

930

SPK value SPK Ref Val

LowLimit

LowLimit

15

HighLimit

316

%RPD **RPDLimit**

Sample ID 2.5UG GRO LCS

SampType: LCS

TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS

Batch ID: G48962

RunNo: 48962

92.9

Units: mg/Kg

Analyte

Analysis Date: 2/7/2018

SeqNo: 1576175

HighLimit %RPD **RPDLimit** Qual

Gasoline Range Organics (GRO)

5.0 25.00 1000

1000

SPK value SPK Ref Val

0

107

131

Surr: BFB

Prep Date:

27 1100

Result

111

%REC

75.9 15

316

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- H Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- **PQL** Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank В
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit Sample container temperature is out of limit as specified

Page 4 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#:

1802343

08-Feb-18

Client: Project: Blagg Engineering

KELLY GC A 7

Sample ID RB

SampType: MBLK

PQL

TestCode: EPA Method 8021B: Volatiles

LowLimit

Client ID: **PBS**

Batch ID: **B48962**

RunNo: 48962

%REC

Prep Date:

Analysis Date: 2/7/2018

Result

0.99

SeqNo: 1576180

SPK value SPK Ref Val

1.000

Units: mg/Kg

%RPD

HighLimit

RPDLimit Qual

Analyte Benzene Toluene Ethylbenzene

0.025 ND ND 0.050 ND 0.050 ND 0.10 Xylenes, Total

Surr: 4-Bromofluorobenzene

99.4

80

120

Sample ID 100NG BTEX LCS Client ID: Prep Date:

LCSS

SampType: LCS Batch ID: **B48962**

Analysis Date: 2/7/2018

RunNo: 48962

SeqNo: 1576181

TestCode: EPA Method 8021B: Volatiles

Units: mg/Kg

%RPD **RPDLimit** Qual 128

SPK value SPK Ref Val %REC Analyte Result PQL LowLimit HighLimit 0.99 0.025 1.000 99.4 77.3 Benzene 0.050 79.2 0.94 1.000 0 93.7 125 Toluene Ethylbenzene 0.95 0.050 1.000 0 95.0 80.7 127 Xylenes, Total 2.8 0 92.8 81.6 129 0.10 3.000 Surr: 4-Bromofluorobenzene 1.000 104 80 120 1.0

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- Holding times for preparation or analysis exceeded H
- ND Not Detected at the Reporting Limit
- POL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix
- В
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- Sample container temperature is out of limit as specified

Analyte detected in the associated Method Blank

Page 5 of 5



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107

Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: BLAGG Work Order Number: 1802343			RcptNo: 1		
Received By: Anne Thorne Completed By: Anne Thorne Reviewed By:	ompleted By: Anne Thorne 2/7/2018 7:46:34 AM		Anne Sham		
(02/01/N	8			
Chain of Custody1. Is Chain of Custody complete?2. How was the sample delivered?		Yes ✓ Courier	No 🗆	Not Present	
Log In 3. Was an attempt made to cool the sample	s?	Yes ☑	No 🗆	NA 🗆	
4. Were all samples received at a temperature of >0° C to 6.0°C		Yes 🗸	No 🗆	NA 🗆	
5. Sample(s) in proper container(s)?		Yes 🗹	No 🗆		
6. Sufficient sample volume for indicated test(s)?		Yes 🗹	No.		
7. Are samples (except VOA and ONG) properly preserved?		Yes 🗹	No 🗆		
8. Was preservative added to bottles?		Yes	No 🗹	NA 🗆	
VOA vials have zero headspace? Were any sample containers received broken?		Yes 🗆	No □ No ☑	No VOA Vials # of preserved	
11. Does paperwork match bottle labels? (Note discrepancies on chain of custody)		Yes 🗹	No □	bottles checked for pH:	>12 unless noted)
12. Are matrices correctly identified on Chain of Custody?		Yes 🗹	No 🗆	Adjusted?	
13. Is it clear what analyses were requested?		Yes 🗹	No L	Observation	
14. Were all holding times able to be met? (If no, notify customer for authorization.)		Yes 🗹	No L	Checked by:	
Special Handling (if applicable)					
15, Was client notified of all discrepancies with	th this order?	Yes	No 🗌	NA 🗹	
Person Notified: By Whom: Regarding: Client Instructions:	Date Via:	eMail Pho	one Fax	☐ In Person	
16. Additional remarks:					
17. Cooler Information Cooler No. Temp °C Condition Seal Intact Seal No. Seal Date Signed By 1 1.0 Good Yes					
The state of the s					



