District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

# State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division

1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 Revised April 3, 2017

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.

For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

4 359  Proposed Alternative Method Permit or Closure Plan Application  Proposed Alternative Method Permit or Closure Plan Application
Type of action:  Below grade tank registration  Permit of a pit or proposed alternative method  Closure of a pit, below-grade tank, or proposed alternative method  Modification to an existing permit/or registration  Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: BP America Production Company Address: 200 Energy Court, Farmington, NM 87401
Facility or well name: GCU 191
API Number: 3004511590
API Number:         3004511590         OCD Permit Number:           U/L or Qtr/Qtr         P         Section 32         Township 28N         Range 12W         County: San Juan 15
Center of Proposed Design: Latitude 36.61321 Longitude -108.12915 NAD83
Surface Owner: Federal State Private Tribal Trust or Indian Allotment
2.
☐ Pit:       Subsection F, G or J of 19.15.17.11 NMAC         Temporary:       ☐ Drilling       ☐ Workover         ☐ Permanent       ☐ Emergency       ☐ Cavitation       ☐ P&A       ☐ Multi-Well Fluid Management       Low Chloride Drilling Fluid       ☐ yes ☐ no         ☐ Lined       ☐ Unlined       Liner type:       Thicknessmil       ☐ LLDPE       ☐ HDPE       ☐ PVC       ☐ Other         ☐ String-Reinforced       Liner Seams:       ☐ Welded       ☐ Factory       ☐ Other       Volume:bbl      bbl       Dimensions: Lx Wx D
Below-grade tank: Subsection I of 19.15.17.11 NMAC  TANK A
Volume: 95 bbl Type of fluid: Produced Water
Tank Construction material: Steel
Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off ☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other Single wall/ Double bottom; sidewalls not visible ☐ Liner type: Thicknessmil ☐ HDPE ☐ PVC ☐ Other
4.  Alternative Method:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.
5.  Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify

6.  Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC  12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  Signed in compliance with 19.15.16.8 NMAC	
Variances and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
5.  Siting Criteria (regarding permitting): 19.15.17.10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptance are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	ptable source
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks)  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine. (Does not apply to below grade tanks)  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
<ul> <li>Within an unstable area. (Does not apply to below grade tanks)</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	☐ Yes ☐ No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	Yes No
Below Grade Tanks	
Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.)  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application.  NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No

Within 100 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pit Non-low chloride drilling fluid	
Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application;  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Permanent Pit or Multi-Well Fluid Management Pit	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 No. Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doct attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.1 and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number:  or Permit Number:	uments are
Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the doct attached.  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  A List of wells with approved application for permit to drill associated with the pit.  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.1 and 19.15.17.13 NMAC  Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Previously Approved Design (attach copy of design) API Number:  or Permit Number:	15.17.9 NMAC

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the	documents are
attached.  Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC  Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H₂S, Prevention Plan  Emergency Response Plan  Oil Field Waste Stream Characterization  Monitoring and Inspection Plan  Erosion Control Plan  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F Alternative  Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	luid Management Pit
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached.  □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC  □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  □ Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. F 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	

adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	
Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	
Within a 100-year floodplain FEMA map	Yes No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cann Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	11 NMAC 15.17.11 NMAC
17. Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and beli	ef.
Name (Print): Title:	
Signature: Date:	
e-mail address:	
18.  OCD Approval: ☐ Permit Application (pheluding closure plan) ☐ Closure Plan (only) ☐ OCD Conditions (see attachment)	
OCD Representative Signature: Approval Date: 5	10/18
Title: Environ mental Spec. SOCD Permit Number:	
Title: Environmental Spec.  OCD Permit Number:  19.  Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	complete this

Operator Closure Certification:  I hereby certify that the information and attachments submitted.	ted with this closure report is true, accurate and complete to the best of my knowledge and
belief. I also certify that the closure complies with all applic	able closure requirements and conditions specified in the approved closure plan.
Name (Print): Erin Garifalos	Title: Field Environmental Coordinator
Signature:e-mail address: erin.garifalos@bp.com	Date: May 3, 2018 Telephone: (832) 609-7048

## **BP AMERICA PRODUCTION COMPANY**

SAN JUAN BASIN, NORTHWEST NEW MEXICO

#### BELOW-GRADE TANK CLOSURE PLAN

#### GCU 191

API No. 3004511590

Unit Letter P Section 32 T 28N R 12W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

#### General Closure Plan

1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.

#### Notice is attached.

2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

#### Notice was provided and is attached.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
  - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
  - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
  - c. Basin Disposal, Permit NM-01-0005 (Liquids)
  - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
  - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

## All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

#### The BGT was transported for recycling.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

#### All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	95 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	10	< 0.093
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	0.45
TPH	US EPA Method SW-846 418.1 or <u>8015</u> extended	100	80
Chlorides	US EPA Method 300.0 or 4500B	620	47

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled for chloride, TPH and BTEX with all concentrations above the stated limits. The release will be addressed following the spill and release guidelines. The field report and laboratory reports are attached.

7. BP shall notify the division District III office of its results on form C-141.

C-141 is attached.

8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results indicate a release has occurred and will be addressed following the spill and release guidelines. Attached is a laboratory report and C-141.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

Sampling results indicate a release has occurred and will be addressed following the spill and release guidelines. Attached is a laboratory report and field report. The location will be reclaimed when the well is plugged and abandoned.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area has been backfilled and BGT location's surface condition is clear, but within the site's operational area. The location will be reclaimed once the well is plugged and abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area has been backfilled and BGT location's surface condition is clear, but within the site's operational area. The location will be reclaimed once the well is plugged and abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area has been backfilled and BGT location's surface condition is clear, but within the site's operational area. The location will be reclaimed once the well is plugged and abandoned.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

The area has been backfilled and BGT location's surface condition is clear, but within the site's operational area. The location will be reclaimed once the well is plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

The area has been backfilled and BGT location's surface condition is clear, but within the site's operational area. The location will be reclaimed once the well is plugged and abandoned.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
  - a. proof of closure notification (surface owner and NMOCD)
  - b. sampling analytical reports; information required by 19.15.17 NMAC;
  - c. disposal facility name and permit number
  - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
  - e. site reclamation, photo documentation.

Closure report on C-144 form is included including photos of reclamation completion.

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

District I 1625 N. French Dr., Hobbs, NM 88240 District III \*
811 S. First St., Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410
District III 1000 Rio Brazos Road, Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

#### State of New Mexico Energy Minerals and Natural Resources

Revised April 3, 2017

Form C-141

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

			Rele	ase Notific	cation	n and Co	rrective A	ction	1			
						OPERA'			■ Initia	al Report		Final Report
				ion Compan			Garifalos	7040				
Facility Nar			ırmıngto	n, NM 87401			No. (832) 609- be: Natural Ga					
Surface Ow				Mineral (		Federal			_	.300451	1500	)
Surface Ow	ner. red	erai							ATTING	.30043	1330	)
Unit Letter	Section	Township	Range	Feet from the		N OF REI	Feet from the	Fact/	West Line	County		
P	32	28N	12W		Sou		840	Eas			San	Juan
			Latitud	<sub>e</sub> 36.61321	La	ongitude -1	08.12915	NAD	83			
			Batttud			OF RELI			0.5			
Type of Rele	ase:: none	)			CICL		Release:: unkno	own	Volume I	Recovered: :	N/A	
Source of Re	lease: belo	w grade ta	nk - 95 k	obl		Date and H	Iour of Occurrenc	e:	Date and n/a	Hour of Dis	scovery:	:
Was Immedia		Given?		No Not Re	aguired	If YES, To	Whom?					
By Whom?			Tes V	NO LI NOUN	equired	Date and H	lour					
Was a Water	course Read						lume Impacting t	the Wat	ercourse.			
If a Watercou	irse was Im	pacted, Descri	ibe Fully.*									
Describe Cau	se of Probl	em and Remed	dial Action	Taken.* Sampl	ing of th	ne soil benea	ath the BGT was	s done	during ren	noval. Soil	analys	is resulted
							TPH above BG7 pill and release					
					ached.	lowing the s	pili ariu release	guideli	ries. rieid	reports and	a labori	atory results
Describe Are	a Affected	and Cleanup A	Action Take	en.*	orato	ry analys	is attached.					
				i illaliat	σιαιο	ry arrarys	is attacricu.					
							knowledge and u					
							nd perform correctarked as "Final Re					
should their o	perations h	ave failed to a	dequately	investigate and r	emediate	e contaminati	on that pose a three the operator of i	eat to g	round water	, surface wa	ater, hur	man health
		ws and/or regu		ance of a C-141	report d	oes not reflev	e the operator of i	respons	ibility for co	omphance v	vith any	otner
		11 -0 A					OIL CONS	SERV	ATION	DIVISIO	<u>N</u>	
Signatura	run g	Willalo	4									
Signature:	Erin C	Parifolos				Approved by	Environmental Sp	pecialis	t:			
		onmenta				Approval Dat	e:		Expiration 1	Date:	1	
E-mail Addre	ss: erin.	garifalos	@bp.c	com		Conditions of	Approval:			Attached		
Date: May 3	3, 2018		Phone:	(832) 609-70	)48							

\* Attach Additional Sheets If Necessary

TINCS 1813033980



380 Airport Rd Durango, CO 81303 Phone: (970) 247 6800

March 5, 2018

Bureau of Land Management Whitney Thomas 6251 College Suite A Farmington, NM 87402

#### VIA EMAIL

Re: Notification of plans to close/remove a below grade tank Well Name: GALLEGOS CANYON UNIT 191 API #: 3004511590

Dear Mrs. Thomas,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about March 8, 2018. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required please contact me for a specific time (832)-609-7048.

Sincerely,

Erin Garifalos

BP America Production Company

From:

Buckley, Farrah (CH2M HILL)

To:

Smith, Cory, EMNRD; Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us)

Cc: Subject: jeffcblagq@aol.com; blagq njv@yahoo.com; Garifalos, Erin BP Pit Close Notification - GALLEGOS CANYON UNIT 191

Date:

Monday, March 05, 2018 12:43:55 PM

BP America Production Company 380 Airport Rd Durango, CO 81303 Phone: (970) 247 6800

#### SENT VIA E-MAIL TO: <u>CORY.SMITH@STATE.NM.US</u>; <u>VANESSA.FIELDS@STATE.NM.US</u>

March 5, 2018

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

GALLEGOS CANYON UNIT 191 API 30-045-11590 (P) Section 32 – T28N – R12W San Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 95bbl BGT and a 21bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around March 8, 2018.

Should you have any questions, please feel free to contact BP at our Durango office.

Sincerely,

Erin Garifalos

Field Environmental Coordinator – San Juan Cell: 832-609-7048

Farrah Buckley BGT Project Support 970-946-9199 -cell

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

CLIENT: BP	P.O. BOX 87, BI	NGINEERING, INC. LOOMFIELD, NM 87 5) 632-1199	<b>7413</b>	API #: 300451' TANK ID (if applicble):	
FIELD REPORT:		RELEASE INVESTIGATION / OTHER:			of
SITE INFORMATION QUAD/UNIT: P SEC: 32 TWP:	28N RNG: 12W PM:	191 NM cnty: SJ st	r: NM	DATE STARTED: 03/	08/18
1/4 -1/4/FOOTAGE: 840'S / 840'E LEASE#: SF079346		YPE: FEDERAL STATE / FEE ONTRACTOR: BP - J. GONZA		ENVIRONMENTAL SPECIALIST(S):	IJV
	GPS COORD.: 36.		DISTANCE/BEAL DISTANCE/BEAL DISTANCE/BEAL	GL ELEV.:	33.5W
SAMPLING DATA:  1) SAMPLE ID: 5PC - TB @ 5' (9 2) SAMPLE ID: 3) SAMPLE ID: 4) SAMPLE ID: 5) SAMPLE ID:	CHAIN OF CUSTODY RECORD(S) # OF  SAMPLE DATE:  SAMPLE DATE:  SAMPLE DATE:  SAMPLE DATE:	18	NLYSIS: 801 NLYSIS: NLYSIS: NLYSIS: NLYSIS:	15B/8021B/300.0 (CI)	OVM READING (ppm) 2,500
COHESION (ALL OTHERS): NON COHESIVE SLIGHTLY CONSISTENCY (NON COHESIVE SOILS): LO MOISTURE: DRY/SLIGHTLY MOIST/ MOIST/ W SAMPLE TYPE: GRAB COMPOSITE. # DISCOLORATION/STAINING OBSERVED: YES N	YELLOWISH ORANGE Y COHESIVE / COHESIVE / HIGHLY COHESIVE DOSE FIRM DENSE / VERY DENSE ET / SATURATED / SUPER SATURATED OF PTS	PLASTICITY (CLAYS): NON PLASTIC / SLIGH DENSITY (COHESIVE CLAYS & SILTS): HC ODOR DETECTED: YES NO EXPLAI BGT ONLY (NOT DISCOLORED). ANY AREAS DISPLAYING WETNESS: YES CK AT OUTER PERIMETER OF BG	HTLY PLASTIC / CO SOFT / FIRM / NATION - APP	STIFF / VERY STIFF / HARD ARENT VERY STRONG BE WATION -	
SITE OBSERVATION APPARENT EVIDENCE OF A RELEASE OBSERVE EQUIPMENT SET OVER RECLAIMED AREA: OTHER: NMOCD OR BLM REPS. NOT PR	D AND/OR OCCURRED : YES NO EXPLAYES NO EXPLANATION -	NATION: APPARENT HYDROCARE	BON ODOR, P	OSSIBLY BGT OVERFLOW	V(S)?
OUTE OLIETOLI	NA ft. X NA  EAREST WATER SOURCE: >1,000'  BGT Located: off on site	NEAREST SURFACE WATER: <1,0	ottached OVM	CALIB. READ. = 100.0 p	NA 00 ppm 0m RF = 1.00 0m 03/08/18
(95)-A PBGTL_ T.B. ~ 5' B.G.	SEPARATOR FENCE    X X X X X X X X X X X X X X X X X X		M R V P O Tan ID A	IO:  EF #: P-941  ID: VHIXONEVB2  J #:  ermit date(s): 06/1  CD Appr. date(s): 03/0  k OVM = Organic Vapor M ppm = parts per million	4/10 7/17 eter N
	OW-GRADE TANK LOCATION; SPD = SAMPLE PC E WALL; DW - DOUBLE WALL; SB - SINGLE BOTTO	DINT DESIGNATION; R.W. = RETAINING WALL; N.			)°E

#### **Analytical Report** Lab Order 1803520

Date Reported: 3/12/2018

## Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Blagg Engineering

Client Sample ID: 5PC-TB @ 5' (95)-A

GCU 191 **Project:** 

Collection Date: 3/8/2018 9:30:00 AM

Lab ID:

1803520-001

Matrix: SOIL

Received Date: 3/9/2018 7:35:00 AM

Analyses	Result	PQL (	)ual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS						Analyst:	CJS
Chloride	47	30		mg/Kg	20	3/9/2018 12:37:42 PM	36930
EPA METHOD 8015D MOD: GASOL	NE RANGE					Analyst:	AG
Gasoline Range Organics (GRO)	62	19		mg/Kg	5	3/9/2018 12:34:10 PM	G49679
Surr: BFB	131	70-130	s	%Rec	5	3/9/2018 12:34:10 PM	G49679
EPA METHOD 8015M/D: DIESEL RA	NGE ORGANICS	<b>;</b>				Analyst:	TOM
Diesel Range Organics (DRO)	18	9.4		mg/Kg	1	3/9/2018 10:00:59 AM	36928
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	3/9/2018 10:00:59 AM	36928
Surr: DNOP	90.7	70-130		%Rec	1	3/9/2018 10:00:59 AM	36928
EPA METHOD 8260B: VOLATILES S	HORT LIST					Analyst:	AG
Benzene	ND	0.093		mg/Kg	5	3/9/2018 12:34:10 PM	R49679
Toluene	ND	0.19		mg/Kg	5	3/9/2018 12:34:10 PM	R49679
Ethylbenzene	ND	0.19		mg/Kg	5	3/9/2018 12:34:10 PM	R49679
Xylenes, Total	0.45	0.37		mg/Kg	5	3/9/2018 12:34:10 PM	R49679
Surr: 4-Bromofluorobenzene	123	70-130		%Rec	5	3/9/2018 12:34:10 PM	R49679
Surr: Toluene-d8	93.8	70-130		%Rec	5	3/9/2018 12:34:10 PM	R49679

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

#### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank
- Ε Value above quantitation range
- Analyte detected below quantitation limits Page 1 of 6
- Sample pH Not In Range
- Reporting Detection Limit RL
- Sample container temperature is out of limit as specified

CI	hain-c	of-Cus	stody Record	Turn-Around	Γime:	SAME					44		F	NV	TE	20	NE	ME	N7	ΓÀ		
Client:	BLAG	G ENGR.	/ BP AMERICA	☐ Standard	Rush _	DAY													AT	,		
				Project Name						-		w.ha							•			
Mailing Ad	ddress:	P.O. BO	X 87	1	GCU # 19	91		4	901	Hawl									9			
		BLOOM	FIELD, NM 87413	Project #:					Tel. 5					•			-410					
Phone #:		(505) 63							i Ci. J	03-3	45-5			ysis	-				5.5		10 v	
email or F	ax#:	(500) 00		Project Manag	jer:										1100							
QA/QC Pac				1,190011111111	ERIN GARI	FALOS		a 3	MRO)					(,504)	PCB's			300.1)				
✓ Standa	ard		Level 4 (Full Validation)					(8021B)	2			MS)		P0,				water-			<u>e</u>	
Accreditat	ion:			Sampler:	NELSON VI			T S	/ DRO	न	1.	OSII		NO2	808			_			E I	
□ NELAP		□ Other		On Ices	THE RESERVE OF THE PARTY OF THE	□ No · · · · · · ·		# 3		418	504	827	S	03,1	ss /		(AC	0.00			te S	N N
□ EDD (T	ype)	ı		Sample Temp	emiure			4 3	(GR	poc	pou	or (	etal	C,N	icid	(A)	<u>}-</u> i	11-3		e e	osi	3
Date	Time	Matrix	Sample Request ID	Container Type and # Me at Ket	Preservative Type	HEAL No.		BTEX +**	TPH 8015B (GRO / DRO / MRO	TPH (Method 418.1)	EDB (Method 504.1)	PAH (8310 or 8270SIMS)	RCRA 8 Metals	Anions (F,Cl,NO <sub>3</sub> ,NO <sub>2</sub> ,PO <sub>4</sub> ,SO <sub>4</sub> )	8081 Pesticides / 8082	8260B (VOA)	8270 (Semi-VOA)	Chloride (soil - 300.0		Grab sample	5 pt. composite sample	Air Bubbles (Y or N)
3/8/18	0930	SOIL	5PC-TB@ 5 / (95).	A 4 oz 1	Cool	-2	ci	٧	V									٧			٧	
									T										П			
3/8/18	0858	SOIL	50 € 6'(zi)	B 402-1	Cool	-20	2	1	V									1			$\sqrt{}$	
									T										П			
									$\top$													
							-		+				_									-
							-	-	+	+-			-		-				$\vdash$	-	$\dashv$	_
								+	+	-		$\dashv$		-					$\vdash\vdash$	-	-	_
							-	-	+	-										-	_	
							_	_	_	_									Ш			
Date:	Time:	Relinquish	ed by:	Received by:	1	Date Time	F	Remar	ks:								ACT V	VITH C	CORRE	SPON	DING	VID
3/8/18	1704	10	les of	Vihren	beta	18/18 176	77	CON	TACT			RIFA					N					
Date:	Time:	Relinquish	ed by: U	Received by:	()	Date Time	_			: VHI							, -					
3/8/18	1827	11M	rest Warte	Ulan	1 03/	مان مان		Refer	ence i	‡ _	P-	941	_									
	If necessa	samples s	ubmitted to Hall Environmental may be	subcontracted to other	accredited laboratorie	es. This serves as no	otice of t	his poss	ibility.	Any sub	-contra	acted	data w	vill be	clearly	notat	ed on	the an	alytica	repo	rt.	

### Hall Environmental Analysis Laboratory, Inc.

WO#:

1803520

12-Mar-18

Client:

Blagg Engineering

Project:

GCU 191

Sample ID MB-36930

SampType: mblk

TestCode: EPA Method 300.0: Anions

Client ID:

**PBS** 

Batch ID: 36930

PQL

RunNo: 49678

Units: mg/Kg

Prep Date: Analyte

Client ID:

Prep Date:

3/9/2018

Analysis Date: 3/9/2018

SeqNo: 1606654

**RPDLimit** 

Qual

Chloride

Result

SPK value SPK Ref Val %REC LowLimit

HighLimit

%RPD

ND 1.5

TestCode: EPA Method 300.0: Anions

Sample ID LCS-36930

LCSS

SampType: Ics Batch ID: 36930

RunNo: 49678 SeqNo: 1606655

Units: mg/Kg

Analyte

3/9/2018

Analysis Date: 3/9/2018

SPK value SPK Ref Val %REC

96.8

LowLimit HighLimit 90

%RPD

PQL

15.00

**RPDLimit** 

Qual

Chloride

Result 15

110

1.5

Qualifiers:

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

Holding times for preparation or analysis exceeded H

ND Not Detected at the Reporting Limit

Practical Quanitative Limit **PQL** 

% Recovery outside of range due to dilution or matrix

Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

Reporting Detection Limit Sample container temperature is out of limit as specified Page 3 of 6

## Hall Environmental Analysis Laboratory, Inc.

WO#:

1803520

12-Mar-18

Client:

Blagg Engineering

Project:

GCU 191

Sample ID LCS-36928	SampTy	/pe: LC	S	Test	tCode: El	PA Method	8015M/D: Di	esel Rang	e Organics	
Client ID: LCSS	Batch	Batch ID: 36928 RunNo: 49663								
Prep Date: 3/9/2018	Analysis Da	ate: 3/	9/2018	SeqNo: 1605981 Units: mg/Kg						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	46	10	50.00	0	91.8	70	130			
Surr: DNOP	3.8		5.000		77.0	70	130			

Sample ID MB-36928	SampType: MBLK			TestCode: EPA Method 8015M/D: Diesel Range Organics						
Client ID: PBS	Batch	ID: 369	928	R	RunNo: 4	9663				
Prep Date: 3/9/2018	Analysis D	ate: 3/	9/2018	S	SeqNo: 1	605982	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	<b>RPDLimit</b>	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	8.7		10.00		86.8	70	130			

#### Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

Page 4 of 6

## Hall Environmental Analysis Laboratory, Inc.

WO#:

1803520

12-Mar-18

Client:

Blagg Engineering

Project:

GCU 191

Sample ID 100ng Ics	SampType: LCS4 TestCode: EPA Method 8260B: Volatiles Short List									
Client ID: BatchQC	Batch ID: R49679			RunNo: 49679						
Prep Date:	Analysis D	Date: 3/	9/2018	8	SeqNo: 1	606539	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.94	0.025	1.000	0	94.1	80	120			
Toluene	0.96	0.050	1.000	0	96.5	80	120			
Ethylbenzene	0.97	0.050	1.000	0	96.5	80	120			
Xylenes, Total	2.9	0.10	3.000	0	95.5	80	120			
Surr: 4-Bromofluorobenzene	0.46		0.5000		91.7	70	130			
Surr: Toluene-d8	0.47		0.5000		94.1	70	130			
Sample ID rb	SampT	уре: МЕ	BLK	Tes	tCode: El	PA Method	8260B: Volat	iles Short	List	
		ype: ME			tCode: El		8260B: Volat	iles Short	List	
Sample ID rb		n ID: R4	9679	F		9679	8260B: Volat		List	
Sample ID rb Client ID: PBS	Batch	n ID: R4	9679 9/2018	F	RunNo: 4	9679			<b>List</b> RPDLimit	Qual
Sample ID rb Client ID: PBS Prep Date:	Batcl Analysis D	n ID: R4	9679 9/2018	F	RunNo: 49	9679 606548	Units: mg/K	g		Qual
Sample ID rb Client ID: PBS Prep Date: Analyte	Batcl Analysis D Result	n ID: <b>R4</b> Date: <b>3</b> /	9679 9/2018	F	RunNo: 49	9679 606548	Units: mg/K	g		Qual
Sample ID rb Client ID: PBS Prep Date: Analyte Benzene	Batch Analysis E Result ND	PQL 0.025	9679 9/2018	F	RunNo: 49	9679 606548	Units: mg/K	g		Qual
Sample ID rb Client ID: PBS Prep Date: Analyte Benzene Toluene	Batcl Analysis D Result ND ND	PQL 0.025 0.050	9679 9/2018	F	RunNo: 49	9679 606548	Units: mg/K	g		Qual
Sample ID rb Client ID: PBS Prep Date: Analyte Benzene Toluene Ethylbenzene	Batcl Analysis D Result ND ND ND	PQL 0.025 0.050	9679 9/2018	F	RunNo: 49	9679 606548	Units: mg/K	g		Qual

#### Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
  - 13

Page 5 of 6

- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

## Hall Environmental Analysis Laboratory, Inc.

WO#:

1803520

12-Mar-18

Client:

Blagg Engineering

Project:

GCU 191

Sample ID 2.5UG GRO LCS	SampT	ype: LC	S	TestCode: EPA Method 8015D Mod: Gasoline Range						
Client ID: LCSS	Batch	ID: <b>G4</b>	9679	R	lunNo: 4	9679				
Prep Date:	Analysis D	ate: 3/	9/2018	S	eqNo: 1	606536	Units: mg/k	<b>(</b> g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	29	5.0	25.00	0	118	70	130			
Surr: BFB	540		500.0		108	70	130			

Sample ID rb	ent ID: PBS Batch ID: G49679			TestCode: EPA Method 8015D Mod: Gasoline Range						
Client ID: PBS				RunNo: 49679						
Prep Date:				S	SeqNo: 1606537			Units: mg/Kg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	580		500.0		116	70	130			

#### Qualifiers:

\* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

D C I III I D

Page 6 of 6

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

## Albuquerque, NM 87109 Sample Log-In Check List

Client Name: BLAGG Work Ord	er Number: 1803520	RcptNo	o: 1
	* *	4 . 4	
Received By: Anne Thorne 3/9/2018 7:3	35:00 AM	anne Hem	
Completed By: Anne Thorne 3/9/2018 8:1	13:48 AM	anne Am	
Reviewed By: ENH 3,4/18			7
Chain of Custody			
1. Is Chain of Custody complete?	Yes 🗹	No Not Present	
2. How was the sample delivered?	Courier	.*	
Log In			*
Was an attempt made to cool the samples?	Yes 🗸	No □ NA □	
		· '	
4. Were all samples received at a temperature of >0° C to 6.0	0°C Yes ✓	No   NA	
5. Sample(s) in proper container(s)?	Yes 🗸	No 🗆 · ·	
or delipides in propor contentor(o).			
6. Sufficient sample volume for Indicated test(s)?	Yes 🗸	No 🗆	
7. Are samples (except VOA and ONG) properly preserved?	Yes 🗹	No 🗆	
8. Was preservative added to bottles?	Yes	No ☑ NA □	
9. VOA viais have zero headspace?	Yes 🗆	No ☐ No VOA Vials 🗹	
10. Were any sample containers received broken?	Yes 🗆	No 🗹	
		# of preserved bottles checked	
11. Does paperwork match bottle labels?	Yes 🗹	No  for pH:	
(Note discrepancies on chain of custody)	V [7]	No Adjusted?	r >12 unless noted)
12. Are matrices correctly identified on Chain of Custody? 13. Is it clear what analyses were requested?	Yes ✔ Yes ✔	No 🗆	
14. Were all holding times able to be met?	Yes 🗹	No Checked by:	
(If no, notify customer for authorization.)			
Special Handling (if applicable)		*	
15. Was client notified of all discrepancies with this order?	Yes	No □ NA 🗹	
Person Notified:	Date		
By Whom:	Via: eMail Ph	one Fax In Person	
Regarding:			
Client Instructions:			
16. Additional remarks:			
17. Cooler Information			
	al No Seal Date S	Signed By	
1 1.0 Good Yes			



