District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Original to Appropriate District Office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

GAS CAPTURE PLAN

Date	e: <u>5-11-18</u>							
	Original Amended - Reason for A	Amendmen	_	erator & OGRID N	No.: DJR O I	perating, LL	C – OGRID-371838	
new	Gas Capture Plan out completion (new drill,	recomplete	to new zone,	re-frac) activity.		•		g for
	ll(s)/Production Facili						AAT 1 1 2018	
The	well(s) that will be loca	ated at the p	production fac	cility are shown in	the table bel	ow.	TRIAT	
	Well Name	API	Well Location	Footages	Expected MCF/D	Flared or Vented	Comments	
	Chacon Amigos 19	30-043-	P-02-22N-	660' FSL & 660' FEL	500	Flared		1

Gathering System and Pipeline Notification

21213

03W

Well(s) will be connected to a production facility after flowback operations are complete, if gas transporter system is in place. The gas produced from production facility is dedicated to Enterprise Products and will be connected to Enterprise Products low/high pressure gathering system located in Sandoval County, New Mexico. It will require 700' of pipeline to connect the facility to low/high pressure gathering system. DJR Operating provides (periodically) to Enterprise Products a drilling, completion and estimated first production date for wells that are scheduled to be drilled in the foreseeable future. In addition, DJR Operating and Enterprise Products have periodic conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at Enterprise Products Chaco Processing Plant located in Sec. 16, Twn. 26N, Rng. 9W, San Juan County, New Mexico. The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on Enterprise Product's system at that time. Based on current information, it is DJR's belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and nonpipeline quality gas be vented and/or **flared** rather than sold on a temporary basis.

Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
 - Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
 - Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- - Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines

DJR Operating, LLC: Gas Capture Plan: DJR has the ability to deliver to the above listed gas processing plant when the well is ready. The gathering infrastructure is in place.

