State of New Mexico Energy, Minerals and Natural Resources Department

Heather Riley, Division Director

Susana Martinez
Governor

Ken McQueen Cabinet Secretary

Deputy Cabinet Secretary

Cabinet Secretary Oll Conservation Division

Matthias Sayer



New Mexico Oil Conservation Division approval and conditions listed below are made in accordance with OCD Rule 19.15.7.11 and are in addition to the actions approved by BLM on the following 3160-4 or 3160-5 form.

Operator Signature Date: 5-1-18

Well information:

API WELL#	Well Name	Well #	Operator Name	Type	Stat	County	Surf_Owner	ŲĹ	Sec	Twp	N/S	Rng	W/E
30-039-20584- 00-00	SAN JUAN 28 6 UNIT		HILCORP ENERGY COMPANY	G	Α	Rio Arriba	F	В	4	27	Z	6	W

Applio	cation Type:
11	☐ P&A ☐ Drilling/Casing Change ☐ Location Change
0	Recomplete/DHC (For hydraulic fracturing operations review EPA Underground injection control Guidance #84; Submit Gas Capture Plan form prior to spudding or initiating recompletion operations) Other:

Conditions of Approval:

- Notify OCD 24hrs prior to beginning operations.
- Density exception must be approved prior to producing from the Blanco Mesaverde.
- Submit CBL to the Agencies for review and approval prior to perforating.
- If remedial cement is needed notify the agencies of Hilcorp's proposed plan so it can be reviewed and approved prior to the work being performed.

NMOCD Approved by Signature

Ketheric Balal

5/22/18 Date

1220 South St. Francis Drive • Santa Fe, New Mexico 87505 Phone (505) 476-3441 • Fax (505) 476-3462 • www.emnrd.state.nm.us/ocd ¹ Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

RECEIVED

FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010

5. Lease Serial N

6. If Indian, Allottee or Tribe Name

NMSF-079051

SUNDRY NOTICES AND REPORTS ON WELLS

	l well. Use Form 3160-3 (A							
	JBMIT IN TRIPLICATE - Other inst		7. If Unit of CA/Agreement, Name and/or No.					
1. Type of Well								
Oil Well	X Gas Well Other		8. Well Name and No. San Juan 28-6 Unit 133					
2. Name of Operator			9. API Well No.					
	Hilcorp Energy Compa		30-039-20584					
3a. Address PO Box 4700, Farmingt		3b. Phone No. (include area co 505-599-3400						
4. Location of Well (Footage, Sec., T., Surface Unit B (R.,M., or Survey Description) NWNE) 981'FNL & 1790' FE	EL, Sec. 4, T27N, R06V	Rio Arriba , New Mexico					
12. CHECK	THE APPROPRIATE BOX(ES)	TO INDICATE NATURE (OF NOTICE, REPORT OR OTHER DATA					
TYPE OF SUBMISSION		TYPE (TYPE OF ACTION					
X Notice of Intent	Acidize	Deepen	Production (Start/Resume) Water Shut-Off					
Subsequent Report	Alter Casing Casing Repair	Fracture Treat New Construction	Reclamation Well Integrity X Recomplete Other					
	Change Plans	Plug and Abandon	Temporarily Abandon					
Final Abandonment Notice	Convert to Injection	Plug Back	Water Disposal					
the existing Dakota. At submitted and approve		complete procedure & closed loop system w	BLM'S APPROVAL OR ACCEPTANCE OF THIS ACTION DOES NOT RELIEVE THE LESSEE AND					
MAY 1 4 2018 DISTRICT III	SEE ATTACHED FOR CONDITIONS OF APPROVAL		OPERATOR FROM OBTAINING ANY OTHER AUTHORIZATION REQUIRED FOR OPERATIONS ON FEDERAL AND INDIAN LANDS					
14. I hereby certify that the foregoing i	s true and correct. Name (Printed/Type	ed)						
Etta Trujillo		Title Operat	Title Operations/Regulatory Technician - Sr.					
Signature EHR	TopA	Date	5/1/2018					
	U THIS SPACE FO	R FEDERAL OR STAT	TE OFFICE USE					
	ole title to those rights in the subject leaders thereon. 43 U.S.C. Section 1212, make it a crin	warrant or certify ase which would Of one for any person knowingly and	ffice FFO d willfully to make to any department or agency of the United States any					
false, fictitious or fraudulent statements	s or representations as to any matter wi		V					
(Instruction on page 2)		MINIOCOBI						

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 **District III**

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 251776

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-039-20584	2. Pool Code 72319	3. Pool Name BLANCO-MESAVERDE (PRORATED GAS)
4. Property Code 318710	5. Property Name SAN JUAN 28 6 UNIT	6. Well No. 133
7. OGRID No. 372171	8. Operator Name HILCORP ENERGY COMPANY	9. Elevation 6457

10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
В	4	27N	06W		981	N	1790	E	RIO ARRIBA

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated A	.08 E/2		13. Joint or Infill		14. Consolidation	n Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	0	

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Etta Trujillo

Title: Operations/Regulatory Tech Sr

Date: 05/1/2018

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By:

David Kilven

Date of Survey:

10/24/1972

Certificate Number:

1760



HILCORP ENERGY COMPANY SAN JUAN 28-6 UNIT 133 MESA VERDE RECOMPLETION SUNDRY

JOB PROCEDURES

- 1. MIRU service rig and associated equipment; test BOP.
- 2. TOOH with 2 3/8" tubing set at 7,654'.
- 3. Set a 4-1/2" cast iron bridge plug at +/- 5,900' to isolate the Dakota.
- 4. RU Wireline. Run CBL. Record Top of Cement.
- 5. IF NECESSARY (Based on the results of the CBL top of cement) Perform Cement Squeeze Work
- 6. Load the hole and pressure test the casing to frac pressure.
- 7. N/D BOP, N/U frac stack and test frac stack to frac pressure.
- 8. Perforate and frac the Mesa Verde in two or three stages (Top Perforation @ 4,700'; Bottom Perforation @ 5,600').
- 9. Isolate frac stages with a composite bridge plug.
- 10. Nipple down frac stack, nipple up BOP and test.
- 11. TIH with a mill and drill out top isolation plug and Mesa Verde frac plugs.
- 12. Clean out to Dakota isolation plug and, when water and sand rates are acceptable, flow test the Mesa Verde.
- 13. Drill out Dakota isolation plug and cleanout to PBTD of 7,669'. TOOH.
- 14. TIH and land production tubing. Get a commingled Dakota/Mesa Verde flow rate.



HILCORP ENERGY COMPANY SAN JUAN 28-6 UNIT 133 MESA VERDE RECOMPLETION SUNDRY

