## State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

Ken McQueen Cabinet Secretary

Matthlas Sayer
Deputy Cabinet Secretary

Heather Riley, Division Director Oil Conservation Division



New Mexico Oil Conservation Division approval and conditions listed below are made in accordance with OCD Rule 19.15.7.11 and are in addition to the actions approved by BLM on the following 3160-5 form.

Operator Signature Date: Original APD 6/2/2014

Sundry Extension Date 4/26/2018

API WELL#	Well Name	Well #	Operator Name	Туре	Stat	County	Surf_Owner	UL	Sec	Twp	N/S	Rng	W/E
30-039-31242- 00-00	SAN JUAN 28 5 UNIT	041P	HILCORP ENERGY COMPANY	G		Rio Arriba	F	A	32	28	N	5	W

Conditions of Approval: (See the below checked and handwritten conditions) Notify Aztec OCD 24hrs prior to casing & cement. Hold C-104 for directional survey & "As Drilled" Plat O Hold C-104 for NSL, NSP, DHC, O Spacing rule violation. Operator must follow up with change of status notification on other well to be shut in or abandoned Regarding the use of a pit, closed loop system or below grade tank, the operator must comply with the following as applicable: A pit requires a complete C-144 be submitted and approved prior to the construction or use of the pit, pursuant to 19.15.17.8.A A closed loop system requires notification prior to use, pursuant to 19.15.17.9.A A below grade tank requires a registration be filed prior to the construction or use of the below grade tank, pursuant to 19.15.17.8.C Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string Submit Gas Capture Plan form prior to spudding or initiating recompletions operations. Regarding Hydraulic Fracturing, review EPA Underground Injection Control Guidance 84

Oil base muds are not to be used until fresh water zones are cased and cemented providing isolation from the oil or diesel. This includes synthetic oils. Oil based mud, drilling fluids and solids must be contained in a steel closed loop system.

Well-bore communication is regulated under 19.15.29 NMAC. This requires well-bore Communication to be reported in accordance with 19.15.29.8.

Comply with current regulations at time of spud
Prior to production operator needs to be in compliance with RULE 19.15.5.9

NMOCD Approved by Signature

Ketheric Balow

5/23/18 Date

RECEIVED

Form 3160-5 (August 2007)

## **UNITED STATES** DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB No. 1004-0137

Expires: July 31, 2010

5. Lease Serial No. Farmington Field Office

NMSF079521

SUNDRY NOTICES AND REPORTS ON WELLES au of Land	6 Affindian, Allottee or Tribe Nan
Do not use this form for proposals to drill or to re-enter an	

abandoned	well. Use Form 3160-3 (A						
SU	IBMIT IN TRIPLICATE - Other ins	7. If Unit of CA/Agreement, Name and/or No.					
1. Type of Well		7					
Oil Well	X Gas Well Other	8. Well Name and No.					
			San Juan 28-5 Unit 41P				
2. Name of Operator			9. API Well No.				
	Hilcorp Energy Compa	iny	30-039-31242				
3a. Address		3b. Phone No. (include area code)	10. Field and Pool or Exploratory Area				
PO Box 4700, Farmingto	on, NM 87499	Blanco Mesaverde/Basin Dakota					
4. Location of Well (Footage, Sec., T., R	R.,M., or Survey Description)	11. Country or Parish, State					
Surface Unit A (N	IENE) 665' FNL & 1274' FE	L, Sec. 32, T28N, R05W	Rio Arriba ,	New Mexico			
Bottomhole Unit G (S	WNE), 1540'FNL & 2240'F	EL, Sec. 32, T28N, R05W					
12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA							
TYPE OF SUBMISSION		CTION					
X Notice of Intent	Acidize	Deepen	Production (Start/Resume)	Water Shut-Off			
	Alter Casing	Fracture Treat	Reclamation	Well Integrity			
Subsequent Report	Casing Repair	New Construction	Recomplete X	Other			
	Change Plans	Plug and Abandon	Temporarily Abandon	APD Extension			
Final Abandonment Notice	Convert to Injection	Plug Back	Water Disposal				
13. Describe Proposed or Completed Op			f any proposed work and approximate d				

If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once Testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

Hilcorp Energy requests permission to extend the APD approval for the subject well.

NMOCD MAY 2 1 2018

DISTRICT III

**BLM'S APPROVAL OR ACCEPTANCE OF THIS** ACTION DOES NOT RELIEVE THE LESSEE AND **OPERATOR FROM OBTAINING ANY OTHER AUTHORIZATION REQUIRED FOR OPERATIONS** ON FEDERAL AND INDIAN LANDS

* APD extension amounted until 7/16/	2020						
14. I hereby certify that the foregoing is true and correct. Name ( <i>Printed Typed</i> )	2020						
Tammy Jones	Title	Operations/Reg	ulatory Tecl	nnician - Sr.			
Signature Tammy Dwo	Date			4/26/2018			
THIS SPACE FOR FEDERAL OR STATE OFFICE USE							
Approved by		Title	PE		Date 5/17/18		
Conditions of approval, if any are attacked. Approval of this notice does not warrant or certify					///		
that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			FFO		,		
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any							

false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.