District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-144 Revised April 3, 2017 For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office. For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
Proposed Alter	<u>Pit, Below-Grade Tank, or</u> mative Method Permit or Closure I	Plan Application
Type of action: Below Permit Closure Modifie Closure or proposed alternative methe <i>Instructions: Please submit on</i> Please be advised that approval of this request does not	grade tank registration of a pit or proposed alternative method e of a pit, below-grade tank, or proposed alternat cation to an existing permit/or registration e plan only submitted for an existing permitted or	ive method r non-permitted pit, below-grade tank, <i>e-grade tank or alternative request</i> in pollution of surface water, ground water or the
^{1.} Operator: BP America Production Company Address: 200 Energy Court, Farmington, NI	/OGRID #: 7	
Facility or well name: STATE GC BN 001 API Number: 3004520293 U/L or Qtr/Qtr B Section Genter of Proposed Design: Latitude 36.77166 Surface Owner: Image: Federal in State in Private in State Private in State	Longitude -107.72601	County: San JuanNAD83
	&A 🗌 Multi-Well Fluid Management L mil 🗌 LLDPE 🗌 HDPE 🗌 PVC 🗌 On	ther
Tank Construction material: Steel Secondary containment with leak detection	TANK A 11 NMAC TANK A uid: Produced Water	sidewalls not visible
 <u>Alternative Method</u>: Submittal of an exception request is required. Exc 	eptions must be submitted to the Santa Fe Environme	ental Bureau office for consideration of approval.
	oplies to permanent pits, temporary pits, and below-gr bed wire at top (Required if located within 1000 feet of enly spaced between one and four feet	

23

1	ł	
1	6.	

+6

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

Screen Netting Other

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

Variances and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

- Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.
 Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

^{9.} <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acce	ptable source
material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.	
General siting	
Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank	Yes No NA
Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. (Does not apply to below grade tanks) Written confirmation or verification from the municipality; Written approval obtained from the municipality 	🗌 Yes 🗌 No
 Within the area overlying a subsurface mine. (Does not apply to below grade tanks) Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	🗌 Yes 🗌 No
 Within an unstable area. (Does not apply to below grade tanks) Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	Yes No
Within a 100-year floodplain. (Does not apply to below grade tanks) - FEMA map	Yes No
Below Grade Tanks	
 Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	Yes No
 Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	Yes No
Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)	
 Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.) Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	

Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300 feet of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

Yes No

 Within 100 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes No									
Temporary Pit Non-low chloride drilling fluid										
 Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No									
 ithin 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 										
 Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application; NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 										
 Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes No									
Permanent Pit or Multi-Well Fluid Management Pit										
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).										
- Topographic map; Visual inspection (certification) of the proposed site	Yes No									
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	Yes No									
 Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No									
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No									
10. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist : Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Previously Approved Design (attach copy of design) API Number:										
II. Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC A List of wells with approved application for permit to drill associated with the pit. Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.10 NMAC										

1

י ג ג	
12. Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Muisance or Hazardous Odors, including H2S, Prevention Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Errosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC	documents are
13. Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well F Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method	Tuid Management Pit
14. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
15. <u>Siting Criteria (regarding on-site closure methods only)</u> : 19.15.17.10 NMAC <i>Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sou</i> <i>provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. If</i> 19.15.17.10 NMAC for guidance.	
Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
 Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	Yes No
 Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	Yes No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	Yes No
 Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗌 No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes No

 adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality 	Yes No									
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	Yes No									
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 										
Within a 100-year floodplain. - FEMA map										
16. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.										
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and beli Name (Print): Title:										
Signature: Date:										
e-mail address: Telephone:										
e-mail address: Telephone:										
e-mail address:	SPOIR									
18. OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: OC										
18. OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: OCD Title: OCD Permit Number: Approval Date: OCD 19. Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not section of the form until an approved closure plan has been obtained and the closure activities have been completed.	t complete this									

۲

.

Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): Erin Garifalos

£

٦

22.

Title: Field Environmental Coordinator

erin garifalos Signature:

Date: June 15, 2018

e-mail address: erin.garifalos@bpx.com

Telephone: (832) 609-7048

BP AMERICA PRODUCTION COMPANY SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

STATE GC BN 001

API No. 3004520293

Unit Letter B Section 36 T 30N R 09W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

)

1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.

Notice is attached.

2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice was provided and is attached.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)

- f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
- g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
- h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
- i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
- j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
- k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for recycling.

3

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
	21 bbl BGT	(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	10	< 0.021
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.086
TPH	US EPA Method SW-846 418.1 or 8015 extended	100	<48
Chlorides	US EPA Method 300.0 or 4500B	620	<30

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

> Soil under the BGT was sampled for chloride, TPH and BTEX with all concentrations below the stated limits. The field report and laboratory reports are attached.

BP shall notify the division District III office of its results on form C-141.
 C-141 is attached.

8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

.

Sampling results indicate a release has not occurred. Attached is a laboratory report and C-141.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

Sampling results indicate a release has not occurred. Attached is a laboratory report and field report. The location will be reclaimed when the well is plugged and abandoned.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area has been backfilled and BGT location's surface condition is clear, but within the site's operational area. The location will be reclaimed once the well is plugged and abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area has been backfilled and BGT location's surface condition is clear, but within the site's operational area. The location will be reclaimed once the well is plugged and abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area has been backfilled and BGT location's surface condition is clear, but within the site's operational area. The location will be reclaimed once the well is plugged and abandoned.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

The area has been backfilled and BGT location's surface condition is clear, but within the site's operational area. The location will be reclaimed once the well is plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

The area has been backfilled and BGT location's surface condition is clear, but within the site's operational area. The location will be reclaimed once the well is plugged and abandoned.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number

1

.

- d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
- e. site reclamation, photo documentation.

Closure report on C-144 form is included including photos of reclamation completion.

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

1625 N. French Dr., Hobbs, NM 88240 District II Energy Minerals					New Mex and Natura	Form C-141 Revised April 3, 2017						
1000 Rio Brazos Road, Aztec, NM 87410 <u>District IV</u> 1220 Sou					South	ervation Division Ith St. Francis Dr. Fe, NM 87505 Submit 1 Copy to appropriate District O accordance with 19.15.29						
			Rele				orrective A	ction				
						OPERAT	FOR	🗌 Initia	al Report	Final Report		
				ion Company			Garifalos	7040				
Facility Nar				n, NM 87401			No. (832) 609 e: Natural Ga					
Surface Ow				Mineral C					300452	0293		
				LOCA	TION	N OF REI	LEASE					
Unit Letter	Section	Township	Range	Feet from the		South Line	Feet from the	East/West Line	County	on luon		
B	36	30N	09W	1,190	Nor	th	1,500	East	3	an Juan		
			Latitude	e 36.77166	Lo	ongitude -1	07.72601	NAD83				
				NAT	URE	OF RELI	EASE					
Type of Relea	ase: : none)					Release: : unkn		ecovered: : Hour of Dise			
Source of Re			nk - 21 b	bl		n/a		n/a				
Was Immedia	ate Notice (Yes 🗸	No 🗌 Not Re	equired	If YES, To	Whom?					
By Whom?						Date and H						
Was a Water	course Read		Yes 🗸	No		If YES, Volume Impacting the Watercourse.						
If a Watercou	irse was Im	pacted, Descr	ibe Fully.*									
Describe Cau	se of Probl	em and Reme	dial Action	Taken.* Sam	olina c	of the soil	beneath the	BGT was do	ne durin	a removal.		
				Soil a	analys	is resulte	d for Chloric	les, BTEX, an	d TPH b	elow BGT		
				closu	re sta	ndards. F	Field reports	and laborator	y results	are attached.		
Describe Are	a Affected	and Cleanup A	Action Take	en.* No furthe	er acti	ion neces	sarv. Final	laboratory an	alvsis at	tached.		
							,	,	,			
								inderstand that purse ctive actions for rele				
public health	or the envi	ronment. The	acceptance	e of a C-141 repo	ort by the	e NMOCD ma	arked as "Final R	eport" does not relie	eve the oper	ator of liability		
or the environ	nment. In a	ddition, NMC	OCD accept					eat to ground water, responsibility for co				
federal, state,	or local la	ws and/or regu	ilations.				OIL CON	SERVATION	DIVISIO	N		
l	rin a	wihald	4					SERVICION	DIVISIO			
Signature:	0	U				Approved by	Environmental S	pecialist:				
Signature: Printed Name	Erin C	Garifalos										
		onmenta		dinator		Approval Dat	e:	Expiration I	Date:			
E-mail Addre	ess: erin.	garifalos	@bpx	.com	(Conditions of	Approval:		Attached			
Date: June	15, 2018	3	Phone:	(832) 609-70	048				Anacheu			
Attach Addit					1							

,

. .



BP America Production Company 380 Airport Rd Durango, CO 81303 Phone: (970) 247 6800

April 27, 2018

bb

. .

State Land Office Brandon Foley PO Box 3170 Farmington, NM 87402

VIA EMAIL

Re: Notification of plans to close/remove a below grade tank Well Name: STATE GAS COM BN 001 API #: 3004520293

Dear Mr. Foley,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about May 4, 2018. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required please contact me for a specific time (832)-609-7048.

Sincerely,

Erin Garifalos

BP America Production Company

 From:
 Buckley, Farrah (CH2M HILL)

 To:
 Smith, Cory, EMNRD; Fields, Vanessa, EMNRD (Vanessa, Fields@state.nm.us)

 Cc:
 jeffcblagg@aol.com; blagg_niv@yahoo.com; Garifalos, Erin

 Subject:
 BP Pit Close Notification - STATE GAS COM BN 001

 Date:
 Friday, April 27, 2018 7:36:17 AM

BP America Production Company 380 Airport Rd Durango, CO 81303 Phone: (970) 247 6800

SENT VIA E-MAIL TO: <u>CORY.SMITH@STATE.NM.US;</u> <u>VANESSA.FIELDS@STATE.NM.US</u>

April 27, 2018

. .

.

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

STATE GAS COM BN 001 API# 30-45-20293 (B) Section 36 – T30N – R09W San Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 21bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around May 4, 2018.

Should you have any questions, please feel free to contact BP at our Durango office.

Sincerely,

Erin Garifalos

Field Environmental Coordinator – San Juan Cell: 832-609-7048



. . .

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

	BLAGO P.O. BOX 87	API #:								
FIELD REPORT:		PAGE #:1_ of1_								
SITE INFORMATION	NM	DATE STARTED: 05/04/18								
QUAD/UNIT: B SEC: 36 TWP:	DATE FINISHED:									
1/4 -1/4/FOOTAGE: 1,190'N / 1,500'E NW/NE LEASE TYPE: FEDERAL (STATE) FEE / INDIAN ENVIRONMENTAL LEASE #: E - 3489 PROD. FORMATION: PC CONTRACTOR: BP - J. GONZALES SPECIALIST(S): JCB										
			36.77150 X 107		GL ELEV.: 5					
	GPS COORD.:	30.//100 X 10/./				13.300				
2)					RING FROM W.H.:					
	GPS COORD.:				RING FROM W.H.:					
	GPS COORD.:		C	DISTANCE/BEAF	RING FROM W.H.:	OVM				
SAMPLING DATA:	CHAIN OF CUSTODY RECORD			_		READING (ppm)				
1) SAMPLE ID: 21 BGT 5-pt. (5 SAMPLE DATE: (05/04/18 SAMPLE TIME:	1155 LAB ANALYSIS	801	5B/8021B/300.0 (CI)	0.0				
	SAMPLE DATE:		LAB ANALYSIS							
 3) SAMPLE ID:	SAMPLE DATE:	SAMPLE TIME:	LAB ANALYSIS							
5) SAMPLE ID:	SAMPLE DATE:		LAB ANALYSIS							
SOIL DESCRIPTION										
CONSISTENCY (NON COHESIVE SOILS): LC MOISTURE: DRY /SLIGHTLY MOIST MOIST / W SAMPLE TYPE: GRAB (COMPOSITE) # DISCOLORATION/STAINING OBSERVED: YES N SITE OBSERVATION APPARENT EVIDENCE OF A RELEASE OBSERVE EQUIPMENT SET OVER RECLAIMED AREA: OTHER:	T / SATURATED / SUPER SATURAT OF PTS. 5 0 EXPLANATION - S: LOST INTEGRITY OF EQUIP D AND/OR OCCURRED : YES NO	ED ANY AREAS DISPLAYI	YES NO EXPLANATI		IATION					
EXCAVATION DIMENSION ESTIMATION:	NA ft. X N	IA ft. X NA	ft. EXCAVA	ATION EST	IMATION (Cubic Yards) :	NA				
DEPTH TO GROUNDWATER: >100' N	EAREST WATER SOURCE: >1	,000' NEAREST SURFAC	E WATER: <1,000	NMOC	D TPH CLOSURE STD:1,0	00 ppm				
FE PB T.E	BGT Located : off on NCE GTL 6' .G. ABOVE-GRADE PIPING W.H.	site PLOT PL			MISCELL. NO O: EF #: P-946 D: VHIXONEV11 J #: ermit date(s): 06/14 CD Appr. date(s): 03/19 k OVM= Organic Vapor Me	4/10 9/18 ter				
NOTES: BGT = BELOW-GRADE TANK; E.D. = EXCAVATIO T.B. = TANK BOTTOM; PBGTL = PREVIOUS BELI APPLICABLE OR NOT AVAILABLE; SW- SINGLE	DW-GRADE TANK LOCATION; SPD = SAM WALL; DW - DOUBLE WALL; SB - SINGL	MPLE POINT DESIGNATION; R.W. E BOTTOM; DB - DOUBLE BOTTO	= APPROX.; W.H. = WELL H = RETAINING WALL; NA - NO M.	HEAD;	BGT Sidewalls Visible: Y / agnetic declination: 10					
NOTES: GOOGLE EARTH IMAGE	RY DATE: 10/5/2016.	ONSITE:	05/04/18							

Hall Environmental Analy	sis Labora	tory, Inc.			Lab Order 1805328 Date Reported: 5/8/2018	
CLIENT: Blagg Engineering Project: State GC BN 1 Lab ID: 1805328-001	Matrix:	C MEOH (SOIL)	Collection	Date: 5/4	BGT 5-pt @ 6' /2018 11:55:00 AM /2018 8:00:00 AM	
Analyses	Result	PQL Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst:	MRA
Chloride	ND	30	mg/Kg	20	5/7/2018 1:18:25 PM	37967
EPA METHOD 8015M/D: DIESEL RAM	IGE ORGANICS	;			Analyst:	том
Diesel Range Organics (DRO)	ND	9.7	mg/Kg	1	5/7/2018 10:13:33 AM	37963
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	5/7/2018 10:13:33 AM	37963
Surr: DNOP	94.9	70-130	%Rec	1	5/7/2018 10:13:33 AM	37963
EPA METHOD 8015D: GASOLINE RA	NGE				Analyst:	NSB
Gasoline Range Organics (GRO)	ND	4.3	mg/Kg	1	5/7/2018 9:34:35 AM	C51072
Surr: BFB	97.2	15-316	%Rec	1	5/7/2018 9:34:35 AM	C51072
EPA METHOD 8021B: VOLATILES					Analyst:	NSB
Benzene	ND	0.021	mg/Kg	1	5/7/2018 9:34:35 AM	A51072
Toluene	ND	0.043	mg/Kg	1	5/7/2018 9:34:35 AM	A51072
Ethylbenzene	ND	0.043	mg/Kg	1	5/7/2018 9:34:35 AM	A51072
Xylenes, Total	ND	0.086	mg/Kg	1	5/7/2018 9:34:35 AM	A51072
Surr: 4-Bromofluorobenzene	110	80-120	%Rec	1	5/7/2018 9:34:35 AM	A51072

Analytical Report

· . · ·

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	В	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Value above quantitation range
	Н	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits Page 1 of 5
	ND	Not Detected at the Reporting Limit	Р	Sample pH Not In Range
	PQL	Practical Quanitative Limit	RL	Reporting Detection Limit
	S	S % Recovery outside of range due to dilution or matrix		Sample container temperature is out of limit as specified

C	hain-o	of-Cus	tody Record	Turn-Around	Time:	SAME	Ι.	. (44		E	M V	/TC	20	N		NT		L -
Client:	BLAGG ENGR. / BP AMERICA			Standard	Rush	DAY			E												Y.
					Project Name:																
Mailing A	Mailing Address: P.O. BOX 87		STATE GC BN #1			4901 Hawkins NE - Albuquerque, NM 87109															
	BLOOMFIELD, NM 87413			Project #:			1					975			505						
Phone #:		(505) 63	2-1199	1									-		Ree						
email or F	ax#:			Project Manag	ger:									-				1			T
QAVQC Pa		-	Level 4 (Full Validation)		ERIN GARI	FALOS	₩ (8021B)	+ TPH (Gas only)	/ MRO)			5)		04,50,	PCB's			er - 300.1)			đ
Accredita				Sampler:	JEFFREY C.	BLAGG	5 (8)	Gàs	/ DRO /	1)	=	SIM		02,6	8082			/ wat			sample
	2	C Other		On Ice:	Yes	I No	11	Hd	d/c	418.	504	3270		O ₃ ,N	1~		(A)	0.00			e sa
EDD (Type)			Sample Temp	erature: 15+	10-2(07)=1-7		- 38	(GR(por	pot	or S	etals	CI,N	cide	(A)	ii-VO	51-3		ole	osit
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL NO.	BTEX +-MH	BTEX + MTBE	TPH 8015B (GRO	TPH (Method 418.1)	EDB (Method 504.1)	PAH (8310 or 8270SIMS)	RCRA 8 Metals	Anions (F,Cl,NO ₃ ,NO ₂ ,PO ₄ ,SO ₄)	8081 Pesticides	8260B (VOA)	8270 (Semi-VOA)	Chloride (soil - 300.0 / water		Grab sample	5 pt. composite
5/4/18	1155	SOIL	21 BGT 5-pt. @ 6	4 oz 1	Cool	-001	V	- CLJ	V	-		-	-		1	1		V		Ť	V
																					T
																					_
										_									\square	_	\rightarrow
							-										-		\square		+
							-				-	-	_	-				-	\vdash	-	\rightarrow
							-			_		-		-	-	-	-	-		-	-
Date	Time	Relinguish	ad bu	Pacetord bu:		Data Tima	Rer	narks		Dett	DIRE		C PP		C THE	CON	TACT		0585	CRON	IDING V
5/4/18	1440	Al	(Begg	Christ	Received by: Date Time F Musteriale 54/15 1440					8. RE	FERE	NCE #	WHE	NAP	PLICA	BLE		MIN.	a beautiful	or on	<u>Und t</u>
Date	Time:	Relinquist	ed by:	Received by:		Date Time			VID:	VHI		EVB									
14/15	11, 1800 Mister Weele		FF-	x 05/0	518 0800	Re	ferer	ice #	-	P -	946	_									

If necessary	samples submitted to Hail Environmental may be sub-	Aministed in other advertised taburatoriae	This ensure as notice of this constitution	Name and a sumbar at a state	addition of a state of the state of the state	

Client: Blagg Engineering State GC BN 1 **Project:**

5				
Sample ID MB-37967	SampType: mblk	TestCode: EPA Method	300.0: Anions	
Client ID: PBS	Batch ID: 37967	RunNo: 51083		
Prep Date: 5/7/2018	Analysis Date: 5/7/2018	SeqNo: 1659638	Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit Qual
Chloride	ND 1.5			
Sample ID LCS-37967	SampType: Ics	TestCode: EPA Method	300.0: Anions	
Client ID: LCSS	Batch ID: 37967	RunNo: 51083		
Prep Date: 5/7/2018	Analysis Date: 5/7/2018	SeqNo: 1659639	Units: mg/Kg	
Analyte	Result PQL SPK value	SPK Ref Val %REC LowLimit	HighLimit %RPD	RPDLimit Qual
Chloride	14 1.5 15.00	0 95.0 90	110	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix D
- Holding times for preparation or analysis exceeded Η
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- В Analyte detected in the associated Method Blank
- Е Value above quantitation range
- J Analyte detected below quantitation limits
- Р Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

WO#: 1805328

08-May-18

Page 2 of 5

WO#: 1805328

08-May-18

Client: Blagg E Project: State G	ngineering C BN 1									
Sample ID LCS-37963	SampTy	pe: LC	S	Tes	tCode: El	PA Method	8015M/D: Di	esel Rang	e Organics	
Client ID: LCSS	Batch	ID: 37	963	F	RunNo: 5	1078				
Prep Date: 5/7/2018	Analysis Da	ate: 5/	7/2018	S	SeqNo: 1	659096	Units: mg/H	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	47	10	50.00	0	94.7	70	130			
Surr: DNOP	4.0		5.000		80.2	70	130			
Sample ID MB-37963	SampTy	pe: ME	BLK	Tes	tCode: El	PA Method	8015M/D: Di	esel Rang	e Organics	
Client ID: PBS	Batch	ID: 37	963	F	RunNo: 5	1078				
Prep Date: 5/7/2018	Analysis Da	ate: 5/	7/2018	S	SeqNo: 1	659098	Units: mg/k	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	9.1		10.00		90.9	70	130			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Page 3 of 5

WO#: 1805328

08-May-18

Client: Project:	Blagg En State GC	gineering BN 1									
Sample ID	RB	SampT	уре: М	BLK	Tes	tCode: E	PA Method	8015D: Gase	oline Rang	le	
Client ID:	PBS	Batch	D: CS	51072	F	RunNo: 5	1072				
Prep Date:		Analysis D	ate: 5	7/2018	S	SeqNo: 1	659379	Units: mg/k	٢g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Rang Surr: BFB	e Organics (GRO)	ND 970	5.0	1000		96.7	15	316			
Sample ID	2.5UG GRO LCS	SampT	ype: LC	s	Tes	tCode: El	PA Method	8015D: Gaso	oline Rang	e	
Client ID:	LCSS	Batch	ID: CS	51072	F	RunNo: 5	1072				
Prep Date:		Analysis D	ate: 5	7/2018	S	SeqNo: 1	659380	Units: mg/k	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Rang	e Organics (GRO)	25	5.0	25.00	0	102	75.9	131			
Surr: BFB		1100		1000		109	15	316			
Sample ID	1805328-001AMS	SampT	ype: MS	S	Tes	tCode: El	PA Method	8015D: Gaso	oline Rang	e	
Client ID:	21 BGT 5-pt @ 6'	Batch	ID: C5	51072	F	RunNo: 5	1072				
Prep Date:		Analysis D	ate: 5	7/2018	S	SeqNo: 1	659382	Units: mg/k	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Rang	e Organics (GRO)	22	4.3	21.44	0	104	77.8	128			
Surr: BFB		920		857.6		108	15	316			
Sample ID	1805328-001AMSI	o SampT	ype: MS	SD	Tes	tCode: El	PA Method	8015D: Gaso	oline Rang	e	
Client ID:	21 BGT 5-pt @ 6'	Batch	ID: C5	51072	F	RunNo: 5	1072				
Prep Date:		Analysis D	ate: 5/	7/2018	S	SeqNo: 1	659383	Units: mg/k	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Rang	e Organics (GRO)	22	4.3	21.44	0	103	77.8	128	1.31	20	
Surr: BFB		890		857.6		104	15	316	0	0	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits

Page 4 of 5

- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Client: Blagg Engineering Project: State GC BN 1

3										
Sample ID RB	SampType: MBLK				TestCode: EPA Method 8021B: Volatiles					
Client ID: PBS	Batc	h ID: A5	1072	F	RunNo: 5	1072				
Prep Date:	Analysis [Date: 5/	7/2018	S	SeqNo: 1	659410	Units: mg/M	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.1		1.000		111	80	120			
Sample ID 100NG BTEX LC	S Samp1	Type: LC	s	TestCode: EPA Method 8021B: Volatiles						
Client ID: LCSS	Batcl	h ID: A5	1072	F	RunNo: 5	1072				
Prep Date:	Analysis E	Date: 5/	7/2018	S	SeqNo: 1	659411	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.025	1.000	0	99.6	77.3	128			
Toluene	1.0	0.050	1.000	0	102	79.2	125			
Ethylbenzene	1.0	0.050	1.000	0	100	80.7	127			
(ylenes, Total	3.1	0.10	3.000	0	103	81.6	129			
Surr: 4-Bromofluorobenzene	1.1		1.000		109	80	120			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

Page 5 of 5

WO#: 1805328

08-May-18

HALL ENVIRONMENTAL ANALYSIS LABORATORY	71.L. 505-3-	nmental Analysis Labo 4901 Hawk Albuquerque, NM 45-3975 FAX: 505-34 www.hallenvironment	87109 Sar	nple Log-In C	check List
Clent Name BLAGG	Wark Order N	lumber 1805328		RcptNo	1
Received By: Ashley Gallegos	5/5/2018 8:00:0	0 AM	Ac		
Completed By Ashley Gallegos	5/5/2018 10:49	17 AM	A.		
Reviewed By ENM	5/7/18	'abele.	al by:	JAO	
Chain of Custody					
1 is Cham of Custody complete?		*es 🗹	Nu	Not Present	
2. How was the sample delivered?		Courier			
Log In 3 Was an attempt made to cool the same	mples?	Yes 🖌	No	NA 🗌	
4. Were all samples received at a temperature	erature of >0° C to 5.0°C	Yes 🗹	No	NA	
5. Sample(s) in proper container(s)?		Yes 🗸	Nc		
6. Sufficient sample volume for indicated	d test(s)?	Yes 🖌	No		
7. Are samples (except VOA and ONG)	properly preserved?	Yas 🗸	No		
8. Was preservative added to bottles?		Yes	No 🖌	NA	
9 VOA vials have zero headspace?		Yes	No	No VOA Vials	
10. Were any sample containers received	d broken?	Yes	No 🗹	# of pressived	1
 Does paperwork match bottle labels? (Note discrepancies on chain of custo 		Yes 🗹	No	for ALL	>12 untess motes)
2 Are matrices correctly identified on Cr		Yes 🖌	No	Hadjosted?	
13 is it clear what analyses were request		Yes 🗹	No		02/01/
14 Were all holding times able to be met (If no, howly customer for authorization)		Yes 🗹	No	Checked by	0
Special Handling (if applicable)			1	P	
15. Was client notified of all discrepancie	s with this order?	Yes	No	NA 🔽	
Person Notified	De	ite			
By Whom	Vi	a eMail	Phone Fax	In Person	
Regarding					
Client Instructions					
16. Additional remarks					
17 Cooler Information Cooler No Temp °C Condition 1 17 Good	n Seal Inlact Seal No Yes	Seal Date	Signed By		

