× ×	X				
Form 3160-5 (August 2007)			IECEN	FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010 5. Lease Serial No. SF-078459-B 6. If Indian, Allottee or Tribe Name	
Do not use this form for proposals to drill or to re-enter an Land abandoned well. Use Form 3160-3 (APD) for such proposals.				vlanagement	
SUBMIT IN TRIPLICATE - Other instructions on page 2.				7. If Unit of CA/Agreement, Name and/or No.	
1. Type of Well Oil Well X Gas Well Other				Allison Unit 8. Well Name and No.	
2. Name of Operator			Allison Unit HZFC 123H 9. API Well No.		
Hilcorp Energy Company			30-045-35611		
3a. Address 3b. P. 382 Road 3100 Aztec, NM 87410 3b. P.		3b. Phone No. (include area 505-599-340	2	10. Field and Pool or Exploratory Area Basin Fruitland Coal	
Surface Bottomhole (Lat 1) Bottomhole (Lat 2)	Sec., T.,R.,M., or Survey Description) Unit I (NESE) 1591' FSL & 776' F Unit E (SWNW) 677' FNL & 663 FV Unit L (NWSW) 2711' FSL & 1328' F	VL, Sec. 11, T32N, F WL, Sec. 11, T32N,	807W R07W	11. Country or Parish, State San Juan ,	New Mexico
12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTI					
If the proposal is to deeper Attach the bond under whi following completion of th Testing has been complete determined that the site is Hilcorp Energy requ	Acidize Acidize Alter Casing Casing Repair Change Plans Convert to Injection Advice Plans Convert to Injection Convert of the performed or provide the Bond e involved operations. If the operation results in a r d. Final Abandonment Notices must be filed only a	Deepen Fracture Treat New Construction Plug and Abandon Plug Back neluding estimated starting d urface locations and measure No. on file with BLM/BIA. 1 nultiple completion or recorr fter all requirements, includii ct well is changed fro	P R R R T T d and true vo Required sub opletion in a ng reclamati	roduction (Start/Resume) [ecclamation [eccomplete ['emporarily Abandon Vater Disposal oposed work and approximate dur ertical depths of all pertinent mark osequent reports must be filed with new interval, a Form 3160-4 must on, have been completed and the of ison Unit HZFC 123H to	ers and zones. in 30 days be filed once operator has Allison Unit 123H, range is 06/01/2018.
14. I hereby certify that the fore	going is true and correct. Name (Printed/Typed)				
Priscilla Shorty		Title Oper	Title Operations/Regulatory Technician Sr.		
Signature Stufferilla Shorthy Date 6/19/2018					
	~	FEDERAL OR STAT	E OFFIC	EUSE	
	Dave Mankiewicz		Title AT	-m-minerals	Date 6/21/18
that the applicant holds legal or entitle the applicant to conduct of		ich would	Office 7	BLM-FFO	
	d Title 43 U.S.C. Section 1212, make it a crime for tements or representations as to any matter within it		illfully to ma	ake to any department or agency o	f the United States any
(Instruction on page 2)		NMOGI	A		

3

DISTRICT I State of New Mexico Form C-102 1625 N. French Dr., Hobbs, N.M. 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 Energy, Minerals & Natural Resources Department Revised August 1, 2011 Submit one copy to appropriate DISTRICT II OIL CONSERVATION DIVISION 811 S. First St., Artesia, N.M. 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District Office 1220 South St. Francis Dr. DISTRICT III JUN 2 5 2018 Santa Fe, NM 87505 1000 Rio Brazos Rd., Aztec, N.M. 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 AS DRILLED PLAT DISTRICT DISTRICT IV AMENDED REPORT 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462 WELL LOCATION AND ACREAGE DEDICATION PLAT ¹ API Number ² Pool Code ³ Pool Name 30-045-35611 71629 BASIN FRUITLAND COAL LATERAL#1 ⁴ Property Code ⁶ Well Number ⁶Property Name 12.3H ALLISON UNIT OGRID No. ⁸Operator Name ^e Elevation 372171 HILCORP ENERGY COMPANY 6629' 10 Surface Location East/West line Range North/South line UL or lot no. Section Township Lot Idn Feet from the Feet from the County 9 32-N 7-W 10 1591 SOUTH 776 EAST SAN JUAN I ¹¹ Bottom Hole Location If Different From Surface Feet from the North/South line UL or lot no. Section Township Lot Idn Feet from the East/West line Range County 7-W Ε 663 32-N 4 NORTH WEST SAN JUAN 11 677 ¹² Dedicated Acres ¹³ Joint or Infill ¹⁴ Consolidation Code 15 Order No. FC = 972.64 ACRESNO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 16 17 OPERATOR CERTIFICATION FND BLM I hereby certify that the information contained herein S02'52'18"W "1962" BC is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant 985.94 -N89*59'23"E-2619.01' S05'00'12"W-685.78'-FENCE POST N89*54'37"E FND BLM SCRIBED TAG S89*57'43"W 2614.75 to a contract with an owner of such a mineral or a working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the COLORADO "1962" BC T-32-N 2623.11 NEW MEXICO T-32-N LOT 6 LOT 5 EDGE OF ALLISON UNIT LOT 2 LOT 1 LOT 3 LOT 7 LOT 6 division LOT 5 -01 10 LOT 10 (LATERAL #1. BORE) N79"30"13"E 5845. 663 LOT 7 1 776 -LAST TAKE LOT 9 FND BLM LOT 8 SURFACE USA SF "1962" BC FIRST LOT 8 4060.55' With 078459-B TAKE Signatur Date USA SF Priscilla Shorty 078459-B 591 LOT 13 FIRST TAKE BORE N79°29'34"E - 1082.39 LOT 11 Printed Name LOT 12 pshorty@hilcorp.com LOT 10 LOT 11 LOT 9 FEE (BASIS OF BEARING) > E-mail Address FND BLM BC "1962" BC N89*55'54"W 03 В 2781.05 2676.60 962' FND \$73'57'45"E SURVEYOR CERTIFICATION 18 2837.03 2776.24 I hereby certify that the well location shown on this plat FND BLM was plotted from field notes of actual surveys made by SURFACE '1962" BC me or under my supervision, and that the same is true LATITUDE: 36'59.6845' N FIRST TAKE and correct to the best of my belief. LONGITUDE: 107*33.9043' W 1902'FSL 299'FWL SEC. 10 LAST TAKE NAD27 LATITUDE: 36,995266 N 677'FNL 663'FWL SEC. 11 LONGITUDE 107.561277 W LATITUDE: 36.998259 N LATITUDE: 36.994746" N NAD27 See original C-102 for LONGITUDE: 107.565681* W LONGITUDE: 107.5417448 W NAD83 LATITUDE: 36.995271 N NAD27 certification LONGITUDE: 107.561886 W LATITUDE: 36.998264 N LONGITUDE: 107.542353 W NAD83 NAD83 -09°06'E BASIS OF BEARING: BETWEEN FOUND MONUMENTS AT THE SOUTHEAST CORNER AND THE SOUTH QUARTER CORNER OF SECTION 9, TOWNSHIP 32 NORTH, RANGE 7 WEST, N.M.P.M. SAN JUAN COUNTY, NEW MEXICO. LINE BEARS: N $89\,^{\circ}55\,^{\circ}54''$ W A DISTANCE OF 2676.60 FEET AS MEASURED BY G.P.S. LOCAL GRID NAD83.

DISTRICT I Form C-102 State of New Mexico 1625 N. French Dr., Hobbs, N.M. 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 Energy, Minerals & Natural Resources Department Revised August 1, 2011 Submit one copy to appropriate DISTRICT II OIL CONSERVATION DIVISION NMOCD District Office 811 S. First St., Artesia, N.M. 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 1220 South St. Francis Dr. DISTRICT III Santa Fe, NM 87505 1000 Rio Brazos Rd., Aztec, N.M. 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 JUN 2 5 2018 DISTRICT IV AS DRILLED PLAT □ AMENDED REPORT 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462 WELL LOCATION AND ACREAGE ² Pool Code ¹ API Number ³ Pool Name 71629 BASIN FRUITLAND COAL LATERAL#2 30-045-35611 ⁶ Well Number ⁴ Property Code ⁵Property Name ALLISON UNIT 123H 7 OGRID No. ⁸Operator Name ⁹ Elevation 6629' HILCORP ENERGY COMPANY 372171 10 Surface Location UL or lot no. Township Lot Idn Feet from the North/South line Feet from the East/West line Section Range County 7-W SOUTH 776 EAST SAN JUAN 9 32-N 10 1591 1 ¹¹ Bottom Hole Location If Different From Surface UL or lot no. Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line County 7-W SOUTH WEST SAN JUAN 1 2711 11 32-N 1328 ² Dedicated Acres ¹³ Joint or Infill ¹⁴ Consolidation Code ¹⁵ Order No. FC = 972.64 ACRESNO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 16 17 OPERATOR CERTIFICATION FND BLM "1962" BC I hereby certify that the information contained herein S02'52'18"W is true and complete to the best of my knowledge and 985.94' belief, and that this organization either owns a working interest or unleased mineral interest in the N89*59'23"E-2619.01' S05'00'12"W-685.78'-FENCE POST <u>N89</u>•54'37"E land including the proposed bottom hole location or has a right to drill this well at this location pursuant FND BLM SCRIBED TAG S89'57'43"W 2614.75' T-32-N "1962" to a contract with an owner of such a mineral or a working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. BC COLORADO 2623.11 T-32-N NEW MEXICO LOT 6 LOT 5 LOT 4 LOT 2 LOT 1 LOT 3 EDGE OF ALLISON UNIT LOT 7 LOT 6 LOT 5 LOT 10 LOT 7 1 FIRST FND BLM TAKE 776 995' 1962" BC LOT 9 LATERAL #2. BORE S86°01'22"E - 5635.32 LOT 8 1328' SURFACE 6/19/1 QLAST TAKE LOT 8 USA SF Signature USA SF 078459-B -060 40' Priscilla Shorty 078459-B 591 LOT 13 LOT 11 FIRST TAKE BORE Printed Name 21 N79°29'48"E - 1798.43' LOT 12 LOT 11 pshorty@hilcorp.com LOT 10 LOT 9 (BASIS OF BEARING) > E-mail Address FND BLM BC 27 "1962" BC N89'55'54"W FEE B 2781.05 2676.60' 962" FND \$73.57'45' SURVEYOR CERTIFICATION N04'59'47"E 2776.24 I hereby certify that the well location shown on this plat N76 5 was plotted from field notes of actual surveys made by SURFACE FND BLM me or under my supervision, and that the same is true LATITUDE: 36*59.6845' N FIRST TAKE "1962" BC and correct to the best of my belief. LONGITUDE: 107*33.9043' W 2140' FSL 995' FWL SEC. 10 LAST TAKE 2711' FSL 1328' FWL SEC. 11 NAD27 LATITUDE: 36.9953620 N LONGITUDE: 107.5589156 W LATITUDE: 36.9946083 N LATITUDE: 36.994746" N NAD27 See original C-102 for LONGITUDE: 107.565681* W LONGITUDE: 107.5396563 W NAD83 LATITUDE: 36.995366 N NAD27 certification LONGITUDE: 107.559524 W LATITUDE: 36.994613 N NAD83 LONGITUDE: 107.540264 W NAD83 -09°06'E BASIS OF BEARING: BETWEEN FOUND MONUMENTS AT THE SOUTHEAST CORNER AND THE SOUTH QUARTER CORNER OF SECTION 9, TOWNSHIP 32 NORTH, RANGE 7 WEST, N.M.P.M. SAN JUAN COUNTY, NEW MEXICO. LINE BEARS: N $89\,^{\circ}55\,^{\circ}54''$ W A DISTANCE OF 2676.60 FEET AS MEASURED BY G.P.S. LOCAL GRID NAD83.