

District I (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II (575) 748-1283
811 S. First St., Artesia, NM 88210
District III (505) 334-6178
1000 Rio Brazos Road, Aztec, NM 87410
District IV (505) 827-8198
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-106
Revised August 1, 2011

3-35
ACT Permit No.

NOTICE OF INTENTION TO UTILIZE AUTOMATIC CUSTODY TRANSFER EQUIPMENT

Operator Enduring Resources IV, LLC

Address 332 Road 3100, Aztec, NM 87410 County San Juan

Lease(s) to be served by this ACT Unit: NMNM-135218X (W Escavada Unit)

Pool(s) to be served by this ACT Unit Escavada W; Mancos (98225)

Location of ACT System: Unit P Section 17 Township 22N Range 7W

Order No. authorizing commingling between leases if more than one lease is to be served by this system.

R-14100-A Date 11/30/2017

Order No. authorizing commingling between pools if more than one pool is to be served by this system

N/A Date N/A

Authorized transporter of oil from this system Enduring Resources IV, LLC

Transporter's address 332 Road 3100, Aztec, NM 87410

Maximum expected daily through-put for this system: 4,000 BBL/Day

If system fails to transfer oil due to malfunction or otherwise, waste by overflow will be averted by:

CHECK ONE: A. ☐ Automatic shut-down facilities B. ☒ Providing adequate available capacity to receive production
as required by 19.15.18.15.C(8) NMAC during maximum unattended time of lease operation
19.15.18.15.C(9) NMAC

If "A" above is checked, will flowing wells be shut-in at the header manifold or at the wellhead?

NA Maximum well-head shut-in pressure N/A

If "B" above is checked, how much storage capacity is available above the normal high working level of the

surge tank 250 BBLs.

What is the normal maximum unattended time of lease operation? Sixteen (16) Hours.

What device will be used for measuring oil in this ACT unit?

CHECK ONE: ☐ Positive displacement meter ☐ Weir-type measuring vessel
☐ Positive volume metering chamber ☒ Other; describe Coriolis Meter

Remarks: This LACT will be selling to pipeline.

OPERATOR:

I hereby certify above information is true and complete to best of my knowledge and subject ACT system will be installed and operated in accordance with Rule 19.15.18.15 NMAC. Approval of this Form C-106 does not eliminate necessity of an approved C-104 prior to running any oil or gas from this system.

Signature [Signature]

Printed Name & Title Andrea Felix, Regulatory Manager

E-mail Address afelix@enduringresources.com

Date 9/20/18 Telephone (505) 636-9741

OIL CONSERVATION DIVISION

Approved by: [Signature]
Deputy Oil & Gas Inspector,

Title: District #3

Date: 9/21/18

INSTRUCTIONS: Submit one copy of Form C-106 with following attachments to appropriate district office.

- 1) Lease plat showing all wells which will be produced in ACT system.
- 2) Schematic diagram of battery and ACT equipment showing all major components and means employed to prove accuracy of measuring device.
- 3) Letter from transporter agreeing to utilization of ACT system as shown on schematic diagram.

AV

12

**NOTICE OF INTENTION TO UTILIZE AUTOMATIC CUSTODY TRANSFER EQUIPMENT
W ESCAVADA UNIT 302H, 303H, & 304H PIPELINE LACT UNIT**

WELLS TO BE SERVED BY PIPELINE LACT UNIT:

- W Escavada Unit 302H / API #30-043-21305 / UNIT P (SE/SE) Sec. 17, T22N, R7W, NMPM
- W Escavada Unit 303H / API #30-043-21306 / UNIT P (SE/SE) Sec. 17, T22N, R7W, NMPM
- W Escavada Unit 304H / API #30-043-21307 / UNIT P (SE/SE) Sec. 17, T22N, R7W, NMPM

19.15.18.15 AUTOMATIC CUSTODY TRANSFER EQUIPMENT:

A. Oil shall be received and measured in facilities of an approved design. The facilities shall permit the testing of each well at reasonable intervals and may be comprised of manually gauged, closed stock tanks for which the operator of the ACT system has prepared proper strapping tables, or of ACT equipment. The division shall permit ACT equipment's use only after the operator complies with the following. The operator shall file with the division form C-106 and receive approval for use of the ACT equipment prior to transferring oil through the ACT system. The carrier shall not accept delivery of oil through the ACT system until the division has approved form C-106.

- *Summary is attached to Form C-106 Notice of Intent to Utilize Automatic Custody Transfer Equipment*

B. The operator of the ACT system shall submit form C-106 to the appropriate division district office, which is accompanied by the following:

- (1) plat of the lease showing all wells that the any well operator will produce into the ACT system;

- *Attached as part of Form C-106 Notice of Intent*

(2) schematic diagram of the ACT equipment, showing on the diagram all major components such as surge tanks and their capacity, extra storage tanks and their capacity, transfer pumps, monitors, reroute valves, treaters, samplers, strainers, air and gas eliminators, back pressure valves and metering devices (indicating type and capacity, *i.e.* whether automatic measuring tank, positive volume metering chamber, weir-type measuring vessel or positive displacement meter); the schematic diagram shall also show means employed to prove the measuring device's accuracy; and

- *Attached as part of Form C-106 Notice of Intent*

- (3) letter from transporter agreeing to utilization of ACT system as shown on schematic diagram.

- *Attached as part of Form C-106 Notice of Intent*

C. The division shall not approve form C-106 unless the operator of the ACT system will install and operate the ACT system in compliance with the following requirements.

(1) Provision is made for accurate determination and recording of uncorrected volume and applicable temperature, or of temperature corrected volume. The system's overall accuracy shall equal or surpass manual methods.

- *The LACT system is more accurate when compared to a manual tank sale. It is proved per BLM Onshore Order #4 Measurement of Oil and API MPMS Chapter 4 Proving Systems; with a volumetric prover that meets the requirements set forth in Onshore Order #4. The LACT also has a temperature RTD which will be calibrated semi-annually, unless more frequent verification is requested by the division.*

(2) Provision is made for representative sampling of the oil transferred for determination of API gravity and BS&W content.

- *The LACT is equipped with a flow proportional sampler (sample probe and actuated valve). The sampled fluid is stored in a sealed cylinder that is used for API gravity and S&W determination.*

(3) Provision is made if required by either the oil's producer or the transporter to give adequate assurance that the ACT system runs only merchantable oil.

- *The LACT is equipped with a water cut analyzer that communicates with the flow computer. When the S&W set point is reached the divert valve will engage sending non-merchantable oil to a divert tank. The set point can be adjusted in the flow computer but only if agreed upon by both shipper and producer.*

(4) Provision is made for set-stop counters to stop the flow of oil through the ACT system at or prior to the time the allowable has been run. Counters shall provide non-reset totalizers that are visible for inspection at all times.

- *The Coriolis meter has non-resettable totalizer which is always visibly available on the LCD display.*
- (5) Necessary controls and equipment are enclosed and sealed, or otherwise arranged to provide assurance against, or evidence of, accidental or purposeful mismeasurement resulting from tampering.
 - *Required ports are sealed and tracked in the seal log.*
- (6) The ACT system's components are properly sized to ensure operation within the range of their established ratings. All system components that require periodic calibration or inspection for proof of continued accuracy are readily accessible; the frequency and methods of the calibration or inspection shall be as set forth in Paragraph (12) of Subsection C of 19.15.18.15 NMAC.
 - *The Coriolis is proved per BLM Onshore Order #4 Measurement of Oil and API MPMS Chapter 4 Proving Systems; with a volumetric prover that meets the requirements set forth in Onshore Order #4. The prover is NIST traceable and water drawn on a bi-annual basis. Proving will be consistent with Onshore Order #4, unless a variance is granted by the Division. NMOCD representatives are sent the schedule to witness if desired. The temperature transmitter is verified on a semi-annual basis, unless more frequent verification is requested by the Division. The water cut analyzer is calibrated as needed.*
- (7) The control and recording system includes adequate fail-safe features that provide assurance against mismeasurement in the event of power failure, or the failure of the ACT system's component parts.
 - *In the event of power failure, the divert valve mechanically goes to "failed state" and no longer sales oil but only sends it to the divert tank.*
 - *All of the historized volume data is stored in flow computer memory with battery backup and is also transmitted by SCADA, multiple times a day, to an office server. So even during a power failure no oil volume is lost.*
 - *In the event of a malfunction, the LACT unit is programmed to shut off and divert valve is forced to close and no longer sales oil but only sends it to the divert tank. The malfunction is also logged by the flow computer.*
- (8) The ACT system and allied facilities include fail-safe equipment as may be necessary, including high level switches in the surge tank or overflow storage tank that, in the event of power failure or malfunction of the ACT or other equipment, will shut down artificially lifted wells connected to the ACT system and will shut in flowing wells at the well-head or at the header manifold, in which latter case the operator of the ACT system shall pressure test all flowlines to at least 1½ times the maximum well-head shut-in pressure prior to the ACT system's initial use and every two years thereafter.
 - *Hi level switches are in place and will shut the well in at the inlet to the production unit in the event of a full tank. Flow lines were tested to 1 ½ times shut in pressure at initial construction. Testing will commence every two years to ensure piping integrity.*
- (9) As an alternative to the requirements of Paragraph (8) of Subsection C of 19.15.18.15 NMAC the producer shall provide and at all times maintain a minimum of available storage capacity above the normal high working level of the surge tank to receive and hold the amount of oil that may be produced during maximum unattended time of lease operation.
 - *N/A*
- (10) In all ACT systems employing automatic measuring tanks, weir-type measuring vessels, positive volume metering chambers or any other volume measuring container, the container and allied components shall be properly calibrated prior to initial use and shall be operated, maintained and inspected as necessary to ensure against incrustation, changes in clingage factors, valve leakage or other leakage and improper action of floats, level detectors, etc.
 - *N/A – Coriolis Meter*
- (11) In ACT systems employing positive displacement meters, the meter and allied components shall be properly calibrated prior to initial use and shall be operated, maintained and inspected as necessary to ensure against oil mismeasurement.
 - *The Coriolis is proved per BLM Onshore Order #4 Measurement of Oil and API MPMS Chapter 4 Proving Systems; with a volumetric prover that meets the requirements set forth in Onshore Order #4. The prover is NIST traceable and water drawn on a bi-annual basis. Monthly proving will continue per the rule, unless a variance is granted by the Division. NMOCD representatives*

are sent the schedule to witness if desired. The temperature transmitter is verified on a semi-annual basis, unless more frequent verification is requested by the Division.



(12) The operator of the ACT system shall check the measuring and recording devices of ACT systems for accuracy at least once each month unless it has obtained an exception to such determination from the division. Where applicable, the operator of the ACT system shall use API standard 1101, Measurement of Petroleum Hydrocarbons by Positive Displacement Meter. Meters may be proved against master meters, portable prover tanks or prover tanks permanently installed on the lease. If the operator of the ACT system uses permanently installed prover tanks, the distance between the opening and closing levels and the provision for determining the opening and closing readings shall be sufficient to detect variations of 5/100 of one percent. The operator of the ACT system shall file reports of determination on the division form entitled "meter test report" or on another acceptable form in duplicate with the appropriate division district office.

- *The Coriolis is proved per BLM Onshore Order #4 Measurement of Oil and API MPMS Chapter 4 Proving Systems; with a volumetric prover that meets the requirements set forth in Onshore Order #4. The prover is NIST traceable and water drawn on a bi-annual basis. Monthly proving will continue per the rule, unless a variance is granted by the Division. NMOCD representatives are sent the schedule to witness if desired. The temperature transmitter is verified on a semi-annual basis, unless more frequent verification is requested by the Division.*

(13) To obtain an exception to the requirement in Paragraph (12) of Subsection C of 19.15.18.15 NMAC that all measuring and recording devices be checked for accuracy once each month, either the producer or transporter may file a request with the director setting forth facts pertinent to the exception. The application shall include a history of the average factors previously obtained, both tabulated and plotted on a graph of factors versus time, showing that the particular installation has experienced no erratic drift. The applicant shall also furnish evidence that the other interested party has agreed to the exception. The director may then set the frequency for determination of the system's accuracy at the interval which the director deems prudent.

- *N/A*

D. The division may revoke its approval of an ACT system's form C-106 if the system's operator fails to operate it in compliance with 19.15.18.15 NMAC.



WEU 302 Pad **Lease Plat Map** San Juan & Sandoval Counties, NM

Scale (absolute) -
1:36,000



District I
1625 N. French Drive, Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First Street, Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Drive, Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 1, 2011

Submit one copy to
Appropriate District Office

OIL CONSERVATION DIVISION
1220 South St. Francis Drive
Santa Fe, NM 87505

☐ AMENDED REPORT
As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-043-21305		² Pool Code 98225		³ Pool Name ESCAVADA W; MANCOS	
⁴ Property Code 321258		⁵ Property Name W ESCAVADA UNIT			⁶ Well Number 302H
⁷ GRID No. 372286		⁸ Operator Name ENDURING RESOURCES, LLC			⁹ Elevation 6878'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	17	22N	7W		235	SOUTH	208	EAST	SANDOVAL

¹¹ Bottom Hole Location If Different From Surface


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	7	22N	7W		2269	SOUTH	797	EAST	SANDOVAL

¹² Dedicated Acreage
360.00 NE/4 SE/4 - Section 7
NE/4 NW/4, W/2 NE/4
SE/4 NE/4, NE/4 SE/4 - Section 17
W/2 SW/4, SE/4 SW/4 - Section 8

¹³ Joint or Infill ¹⁴ Consolidation Code ¹⁵ Order No.

R-14100

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION
UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A
NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



¹⁷ OPERATOR CERTIFICATION
I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom-hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature: *[Signature]* Date: *9/20/18*
Lacey Granillo
Printed Name
lgranillo@enduringresources.com
E-mail Address

¹⁸ SURVEYOR CERTIFICATION
I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date Revised: AUGUST 30, 2018
Date of Survey: MARCH 3, 2016

Signature and Seal of Professional Surveyor

JASON C. EDWARDS
NEW MEXICO
REGISTERED PROFESSIONAL SURVEYOR
15269


JASON C. EDWARDS
Certificate Number 15269

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date Revised: AUGUST 30, 2018
Date of Survey: MARCH 3, 2016

Signature and Seal of Professional Surveyor



The seal is circular with three concentric rings. The outer ring contains the text "JASON C. EDWARDS" at the top and "REGISTERED PROFESSIONAL SURVEYOR" at the bottom. The middle ring contains the text "NEW MEXICO". The innermost circle contains the license number "15269".

JASON C. EDWARDS

Certificate Number 15269

District I
1625 N. French Drive, Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First Street, Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Drive, Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised August 1, 2011

Submit one copy to
Appropriate District Office

OIL CONSERVATION DIVISION
1220 South St. Francis Drive
Santa Fe, NM 87505

☐ AMENDED REPORT

As Drilled

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-043-21307	² Pool Code 98225	³ Pool Name ESCAVADA W; MANCOS
⁴ Property Code 321258	⁵ Property Name W ESCAVADA UNIT	⁶ Well Number 304H
⁷ GRID No. 372286	⁸ Operator Name ENDURING RESOURCES, LLC	⁹ Elevation 6878'

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	17	22N	7W		235	SOUTH	248	EAST	SANDOVAL

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	7	22N	7W	3	2269	SOUTH	1138	WEST	SANDOVAL

¹² Dedicated Acres 480.94 N/2 SW/4, SE/4 SW/4 SW/4 SE/4 - Section 7 N/2 NE/4, SE/4 NE/4 - Section 18 SW/4 NW/4, N/2 SW/4 SE/4 SW/4, SW/4 SE/4 - Section 17	¹³ Joint or Infill NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION	¹⁴ Consolidation Code R-14100
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION
UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A
NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



¹⁷ OPERATOR CERTIFICATION
I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom-hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature: Lacey Granillo Date: 9/20/18
Printed Name: lgranillo@enduringresources.com
E-mail Address: _____

¹⁸ SURVEYOR CERTIFICATION
I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Date Revised: AUGUST 30, 2018
Date of Survey: MARCH 3, 2016

Signature and Seal of Professional Surveyor

JASON C. EDWARDS
NEW MEXICO
REGISTERED PROFESSIONAL SURVEYOR
15269

JASON C. EDWARDS
Certificate Number 15269

P-006
SERVICE TANK CHARGE PUMP
CAPACITY: 50 GPM
DISCHARGE: 1200 PSI MAX
RPM: 1200
TECO MODEL: BAP 3x1.5-6
MOUNTED OFF SKID

M-006
SERVICE ELECTRIC MOTOR /
CHARGE PUMP
3PH, 230/460V, 60Hz
RPM: 1200
HP: 15
FRAME: 35T
TECO MODEL: M006
MOUNTED OFF SKID

F-001
SERVICE OIL - BASKET STRAINER
MODEL: ST12000P AC
2" 125# FF FLANGE
NAMP: 250 PSI @ 150' F
1/8" PERFORATED SS BASKET

F-002
SERVICE OIL - STRAINER W/ VENT
MODEL: SS-K2000
2" 125# FF FLANGE
NAMP: 250 PSI @ 150' F

P-001
SERVICE OIL PUMP
CAPACITY: 60 GPM
DISCHARGE: 1200 PSI MAX
RPM: 1200
MODEL: CAT PUMP 6760

M-001
SERVICE ELECTRIC MOTOR
3PH, 230/460V, 60Hz
RPM: 1200
HP: 30
FRAME: 35T, FF MOUNT
TECO MODEL: M001

P-002
SERVICE OIL PUMP
CAPACITY: 60 GPM
DISCHARGE: 1200 PSI MAX
RPM: 1200
MODEL: CAT PUMP 6760

M-002
SERVICE ELECTRIC MOTOR
3PH, 230/460V, 60Hz
RPM: 1200
HP: 30
FRAME: 35T
TECO MODEL: M002


F-003
SERVICE WATER - BASKET STRAINER
MODEL: ST12000P AC
2" 125# FF FLANGE
NAMP: 250 PSI @ 150' F
1/8" PERFORATED SS BASKET

P-003
SERVICE WATER - HYDRACELL PUMP
CAPACITY: 50 GPM
DISCHARGE: 400 PSI OPERATING MAX
RPM: 1200
MODEL: HX030THTECA

M-003
SERVICE ELECTRIC MOTOR
3PH, 230/460V, 60Hz
RPM: 1200
HP: 3
FRAME: 31T
HYDRA MODEL: H003-12-213T

P-004 M-004
SERVICE SAMPLE PUMP
CAPACITY: 50 GPM
DISCHARGE: 75 PSI
RPM: 1200
1 PH, 115/230V
MOTOR

V-001
SERVICE SAMPLE MIXING TANK
CAPACITY: 55 GAL
DIAMETER: 14"
SECTION PRESSURE: 35 PSI @ 150' F



THIS DOCUMENT, WHETHER CONTAINING PATENTABLE OR NONPATENTABLE SUBJECT MATTER EMBODIES THE PROPRIETARY AND CONFIDENTIAL INFORMATION OF HENRY PRODUCTION INC. AND PUMPS AND SERVICE. IT IS LOANED IN CONFIDENCE WITH THE UNDERSTANDING THAT IT WILL NOT BE REPRODUCED, USED OR DISCLOSED FOR ANY PURPOSE EXCEPT THE LIMITED PURPOSE FOR WHICH IT IS LOANED. THIS DOCUMENT SHALL BE RETURNED TO HENRY PRODUCTION INC. OR PUMPS AND SERVICE UPON DEMAND.

Drawn By:	JWP
Checked By:	
Date:	JUNE 2017
Approved:	
Date:	
Rev:	DESCRIPTION
1	AS BUILT
2	ADJUST PER QUOTE
3	REV

HPI **PS**
GAS COMPRESSION
Since 1983
PUMPS & SERVICE
3440 Morning Star Drive, Farmington, NM 87401 (505) 327-0422

Drawing Name:	P & ID
Project:	ENDURING 3 PUMP 4000 BPD LACT
Scale:	NTS
Drawing No.:	2544-01
Rev:	2

Lacey Granillo

From: Andrea Felix
Sent: Tuesday, September 18, 2018 12:11 PM
To: Lacey Granillo
Cc: Casey Haga
Subject: RE: W Escavada Unit 302H C-106 Letter From Transporter

I approve the use of the West Escavada Unit 302H Pad Pipeline Transfer LACT Unit as described below.

Thank you,

Andrea R Felix, RWA

Regulatory Manager
Enduring Resources
332 Road 3100
Aztec, NM 87410
Office: 505-636-9741
Cell: 505-386-8205




From: Lacey Granillo
Sent: Tuesday, September 18, 2018 12:06 PM
To: Andrea Felix <AFelix@enduringresources.com>
Cc: Casey Haga <caseyhaga@eis-llc.com>; Lacey Granillo <LGranillo@enduringresources.com>
Subject: RE: W Escavada Unit 302H C-106 Letter From Transporter

Andrea

Do you approve the following?

Thanks
Lg

**Enduring Resources IV, LLC's W Escavada Unit 302H Well Pad Facility Diagram
Section 17, T22N, R7W, NMMP Sandoval County, New Mexico**



- 1) Long Term Disturbance = 1.14 acres
 - a. Facilities = 0.65 acre
 - b. Access Road = 0.49 acre
 - 2) Reseed Area Only = 0.91 acres
 - a. Working Area Excluding Road = 0.91 acre
 - 3) Reseed & Recontour Area = 3.57 acres
 - a. Well Pad = 1.52 acres
 - b. Edge of Disturbance = 2.05 acres
- Total Disturbance Area = 5.62 acres**

W Escavada Unit 302H
 API: 30-043-21305
 POE Lease: N0G13121807
 SHL Loc.: 235' FSL & 208 FEL

W Escavada Unit 303H
 API: 30-043-21306
 POE Lease: N0G13121807
 SHL Loc.: 235' FSL & 228 FEL

W Escavada Unit 304H
 API: 30-043-21307
 POE Lease: N0G13121807
 SHL Loc.: 235' FSL & 2048 FEL



NORTH

75'-0" = 1" = 75'

- 750 bbl Flash Tank
- 500 bbl Water Tank
- 500 bbl Oil Tank
- LACT

From: caseyhaga@eis-llc.com <caseyhaga@eis-llc.com>

Sent: Thursday, September 6, 2018 5:27 PM

To: Andrea Felix <AFelix@enduringresources.com>

Subject: W Escavada Unit 302H C-106 Letter From Transporter

Andrea,

As part of Enduring Resources IV, LLC's (Enduring) W Escavada Unit 302H Pad Pipeline Transfer LACT Unit C-106 LACT application to the NMOCD Aztec office, Enduring needs an approved letter from transporter. For this particular LACT unit, Enduring will be the transporter of product downstream of the LACT unit to an existing tie-in to Andeavor. This LACT Unit will be the official measurement point for sales with a Coriolis check meter downstream at tie-in for verification and pipeline monitoring. Does Enduring approve of utilizing a LACT unit on the W Escavada Unit 302H Pad as the measurement point for sales for the below listed wells and transporting their own product downstream to tie-in? Pipeline Transfer LACT equipment for the below listed wells will be located on Enduring's W Escavada Unit 302H pad. LACT will be proved per regulatory requirements.

**W ESCAVADA UNIT 302H, 303H, & 304H PIPELINE LACT UNIT
WELLS TO BE SERVED BY PIPELINE LACT UNIT:**

- W Escavada Unit 302H / API #30-043-21305 / UNIT P (SE/SE) Sec. 17, T22N, R7W, NMPM
- W Escavada Unit 303H / API #30-043-21306 / UNIT P (SE/SE) Sec. 17, T22N, R7W, NMPM
- W Escavada Unit 304H / API #30-043-21307 / UNIT P (SE/SE) Sec. 17, T22N, R7W, NMPM

Casey Haga
Regulatory Specialist



479 Wolverine Drive #9
Bayfield, CO 81122
970-769-8814
CaseyHaga@eis-llc.com