Susana Martinez Governor

Ken McQueen Cabinet Secretary

Matthias Sayer Deputy Cabinet Secretary Heather Riley, Division Director Oil Conservation Division



New Mexico Oil Conservation Division approval and conditions listed below are made in accordance with OCD Rule 19.15.7.11 and are in addition to the actions approved by BLM on the following <u>3160-4 or 3160-5</u> form.

Operator Signature Date: 10/5/18

Well information:

API WELL #	Well Name	Well #	Operator Name	Туре	Stat	County	Surf_Owner	UL	Sec	Twp	N/S	Rng	W/E
30-045-26672- 00-00	HUERFANO UNIT		HILCORP ENERGY COMPANY	G		San Juan	F	к	14	26	N	10	W

Application Type:

	nange 🗌 Location Change
P&A   Drilling/Casing Ch	nanda I I I ocation (Inanda
	ange     Location Onlinge

Recomplete/DHC (For hydraulic fracturing operations review EPA Underground injection control Guidance #84; Submit Gas Capture Plan form prior to spudding or initiating recompletion operations)

Other:

Conditions of Approval:

- Notify the OCD 24hrs prior to beginning operations.
- Set cast iron bridge plug (CIBP) inside of cemented casing and at least 500' below the bottom of the proposed perforations. To show adequate formation/cement isolation.
- Perform and submit a cement bond log (CBL) to the OCD for review and approval prior to perforating the formation.
- If needed, submit proposed remediation plan to the OCD for review and approval prior to starting remediation.

NMOCD Approved by Signature

<u>10/25/18</u> Date

1				•				
×	Form 3160-5 (August 2007)	UNITED STAT DEPARTMENT OF THE BUREAU OF LAND MAN	INTER		REC	0.5 2013	FORM APPR OMB No. 100 Expires: July 3	4-0137
		Deterre et Erneb inn	110LIV			5. Lease Serial No.	NMSF-	
		IDRY NOTICES AND REPO			DULOT	6. If Indian, Allottee of	r Tribe Name	57 50 17
		e this form for proposals t well. Use Form 3160-3 (A				and managemen	C.	
		IBMIT IN TRIPLICATE - Other ins			ais.	7. If Unit of CA/Agree	ment Name a	nd/or No
	1. Type of Well			in page 2.		1. If Ollit of Ortingice	Huerfa	
	Oil Well	X Gas Well Other				8. Well Name and No.	Huerfano	Unit 179E
	2. Name of Operator	Hilcorp Energy Compa	iny			9. API Well No.	30-045-2	
	3a. Address 382 Road 3100, Aztec, N		T	e No. (include area co 505-599-3400		10. Field and Pool or F		ea Iuerfano PC
	4. Location of Well (Footage, Sec., T., F			303-333-3400		11. Country or Parish,		
		ESW) 1660' FSL & 1830' FV	WL, Sec	. 14, T26N, R1	10W	San Jua	n,	New Mexico
	12. CHECK	THE APPROPRIATE BOX(ES)	TO IND	CATE NATURE	OF NOT	FICE, REPORT OF	R OTHER D	ΑΤΑ
	TYPE OF SUBMISSION			TYPE	OF AC	TION		
	X Notice of Intent	Acidize	Deep			roduction (Start/Resum	e)	Water Shut-Off
	Subsequent Report	Alter Casing Casing Repair		ure Treat Construction		eclamation ecomplete		Well Integrity Other
	Bubsequent Report	Change Plans		and Abandon		emporarily Abandon	L	
	Final Abandonment Notice	Convert to Injection	Plug	Back	W	/ater Disposal		
2	Attach the bond under which the w following completion of the involv Testing has been completed. Final determined that the site is ready for <b>Hilcorp Energy Compar</b> with the existing Dakot	onally or recomplete horizontally, give rork will be performed or provide the F ed operations. If the operation results Abandonment Notices must be filed or final inspection.) hy plans to recomplete the a. Attached is the PC C-1 pproved prior to comming	Bond No. o in a multip only after al <b>e subjec</b> 02, recc	n file with BLM/BIA le completion or rec l requirements, inclu ct well in the F omplete proce	A. Required ompletion in iding reclar Pictured dure &	d subsequent reports m in a new interval, a For mation, have been com d Cliffs formatio wellbore schen	ust be filed wi m 3160-4 mus pleted and the n and dow natic. The	thin 30 days t be filed once operator has <b>vnhole commingle</b>
	×.						and and a second se	*
					780	NMOCI		
		HOLD CTOR FOR PHC				OCT 15	2018	
		HOLD CTOT				UCT 13		
						DISTRICT		NGRI <sup>1</sup>
	14. I hereby certify that the foregoing is	true and correct. Name (Printed/Type	ed)					
	Christine Brock			Title Opera	ations/R	egulatory Techni	cian - Sr.	
	Signature Ilhisti	ie Brock		Date 10	15/1	18		
		THIS SPACE FO	R FEDE	ERAL OR STA	TE OFF	ICE USE		
	Approved by							( 1
	/ Kayle / Sura	2		Т	itle 🖗	E		Date/0/10/18
	Conditions of approval, if any, are attack that the applicant holds legal or equitable entitle the applicant to conduct operation	hed. Approval of this notice does not the title to those rights in the subject lea	warrant or o se which w	certify		70		
	Title 18 U.S.C. Section 1001 and Title	13 U.S.C. Section 1212, make it a crim	e for any p	erson knowingly and	l willfully t	to make to any departm	ent or agency	of the United States any
	false, fictitious or fraudulent statements	or representations as to any matter wit	hin its juri:	sdiction.		NIMOUD	-1	

(Instruction on page 2)

B

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico **Energy, Minerals and Natural** Resources **Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 258234

## WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-045-26672	78840	HUERFANO PICTURED CLIFFS (GAS)
4. Property Code	5. Property Name	6. Well No.
318578	HUERFANO UNIT	179E
7. OGRID No.	8. Operator Name	9. Elevation
372171	HILCORP ENERGY COMPANY	6632
	10 Surface Loc	

								10.5	urtace Locatio	n							
UL - Lot		Section		Township		Range		Lot Idn	Feet From	N/S	ine		Feet From	E/W Line		County	
	K		14	2	6N	10	N		1660			S	1830	1	N		SAN
																JUAN	

### 11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated A 160	Acres 1.00 SW/4		13. Joint or Infill		14. Consolidatio	n Code		15. Order No.	

### NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. E-Signed By: E-Signed By: Title: Operation/Regulatory Tech - Sr. Date: 10/5/2018
SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.
Surveyed By: Fred B. Kerr Jr.
Date of Survey: 9/5/1985
Certificate Number: 3950

## Huerfano Unit 179E

014-026N-010W-K

API: 300452667200

Pictured Cliffs Zone Add

## 10/04/2018

## **Proposed Procedure**

- 1. MIRU Service rig and associated equipment
- 2. Test BOP's
- 3. TOOH with 2-3/8" tubing currently set with EOT at 6,770'
- 4. Set a CIBP @ 6,590' to isolate the Dakota. Set CIBP @ 2,300' to isolate the PC
- 5. Load the hole
- 6. Perforate the Pictured Cliffs from 2,160' to 2,201'.
- 7. When water and sand rates are acceptable, flow test the Pictured Cliffs
- 8. Drill out Dakota isolation plug & TOOH
- 9. TIH and land production tubing. Obtain a commingled Dakota-Pictured Cliffs flow rate
- 10. ND BOP's, NU production tree
- 11. RDMO service rig & turn well over to production

API/UWI	Surface Legal Location	Fleid Name Usense No.		State Province	Well Configuration Typ
3004526672 Ground Elevation (ft)	014-026N-01DW-K Original K5/RT Elevation (ft)	BASIN DAKOTA (PRORATED GAS) K5-Ground Distance (ft)	K5-Casing Flange	NEW MEXICO Distance (ft)	O VERTICAL K5-Tubing Hanger Distance (ft)
6,632.00	6,645.00	13.00			
	١	/ERTICAL, Original Hole, 10/4/2	2018 9:35:50 AM	1	
	TVD ftKB)	Verticalsch	ematic (actual)		
, ,					
13.1	. <u>Lices Bit Miles Set du Biar (11) de 1181 hille sud Lecider de Bar</u>			3/11/1986	asing Cement; 13.0-223.0; ; CEMENT WITH 178 CU FT
222.1 -	1; Surface: 8 5/8 in; 8.10 ir	n: 13.0 fKB: 223.0		CIRCULA	TED TO SURFACE
223.1		fiKB			13.0-2,392.0; 3/22/1986; CEM
1,225.1	OJO ALAMO (final)				2 CU FT CIRCULATED TO
1,424.9	KIRTLAND (final)			[	
1,919.9	-FRUITLAND (final)				
2,160.1	-PICTURED CLIFFS (final)				
2,391.7 -	× 10 8 8 8 8				
2,392.1			10000		
2,395.0					
3,084.0	LA VENTANA (final)	- 1 EE: 42 0 BVP-	<b>1</b>		
3,437.0 -	1 dbirig, 2 3/8 m, 4.70 fb	6,736.2 ftKB	1000		
3,782.2	MENEFEE (final)				3,437.0-5,023.0; 3/22/1986;
4,590.9	POINT LOOKOUT (final)-			75% EFF	WITH 465 CU FT TOC CALC
4,940.0				-	
5,023.0					
5,023.3					
5,026.2	-				
5,506.9	a i selli i ce	and the second second	in the second		
5,649.9	GALLUP (final)			Productio	n Casing Cement; 5,507.0-6,
6,472.1					CEMENT WITH 401 CU FT
6,487.2	1 1 3 4 4 D	a a second a second de la			a ka sentak a a a a a a
6,544.9	GREENHORN (final)				
6,599.1					
6,628.9					
6,631.9					~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
6,706.0		5,786.0; 3/25/1986		-DAKOTA	Fracture; 3/25/1986; FRAC NITH 73000# 40/60 SAND AN
6,736.2	SEATING NIPPLE; 2 3/	8 in; 6,736.2 ftKB;	15555	88858 GA	L SLICKWATER
6,736.9	Tubing: 2 3/8 in; 4.70 lb/ft; .	6,736.9 ftKB			
6,765.1		6,769.3 ftKB	TREAS-		
6,769.4	EXPENDABLE CHECK	; 2 3/8 in; 6,769.3	1 KAMAN		
5,770.0		ftKB; 6,770.0 ftKB	12000 M		
6,786.1		1 10000 I	1000000		
6,815.9	-ENCINAL CANYON (final)-		1000	Dest	0
6,842.8		PBTD: 6,843.0		6,875.0; 3	n Casing Cement (plug); 6,84 /22/1986; CEMENT WITH 401
6,857.9					CALC AT 75% EFF
6,858.9					
6,874.3					
6,875.0	2; Production1; 4 1/2 in;	4.00 in: 13.1 ftKB;			