



dzufelt@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

Hilcorp
3401 30th Street
Farmington NM, 87401

Project: Braden Head
Project Name / Number: Asset: South
Project Manager: David Bounds

Reported:
08/31/18 10:01

Huerfanito 174 30-045-20233

Area 6

1808220-01 (Water)

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
General Chemistry									
Chloride*	23.2	25.0	4.82	mg/L	25	08/24/18	EPA300.0		AES
pH*	11.9			pH Units	1	08/21/18	EPA150.1	H1, Q1	JDU
Total Dissolved Solids*	675	10.0		mg/L	1	08/24/18	EPA160.1		JDU
Sulfate*	141	25.0	7.38	mg/L	25	08/24/18	EPA300.0		AES

NMOCB

OCT 11 2018

DISTRICT III

Green Analytical Laboratories

Jeremy D Allen For Debbie Zufelt, Reports Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

Page 3 of 9