District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to

the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the

below-grade tank, or proposed alternative method

environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.		
Operator: BP AMERICA PRODUCTION COMPANY OGRID #: 778		
Address: 200 Energy Court, Farmington, NM 87401		
Facility or well name: RIDDLE C LS 002A		
API Number: 3004522451 OCD Permit Number:		
U/L or Qtr/Qtr I Section 30.0 Township 31.0N Range 09W County: San Juan County		
Center of Proposed Design: Latitude _ 36.866249 Longitude107.815698 NAD: _ 1927 ▼ 1983		
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment		
Pit: Subsection F or G of 19.15.17.11 NMAC		
- Innoco		
Temporary: Drilling Workover Permanent Emergency Cavitation P&A NOV 15 2018		
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other		
☐ String-Reinforced		
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D		
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC		
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)		
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other		
☐ Lined ☐ Unlined Liner type: Thickness mil ☐ LLDPE ☐ PVC ☐ Other		
Liner Seams: Welded Factory Other		
4.		
Below-grade tank: Subsection I of 19.15.17.11 NMAC <u>Tank ID:</u> A		
Volume: 95.0 bbl Type of fluid: Produced Water		
Tank Construction material: Steel		
☐ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off		
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other SINGLE WALLED DOUBLE BOTTOMED (SIDEWALLS NOT VISIBLE)		
Liner type: Thicknessmil		
5.		
Alternative Method:		

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify			
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)			
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC			
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for		
10. Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division			
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	Yes No		
Within a 100-year floodplain FEMA map			

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklis Instructions: Each of the following items must be attached to the application. Please indicate, by a che attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subs Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.1 Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or	section B of 19.15.17.9 NMAC 2) of Subsection B of 19.15.17.9 NMAC 0 NMAC uirements of Subsection C of 19.15.17.9 NMAC
12.	
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a cheattached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragesting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate repair Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC	graph (3) of Subsection B of 19.15.17.9 requirements of 19.15.17.10 NMAC
Previously Approved Design (attach copy of design) API Number:	
Previously Approved Operating and Maintenance Plan API Number:	(Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)	
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a cheattached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17. Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15. Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19. Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.17 Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and	9 NMAC 10 NMAC AC .17.11 NMAC 9.15.17.11 NMAC .11 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fig. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of Closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsectio Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsections.	-grade Tank Closed-loop System Se Environmental Bureau for consideration) The following items must be attached to the In F of 19.15.17.13 NMAC tion H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMA Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMA	

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids, a facilities are required.				
	Disposal Facility Permit Number:			
	Disposal Facility Permit Number:			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please provide the information below) No				
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	requirements of Subsection H of 19.15.17.13 NMAC I of 19.15.17.13 NMAC	2		
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may require considered an exception which must be submitted to the Santa Fe Environmental demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC f	e administrative approval from the appropriate disti Bureau office for consideration of approval. Justi	rict office or may be		
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	nificant watercourse or lakebed, sinkhole, or playa	Yes No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or spring that less water water well or spring that less water water well or spring that less water water water water well or spring that less water	oring, in existence at the time of initial application.	Yes No		
Within incorporated municipal boundaries or within a defined municipal fresh wate adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approve		Yes No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visua	l inspection (certification) of the proposed site	☐ Yes ☐ No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division				
Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology Society; Topographic map	& Mineral Resources; USGS; NM Geological	☐ Yes ☐ No		
Within a 100-year floodplain FEMA map		☐ Yes ☐ No		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Protocols and Procedures - based upon the appropriate requirements of 19.15 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and documents of Soil Cover Design - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	surements of 19.15.17.10 NMAC Subsection F of 19.15.17.13 NMAC propriate requirements of 19.15.17.11 NMAC ad) - based upon the appropriate requirements of 19. 17.13 NMAC surements of Subsection F of 19.15.17.13 NMAC Subsection F of 19.15.17.13 NMAC rill cuttings or in case on-site closure standards cannot of 19.15.17.13 NMAC Tof 19.15.17.13 NMAC	15.17.11 NMAC		

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address:Telephone:
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 12/10/2018
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Yes (If yes, please demonstrate compliance to the items below) No
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. □ Proof of Closure Notice (surface owner and division) □ Proof of Deed Notice (required for on-site closure) □ Plot Plan (for on-site closures and temporary pits) ☑ Confirmation Sampling Analytical Results (if applicable) □ Waste Material Sampling Analytical Results (required for on-site closure) ☑ Disposal Facility Name and Permit Number ☑ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique ☑ Site Reclamation (Photo Documentation) On-site Closure Location: Latitude 36.866249
25. Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Steve Moskal Title: Environmental Coordinator
Signature:
e-mail address:_steven.moskal@bp.com Telephone:505-330-9179

22.				
Operator Closure Certification:				
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print):	Title:			
Signature:	Date:			
e-mail address:	Telephone:			

District I District II
811 S. First St., Artesia, NM 88240
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

		Respo	onsible Par	ty	
Responsible Party B	P America Producti	on Company	OGRID	778	
Contact Name Steve	Vame Steve Moskal Contact Telephone (505) 330-9179				
Contact email Steve	n.Moskal@bpx.com	l	Incident	# (assigned by OCD)	
Contact mailing addre	ess 380 North Airpor	rt Road, Dur	ango, CO 81	1303	
		Location o	of Release S	Source	
atitude	36.866249	(NAD 83 in decin	Longitude nal degrees to 5 dec		
Site Name RIDDLI	E C LS 002A		Site Type	e Natural Gas Well	
Date Release Discover	red		API# (if a	applicable) 30-045-22451	
Unit Letter Sectio	n Township	Range	Cou	unty	
I 30	31N	09W		Juan	
	N	ature and	Volume of	Release	
Crude Oil			alculations or specif	fic justification for the volumes provided below	v)
	Volume Released (b			Volume Recovered (bbls)	
Produced Water	Volume Released (b			Volume Recovered (bbls)	
Is the concentration of dissolved chloride in the produced water >10,000 mg/l?		oride in the	Yes No		
Condensate	Volume Released (b			Volume Recovered (bbls)	
Natural Gas	Volume Released (Mcf)		Volume Recovered (Mcf)		
Other (describe) Volume/Weight Released (provide units)		units)	Volume/Weight Recovered (prov	ide units)	
	1				

Form C-141 Page 2

State of New Mexico Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by	If YES, for what reason(s) does the respo	nsible party consider this a major release?
19.15.29.7(A) NMAC?		
☐ Yes ⊠ No		
If YES, was immediate n	otice given to the OCD? By whom? To w	hom? When and by what means (phone, email, etc)?
Not required.		
1,00 Tequilou.		
	Initial R	esponse
The responsible	party must undertake the following actions immediate	ly unless they could create a safety hazard that would result in injury
☐ The source of the rele	ease has been stopped.	
	is been secured to protect human health and	the environment.
Released materials ha	ave been contained via the use of berms or	dikes, absorbent pads, or other containment devices.
	ecoverable materials have been removed an	
If all the actions described	d above have <u>not</u> been undertaken, explain	why:
has begun, please attach	a narrative of actions to date. If remedial	emediation immediately after discovery of a release. If remediation efforts have been successfully completed or if the release occurred blease attach all information needed for closure evaluation.
		best of my knowledge and understand that pursuant to OCD rules and
regulations all operators are public health or the environr	required to report and/or file certain release not ment. The acceptance of a C-141 report by the 0	fications and perform corrective actions for releases which may endanger DCD does not relieve the operator of liability should their operations have
failed to adequately investig	ate and remediate contamination that pose a three	eat to groundwater, surface water, human health or the environment. In responsibility for compliance with any other federal, state, or local laws
Printed Name: Steve	e Moskal	Title: _Environmental Coordinator
	Muy	
Signature:		Date:
email: Steven.Mos	kal@bpx.com	Telephone: (505) 330-9179
OCD Only		
Received by:		Date:

BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

Riddle C LS # 2A - Tank ID: A API #: 3004522451 Unit Letter I, Section 30, T31N, R09W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.

Notice is attached.

2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice was provided and documented in the attached email.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)
 - f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
 - g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
 - h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
 - i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
 - j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
 - k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and/or sludge within the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for recycling.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method Release Verificati		Sample
		(mg/Kg)	Results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	< 0.023
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.090
TPH	US EPA Method SW-846 418.1	100	< 50
Chlorides	US EPA Method 300.0 or 4500B	250 or background	<30

Notes:

mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil beneath the BGT was sampled for TPH, BTEX, and chloride. All test parameters were below the stated limits. A field and laboratory reports are attached.

7. BP shall notify the division District III office of its results on form C-141. **C-141 is attached.**

8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results reveal no evidence of a release has occurred.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, nonwaste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area.

<u>Sampling results reveal no evidence of a release has occurred.</u> Area was backfilled with clean, earthen material and is within the active well pad.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves re-vegetation.

BP will notify NMOCD when re-vegetation is successfully completed.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

<u>Closure report on C-144 form is included & contains a photo of the reclamation completion.</u>

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

RE: BP Pit Close Notification - RIDDLE C LS 002A - RESCHEDULED

Farrah Buckley <Farrah.Buckley@bpx.com>
 To:Smith, Cory, EMNRD,Fields, Vanessa, EMNRD (Vanessa.Fields@state.nm.us)
 Cc:jeffcblagg@aol.com,blagg_njv@yahoo.com,Erin Dunman

Sep 6 at 3:47 PM

BP America Production Company 380 Airport Rd Durango, CO 81303 Phone: (970) 247 6800

SENT VIA E-MAIL TO: CORY.SMITH@STATE.NM.US; VANESSA.FIELDS@STATE.NM.US

September 6, 2018

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec, New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

RIDDLE C LS 002A API 30-045-22451 Section 30 – T31N – R09W San Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields,

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 95bbl BGT and a 21bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around September 10, 2018.

Should you have any questions, please feel free to contact BP at our Farmington office.

Sincerely,

Erin Dunman

Field Environmental Coordinator - San Juan

Cell: 832-609-7048

Farrah Buckley

BGT Project Support 970-946-9199 -cell

This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.



380 Airport Rd Durango, CO 81303 Phone: (970) 247 6800

September 6, 2018

Bureau of Land Management Whitney Thomas 6251 College Suite A Farmington, NM 87402

VIA EMAIL

Re: Notification of plans to close/remove a below grade tank Well Name: RIDDLE C LS 002A API# - 3004522451

Dear Mrs. Thomas,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about September 10, 2018. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required please contact me for a specific time (832)-609-7048.

Sincerely,

Erin Dunman

BP America Production Company

CLIENT: BP	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	API #: 3004522451 TANK ID (if applicble): A		
FIELD REPORT:	(circle one): BGT CONFIRMATION / RELEASE INVESTIGATION / OTHER:	PAGE#:1 of1_		
SITE INFORMATION	I: SITE NAME: RIDDLE C LS # 2A	DATE STARTED: 09/10/18		
	31N RNG: 9W PM: NM CNTY: SJ ST: NM			
	5'E NE/SE LEASE TYPE: FEDERAL/ STATE / FEE / INDIAN	DATE FINISHED:		
	CTDIVE	ENVIRONMENTAL SPECIALIST(S): NJV		
	PROD. FORMATION: MV CONTRACTOR: BP - J. GONZALES			
REFERENCE POINT				
1) 95 BGT (SW/DB)	GPS COORD.: 36.866249 X 107.815698 DISTANCE/BEA	RING FROM W.H.: 120', \$14.5W		
2)	GPS COORD.: DISTANCE/BEA	RING FROM W.H.:		
3)	GPS COORD.: DISTANCE/BEA	RING FROM W.H.:		
4)	GPS COORD.: DISTANCE/BEA	RING FROM W.H.:		
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # OR LAB USED: HALL	OVM READING		
1) SAMPLE ID: 5PC - TB @ 4.5	(95) SAMPLE DATE: 09/10/18 SAMPLE TIME: 1350 LAB ANALYSIS: 80°	15B/8021B/300.0 (CI) NA		
	SAMPLE DATE: SAMPLE TIME: LAB ANALYSIS:			
	SAMPLE DATE: SAMPLE TIME: LAB ANALYSIS:			
SAMPLE ID: SAMPLE ID:	SAMPLE DATE: SAMPLE TIME: LAB ANALYSIS:			
	SAMPLE DATE: SAMPLE TIME: LAB ANALYSIS:			
SOIL DESCRIPTION: SOIL TYPE: SAND SILTY SAND SILTY SLAY CLAY GRAVEL OTHER IMPORTED FOR BGT BEDDING SOIL COLOR: DARK YELLOWISH BROWN COHESION (ALL OTHERS): NON COHESIVE SLIGHTLY COHESIVE / COHESIVE / COHESIVE / COHESIVE / COHESIVE / COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD CONSISTENCY (NON COHESIVE SOILS): LOOSE FIRM DENSE / VERY DENSE MOISTURE: DRY SLIGHTLY MOIST MOIST WET / SATURATED / SUPER SATURATED SAMPLE TYPE: GRAB COMPOSITE # OF PTS. 5 ANY AREAS DISPLAYING WETNESS: YES NO EXPLANATION- DISCOLORATION/STAINING OBSERVED: YES NO EXPLANATION- SITE OBSERVATIONS: LOST INTEGRITY OF EQUIPMENT: YES NO EXPLANATION- APPARENT EVIDENCE OF A RELEASE OBSERVED AND/OR OCCURRED: YES NO EXPLANATION: EQUIPMENT SET OVER RECLAIMED AREA: YES NO EXPLANATION - SHALLOW LOW PROFILE ABOVE-GRADE TANK TO BE SET ATOP BGT LOCATION.				
	RESENT TO WITNESS CONFIRMATION SAMPLING.	TIMATION (Cubic Yards) : NA		
DEPTH TO GROUNDWATER: >100'	NEAREST WATER SOURCE: >1,000' NEAREST SURFACE WATER: <300'	NMOCD TPH CLOSURE STD: 100 ppm		
SITE SKETCH	BGT Located : off on site PLOT PLAN circle: attached OW	I CALIB. READ. = NA ppm RF =1.00		
COMPRESSO WITH SOUND WALLS PBGT T.B. ~ B.G	SEPARATOR SEPARATOR SEPARATOR SEPARATOR SEPARATOR WILL PAD SEPARATOR TIME WELL PAD X - S.P.D.	CALIB. GAS = NA ppm		
T.B. = TANK BOTTOM; PBGTL = PREVIOUS BEI	E WALL, DW - DOUBLE WALL, 5B - STINGLE BOTTOW, DB - DOUBLE BOTTOM.	Magnetic declination: 10° E		

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering Project:

Lab ID:

RIDDLE C LS 2A

Matrix: SOIL 1809488-001

Client Sample ID: 5PC-TB @ 4.5' (95) - A Collection Date: 9/10/2018 1:50:00 PM

Received Date: 9/11/2018 8:20:00 AM

Analyses	Result	PQL	Qual Uni	s DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analys	t: smb
Chloride	ND	30	mg/l	(g 20	9/11/2018 12:28:43 PM	1 40266
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analys	t: Irm
Diesel Range Organics (DRO)	ND	9.9	mg/l	(g 1	9/11/2018 11:09:07 AM	1 40262
Motor Oil Range Organics (MRO)	ND	50	mg/l	(g 1	9/11/2018 11:09:07 AM	1 40262
Surr: DNOP	107	50.6-138	%Re	c 1	9/11/2018 11:09:07 AM	1 40262
EPA METHOD 8015D: GASOLINE RANGE					Analys	t: NSB
Gasoline Range Organics (GRO)	ND	4.5	mg/l	(g 1	9/11/2018 9:35:49 AM	G54067
Surr: BFB	88.1	15-316	%Re	c 1	9/11/2018 9:35:49 AM	G54067
EPA METHOD 8021B: VOLATILES					Analys	t: NSB
Benzene	ND	0.023	mg/l	(g 1	9/11/2018 9:35:49 AM	B54067
Toluene	ND	0.045	mg/l	(g 1	9/11/2018 9:35:49 AM	B54067
Ethylbenzene	ND	0.045	mg/l	(g 1	9/11/2018 9:35:49 AM	B54067
Xylenes, Total	ND	0.090	mg/l	(g 1	9/11/2018 9:35:49 AM	B54067
Surr: 4-Bromofluorobenzene	92.5	80-120	%Re	c 1	9/11/2018 9:35:49 AM	B54067

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix
- Analyte detected in the associated Method Blank
- Value above quantitation range
- Analyte detected below quantitation limits Page 1 of 5 J
- P Sample pH Not In Range
- Reporting Detection Limit RL
- Sample container temperature is out of limit as specified

	nain-c	of-Cus	tody Record	Turn-Around	ime:	SAME				Н	ΙΔΙ	1	F	V	TE	30	NI	ME	N1	-Δ1		
Client:	BLAG	G ENGR.	/ BP AMERICA	☐ Standard	Rush _	DAY)		500	H										AT(
	The second second			Project Name		The state of the s		Ty.									.com			,,,		
Mailing Ad	ddress:	P.O. BO	X 87	R	IDDLE C LS	# 2A		49	01 H										9			
		BLOOM	FIELD, NM 87413	Project #:			4901 Hawkins NE - Albuquerque, NM 87109 Tel. 505-345-3975 Fax 505-345-4107															
Phone #:		(505) 63	2-1199	1								-	THE PERSON NAMED IN	1877	100	ques	W. Francisco					
email or F	ax#:			Project Manag	ger:									<u> </u>				()			T	
QA/QC Pad Standa	_		Level 4 (Full Validation)		ERIN DUNI	MAN	(8021B)	only)	MRO)			15)		204,50	PCB's			er - 300.1)			a)	
Accreditat	ion:			Sampler:	NELSON VI	ELEZ	F (8((Gas	DRO /	1)	F	8270SIMS)		102,	8082			/ water			sample	
□ NELAP)	□ Other		On Ice:	☑ Yes	□ No 97 V	1	TPH	_	418.1)	504.1)	827(S	O3,N	_		JA)	300.00				N N
□ EDD (T	ype)	<u> </u>		Sample Temp	erature: 2,	7-CF1.0=1.7	#	+	(GR(pou	po	or	etal	CI,N	icide	JA)	i-V(1 1		e Se	osit	(۲ ه
Date	Time	Matrix	Sample Request ID	Container Type and # Meat Ko	Preservative Type	HEAL No. 1809458	BTEX ←₩F	BTEX + MTBE	TPH 8015B (GRO	TPH (Method	EDB (Method	PAH (8310	RCRA 8 Metals	Anions (F,Cl,NO ₃ ,NO ₂ ,PO ₄ ,SO ₄)	8081 Pesticides	8260B (VOA)	8270 (Semi-VOA)	Chloride (soil		rab	5 pt. composite	Air Bubbles (Y or
9/10/18	1350	SOIL	5PC-TB@ 4'.5 (95)-A	4 oz 1	Cool	701	V		٧			_	_				- 50	V		_	V	
71010											1	7	_	7						1	\top	\neg
			***************************************								1		1						1	\top	\top	
-											+	\top	+							\top	\top	
			***************************************							\dashv	\dashv	7	+	7					1	+	\top	
											\top	7	7	\neg						\top	+	
										\neg	\top	1	+	7					1	+	\top	_
										\dashv	\top	7	+						\dashv	\top	+	
					 					_	+	7	1	7					\neg	+	+	
										_	+	\forall	\dashv	1					\dashv	\top	\top	-
										_	+	\dashv	-	7					\top	\top	+	\neg
										\dashv	+	\forall	+	7					\dashv	\top	\top	\dashv
Date: 9/10/18	Time:	Relinquishe	Man St	Received by:	1/614	Date Time	~	narks		BILL DI & REFI	RENC	E# W	VHEN	APPL	ICAB	BLE;		VITH C	ORRES	POND)ING '	VID
Date:	Time: 1824	Relinquishe	ed by: We will be the state of	Received by:	Buckland	Date Time	Ref	eren	VID: ce#	VHIX	ONE	V11										



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: BLAGG	Work Order Num	ber: 1809488		RcptNo:	1
Received By: Jazzmine Burkhead	9/11/2018 8:20:00	AM	ann Ha		
Completed By: Anne Thorne	9/11/2018 8:31:20	AM	anne Am	_	
Reviewed By: 77 09/11/18					
Labeled by! A callle	119				
Chain of Custody	•				
Is Chain of Custody complete?		Yes 🗹	No 🗌	Not Present	
2. How was the sample delivered?		Courier			
l og In					
Log In 3. Was an attempt made to cool the sample	es?	Yes 🗸	No 🗌	NA 🗌	
4. Were all samples received at a temperat	ure of >0° C to 6.0°C	Yes 🔽	No 🗆	NA 🗆	
5. Sample(s) in proper container(s)?		Yes 🗸	No 🗌		
6. Sufficient sample volume for indicated te	st(s)?	Yes 🗸	No 🗌		
7. Are samples (except VOA and ONG) pro	perly preserved?	Yes 🗸	No 🗆		
8. Was preservative added to bottles?		Yes	No 🗸	NA 🗔	
9. VOA vials have zero headspace?		Yes	No 🗌	No VOA Vials 🗸	
10. Were any sample containers received br	oken?	Yes	No 🗸	# of preserved	
11. Does paperwork match bottle labels?		Yes 🗸	No 🗆	bottles checked for pH:	
(Note discrepancies on chain of custody)		165	110		>12 unless noted)
12. Are matrices correctly identified on Chair	of Custody?	Yes 🗸	No 🗌	Adjusted?	
13. Is it clear what analyses were requested?		Yes 🗸	No .		
14. Were all holding times able to be met? (If no, notify customer for authorization.)		Yes 🗸	No 🗆	Checked by:	
Special Handling (if applicable)					
15. Was client notified of all discrepancies w	ith this order?	Yes	No 🗌	NA 🗹	
Person Notified:	Date		DE COMMUNICACIÓN DESCRIPCION DE SAQUE DE COMPONIDAD DE COMPONIDAD DE COMPONIDAD DE COMPONIDAD DE COMPONIDAD DE		
By Whom:	Via:	eMail F	Phone Fax	In Person	
Regarding:				ALEXANDERS AND ADMINISTRATION OF	
Client Instructions:	the Control of Control of the State Patrician States and a second of the control of the Control of	anne manage en menamento neto responso del colo de la colo	anglik samunik alahai dan menusi menusi pinahai menang pinahai da		
16. Additional remarks:					
17. Cooler Information					
Cooler No Temp °C Condition	Seal Intact Seal No	Seal Date	Signed By		
1 1.7 Good	Yes	1			

Hall Environmental Analysis Laboratory, Inc.

WO#:

1809488

17-Sep-18

Client: Project: Blagg Engineering RIDDLE CLS 2A

Sample ID MB-40266

SampType: mblk

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 40266

RunNo: 54069

Prep Date: 9/11/2018 Analysis Date: 9/11/2018

SeqNo: 1787552

Units: mg/Kg HighLimit

Result PQL SPK value SPK Ref Val %REC LowLimit

RPDLimit Qual

Analyte Chloride

ND 1.5

Sample ID LCS-40266

SampType: Ics

TestCode: EPA Method 300.0: Anions

Client ID: **LCSS**

Batch ID: 40266

RunNo: 54069

Units: mg/Kg

Prep Date: 9/11/2018 Analysis Date: 9/11/2018

SeqNo: 1787553

Analyte

SPK value SPK Ref Val

%REC LowLimit

0

HighLimit

110

14

15.00

94.1

%RPD

%RPD

RPDLimit Qual

Chloride

PQL

1.5

90

Qualifiers:

Value exceeds Maximum Contaminant Level.

Sample Diluted Due to Matrix D

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix

Analyte detected in the associated Method Blank

E Value above quantitation range

Analyte detected below quantitation limits

P Sample pH Not In Range

Reporting Detection Limit Sample container temperature is out of limit as specified

Page 2 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#:

1809488

17-Sep-18

Client:

Blagg Engineering

Project:

RIDDLE C LS 2A

rroject:	CIDDLE C L3 ZA								
Sample ID LCS-402	15 SampType	: LCS	Test	tCode: EPA	A Method	8015M/D: Di	esel Range	e Organics	
Client ID: LCSS	Batch ID	40215	RunNo: 54038						
Prep Date: 9/7/201	8 Analysis Date	9/11/2018	S	SeqNo: 178	35644	Units: %Re	С		
Analyte	Result P	QL SPK value	SPK Ref Val	%REC L	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	4.4	5.000		88.0	50.6	138			
Sample ID MB-4021	5 SampType	: MBLK	Test	tCode: EPA	A Method	8015M/D: Di	esel Range	e Organics	
Client ID: PBS	Batch ID	40215	R	RunNo: 540	38				
Prep Date: 9/7/201	8 Analysis Date	9/11/2018	S	SeqNo: 178	35645	Units: %Re	С		
Analyte	Result P	QL SPK value	SPK Ref Val	%REC L	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	9.8	10.00		98.5	50.6	138			
Sample ID LCS-402	62 SampType	e: LCS	Test	tCode: EPA	Method	8015M/D: Die	esel Range	e Organics	
Client ID: LCSS	Batch ID	40262	R	RunNo: 540	38				
Prep Date: 9/11/20	18 Analysis Date	9/11/2018	S	SeqNo: 178	86154	Units: mg/K	(g		
Analyte	Result P	QL SPK value	SPK Ref Val	%REC L	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DR		10 50.00	0	108	70	130			
Surr: DNOP	5.2	5.000		104	50.6	138			
				101	50.0	100			
Sample ID MB-4026	2 SampType	e: MBLK	Test			8015M/D: Die	esel Range	e Organics	
Sample ID MB-4026 Client ID: PBS	2 SampType Batch ID				A Method		esel Range	e Organics	
	Batch ID	40262	R	tCode: EPA	A Method			e Organics	
Client ID: PBS	Batch ID Analysis Date	: 40262 : 9/11/2018	R	Code: EPA RunNo: 540 SeqNo: 178	A Method	8015M/D: Did		e Organics RPDLimit	Qual
Client ID: PBS Prep Date: 9/11/20 Analyte Diesel Range Organics (DR	Batch ID 18 Analysis Date Result P RO) ND	: 40262 : 9/11/2018 : QL SPK value	R	Code: EPA RunNo: 540 SeqNo: 178	A Method 938 86155	8015M/D: Did	(g		Qual
Client ID: PBS Prep Date: 9/11/20: Analyte Diesel Range Organics (DR Motor Oil Range Organics	Batch ID Batch ID Analysis Date Result P RO) ND (MRO) ND	: 40262 : 9/11/2018 :QL SPK value 10 50	R	Code: EPA RunNo: 540 SeqNo: 178 %REC L	A Method 038 66155 LowLimit	8015M/D: Did Units: mg/K HighLimit	(g		Qual
Client ID: PBS Prep Date: 9/11/20 Analyte Diesel Range Organics (DR	Batch ID 18 Analysis Date Result P RO) ND	: 40262 : 9/11/2018 : QL SPK value	R	Code: EPA RunNo: 540 SeqNo: 178	A Method 938 86155	8015M/D: Did	(g		Qual
Client ID: PBS Prep Date: 9/11/20: Analyte Diesel Range Organics (DR Motor Oil Range Organics	Batch ID 18 Analysis Date Result P RO) ND (MRO) ND 10	: 40262 : 9/11/2018 : QL SPK value 10 50 10.00	R S SPK Ref Val	RCode: EPA RunNo: 540 GeqNo: 178 %REC L	A Method 938 86155 LowLimit	8015M/D: Did Units: mg/K HighLimit	%g %RPD	RPDLimit	Qual
Client ID: PBS Prep Date: 9/11/20: Analyte Diesel Range Organics (DF Motor Oil Range Organics Surr: DNOP	Batch ID 18 Analysis Date Result P RO) ND (MRO) ND 10	: 40262 : 9/11/2018 PQL SPK value 10 50 10.00	R S SPK Ref Val	RCode: EPA RunNo: 540 GeqNo: 178 %REC L	A Method 038 86155 LowLimit 50.6	8015M/D: Did Units: mg/K HighLimit 138	%g %RPD	RPDLimit	Qual
Client ID: PBS Prep Date: 9/11/20 Analyte Diesel Range Organics (DF Motor Oil Range Organics Surr: DNOP Sample ID LCS-402	Batch ID 18 Analysis Date Result P RO) ND (MRO) ND 10 53 SampType Batch ID	: 40262 : 9/11/2018 : QL SPK value 10 50 10.00 :: LCS : 40253	SPK Ref Val Test	tCode: EPA	A Method 038 86155 LowLimit 50.6 A Method	8015M/D: Did Units: mg/K HighLimit 138	%RPD	RPDLimit	Qual
Client ID: PBS Prep Date: 9/11/20 Analyte Diesel Range Organics (DF Motor Oil Range Organics Surr: DNOP Sample ID LCS-402 Client ID: LCSS	Batch ID Analysis Date Result P RO) ND (MRO) ND 10 53 SampType Batch ID Analysis Date	: 40262 : 9/11/2018 : QL SPK value 10 50 10.00 :: LCS : 40253 : 9/11/2018	SPK Ref Val Test	tCode: EPA RunNo: 540 SeqNo: 178 %REC L 104 CCode: EPA RunNo: 540 SeqNo: 178	A Method 038 86155 LowLimit 50.6 A Method	8015M/D: Did Units: mg/K HighLimit 138 8015M/D: Did	%RPD	RPDLimit	Qual
Client ID: PBS Prep Date: 9/11/20 Analyte Diesel Range Organics (DF Motor Oil Range Organics Surr: DNOP Sample ID LCS-402 Client ID: LCSS Prep Date: 9/10/20	Batch ID Analysis Date Result P RO) ND (MRO) ND 10 53 SampType Batch ID Analysis Date	: 40262 : 9/11/2018 : QL SPK value 10 50 10.00 :: LCS : 40253 : 9/11/2018	SPK Ref Val Test R S	tCode: EPA RunNo: 540 SeqNo: 178 %REC L 104 CCode: EPA RunNo: 540 SeqNo: 178	A Method 038 86155 LowLimit 50.6 A Method 038 87174	8015M/D: Did Units: mg/K HighLimit 138 8015M/D: Did Units: %Red	%RPD	RPDLimit P Organics	
Client ID: PBS Prep Date: 9/11/20 Analyte Diesel Range Organics (DF Motor Oil Range Organics Surr: DNOP Sample ID LCS-402 Client ID: LCSS Prep Date: 9/10/20	Batch ID 18 Analysis Date Result P RO) ND (MRO) ND 10 53 SampType Batch ID 18 Analysis Date Result P 5.4	: 40262 : 9/11/2018 : QL SPK value 10 50 10.00 :: LCS : 40253 : 9/11/2018 : QL SPK value 5.000	SPK Ref Val Test R S SPK Ref Val	tCode: EPA RunNo: 540 SeqNo: 178 %REC L 104 tCode: EPA RunNo: 540 SeqNo: 178 %REC L 107	A Method 038 86155 LowLimit 50.6 A Method 038 87174 LowLimit 50.6	8015M/D: Did Units: mg/K HighLimit 138 8015M/D: Did Units: %Red HighLimit	%RPD	RPDLimit Organics RPDLimit	
Client ID: PBS Prep Date: 9/11/20 Analyte Diesel Range Organics (DF Motor Oil Range Organics Surr: DNOP Sample ID LCS-402 Client ID: LCSS Prep Date: 9/10/20 Analyte Surr: DNOP	Batch ID 18 Analysis Date Result P RO) ND (MRO) ND 10 53 SampType Batch ID 18 Analysis Date Result P 5.4	: 40262 : 9/11/2018 : QL SPK value 10 50 10.00 :: LCS : 40253 : 9/11/2018 : QL SPK value 5.000	SPK Ref Val Test SPK Ref Val Test	tCode: EPA RunNo: 540 SeqNo: 178 %REC L 104 tCode: EPA RunNo: 540 SeqNo: 178 %REC L 107	A Method 38 36155 LowLimit 50.6 A Method 38 37174 LowLimit 50.6 A Method	8015M/D: Did Units: mg/K HighLimit 138 8015M/D: Did Units: %Red HighLimit 138	%RPD	RPDLimit Organics RPDLimit	
Client ID: PBS Prep Date: 9/11/20 Analyte Diesel Range Organics (DF Motor Oil Range Organics Surr: DNOP Sample ID LCS-402 Client ID: LCSS Prep Date: 9/10/20: Analyte Surr: DNOP Sample ID MB-4025	Batch ID 18 Analysis Date Result P	: 40262 : 9/11/2018 : QL SPK value 10 50 10.00 :: LCS : 40253 : 9/11/2018 : QL SPK value 5.000	Test R SPK Ref Val Test R S SPK Ref Val Test	104 104 104 104 106 107 107 107 107 107 107 107 107 107 107	A Method 038 06155 LowLimit 50.6 A Method 038 07174 LowLimit 50.6 A Method 038	8015M/D: Did Units: mg/K HighLimit 138 8015M/D: Did Units: %Red HighLimit 138	%RPD esel Range %RPD esel Range	RPDLimit Organics RPDLimit	
Client ID: PBS Prep Date: 9/11/20 Analyte Diesel Range Organics (DF Motor Oil Range Organics Surr: DNOP Sample ID LCS-402 Client ID: LCSS Prep Date: 9/10/20 Analyte Surr: DNOP Sample ID MB-4025 Client ID: PBS	Batch ID Analysis Date Result P RO) ND (MRO) ND 10 53 SampType Batch ID Analysis Date Result P 5.4 3 SampType Batch ID Analysis Date	: 40262 : 9/11/2018 : QL SPK value 10 50 10.00 :: LCS : 40253 : 9/11/2018 : MBLK : 40253 : 9/11/2018	Test R SPK Ref Val Test R S SPK Ref Val Test	104 104 104 106 107 108 108 108 108 108 108 108 108 108 108	A Method 038 06155 LowLimit 50.6 A Method 038 07174 LowLimit 50.6 A Method 038	8015M/D: Did Units: mg/K HighLimit 138 8015M/D: Did Units: %Red HighLimit 138 8015M/D: Did	%RPD esel Range %RPD esel Range	RPDLimit Organics RPDLimit	

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 3 of 5

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1809488

17-Sep-18

Client: Project: Blagg Engineering RIDDLE C LS 2A

Sample ID RB

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

LowLimit

15

15

Client ID:

Batch ID: G54067

5.0

RunNo: 54067

%REC

Prep Date:

Analysis Date: 9/11/2018

Units: mg/Kg

%RPD

Analyte

Result PQL SeqNo: 1786937

HighLimit

RPDLimit Qual

Gasoline Range Organics (GRO) Surr: BFB

ND 930

1000

SPK value SPK Ref Val

93.4

316

Sample ID 2.5UG GRO LCS

Client ID: LCSS SampType: LCS Batch ID: G54067 TestCode: EPA Method 8015D: Gasoline Range

SPK Ref Val

RunNo: 54067

Prep Date:

Analysis Date: 9/11/2018

SeqNo: 1786938

Units: mg/Kg

Analyte

Result PQL

SPK value 25.00

%REC LowLimit HighLimit

131

316

%RPD **RPDLimit** Qual

Gasoline Range Organics (GRO) 26 5.0 0 103 75.9 Surr: BFB 1000 1000 105

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix

Analyte detected in the associated Method Blank

E Value above quantitation range

Analyte detected below quantitation limits

P Sample pH Not In Range

Reporting Detection Limit

Sample container temperature is out of limit as specified

Page 4 of 5

Hall Environmental Analysis Laboratory, Inc.

WO#:

1809488

17-Sep-18

Client: Project: Blagg Engineering RIDDLE C LS 2A

TestCode: EPA Method 8021B: Volatiles Sample ID RB SampType: MBLK Client ID: **PBS** Batch ID: **B54067** RunNo: 54067 Analysis Date: 9/11/2018 SeqNo: 1786983 Prep Date: Units: mg/Kg PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Analyte Result ND 0.025 Benzene Toluene ND 0.050 0.050 Ethylbenzene ND Xylenes, Total ND 0.10 Surr: 4-Bromofluorobenzene 0.99 1.000 99.3 80 120

Sample ID 100NG BTEX LCS	Samp1	SampType: LCS TestCode: EPA Method 8021B: Volatiles								
Client ID: LCSS	Batch	Batch ID: B54067 RunNo: 54067								
Prep Date:	Analysis Date: 9/11/2018 SeqNo: 1786984 U						Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.89	0.025	1.000	0	89.2	77.3	128			
Toluene	0.94	0.050	1.000	0	94.5	79.2	125			
Ethylbenzene	0.92	0.050	1.000	0	92.3	80.7	127			
Xylenes, Total	2.8	0.10	3.000	0	93.1	81.6	129			
Surr: 4-Bromofluorobenzene	1.0		1.000		101	80	120			

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

Page 5 of 5



