RECEIVED

	DEPARTMENT OF THE BUREAU OF LAND MA		1:37 2 I	OMI	RM APPROVED 3 No. 1004-0137 res: July 31, 2010
	DUREAU OF LAND WA			5. Lease Serial No.	les. July 51, 2010
0.11			Farmington F	1.5	NMSF078094
Do not us	NDRY NOTICES AND REP te this form for proposals I well. Use Form 3160-3 (A	to drill or to re-	enter an	6. If Indian, Allottee or Tril	be Name
S	UBMIT IN TRIPLICATE - Other ins			7. If Unit of CA/Agreement	t, Name and/or No.
1. Type of Well Oil Well	X Gas Well Other			8. Well Name and No.	
2. Name of Operator				9. API Well No.	rton Federal 14 1
2. 4.11	Hilcorp Energy Compa		1	Construction of the second	0-045-30855
3a. Address 382 Road 3100, Aztec,	NM 87410	3b. Phone No. (inclu 505-59		10. Field and Pool or Explo Basin DK /	Kutz GL / West Kutz PC
4. Location of Well <i>(Footage, Sec., T., J.</i> Surface Unit A (N	R.,M., or Survey Description) NENE) 1105'FNL & 1115' F	EL, Sec. 14, T27	'N, R11W	11. Country or Parish, State San Juan	, New Mexico
	THE APPROPRIATE BOX(ES) TO INDICATE N	ATURE OF N	OTICE, REPORT OR O	THER DATA
TYPE OF SUBMISSION		/	TYPE OF A		
X Notice of Intent	Acidize	Deepen		Production (Start/Resume)	Water Shut-Off
	Alter Casing	Fracture Treat		Reclamation	Well Integrity
Subsequent Report	Casing Repair	New Construction	on X	Recomplete	Other
Final Abandonment Notice	Change Plans Convert to Injection	Plug and Aband Plug Back	on	Temporarily Abandon Water Disposal	
Testing has been completed. Fina	ved operations. If the operation results Abandonment Notices must be filed				
the existing Dakota & C		e subject well i liffs. Attached	n the Pictur is the PC C	ed Cliffs formation a 102, recomplete proc	nd downhole commingle edure & wellbore
Hilcorp Energy Compa the existing Dakota & 0 schematic. The DHC a	or final inspection.) ny plans to recomplete th Gallup with the Pictured C pplication will be submitte DEC 2 0 113	e subject well i liffs. Attached ed and approve	n the Pictur is the PC C d before th LM'S APPRO CTION DOES DERATOR FI	ed Cliffs formation a 102, recomplete proc e work proceeds. A (<u>VAL OR ACCEPTANCE C</u> <u>NOT RELIEVE THE LE</u> ROM OBTAINING ANY C ROM OBTAINING ANY C ROM OBTAINING ANY C	nd downhole commingle edure & wellbore Closed Loop system will OF THIS SSEE AND OTHER PERATIONS
Hilcorp Energy Compa the existing Dakota & 0 schematic. The DHC a be utilized.	or final inspection.) ny plans to recomplete th Gallup with the Pictured C pplication will be submitte	e subject well i liffs. Attached ed and approve	n the Pictur is the PC C d before th LM'S APPRO CTION DOES DERATOR FI	ed Cliffs formation a 102, recomplete proc e work proceeds. A d VAL OR ACCEPTANCE O NOT RELIEVE THE LE ROM OBTAINING ANY O (ON R ¹ QUIRED FOR OI AND STAINING ANY O (ON R ¹ QUIRED FOR OI AND STAINING ANY O	nd downhole commingle cedure & wellbore Closed Loop system will OF THIS SSEE AND OTHER
Hilcorp Energy Compa the existing Dakota & 0 schematic. The DHC a be utilized.	or final inspection.) ny plans to recomplete th Gallup with the Pictured C pplication will be submitted DEC 2 0 113	e subject well i liffs. Attached ed and approve	n the Pictur is the PC C d before th LM'S APPRO CTION DOES DERATOR FI	ed Cliffs formation a 102, recomplete proc e work proceeds. A d VAL OR ACCEPTANCE O NOT RELIEVE THE LE ROM OBTAINING ANY O (ON R ¹ QUIRED FOR OI AND STAINING ANY O (ON R ¹ QUIRED FOR OI AND STAINING ANY O	nd downhole commingle cedure & wellbore Closed Loop system will OF THIS SSEE AND OTHER PERATIONS
Hilcorp Energy Compa the existing Dakota & O schematic. The DHC a be utilized.	or final inspection.) ny plans to recomplete th Gallup with the Pictured C pplication will be submitted DEC 2 0 113	e subject well i liffs. Attached ed and approve	n the Pictur is the PC C d before th LM'S APPRO (TION DOES PERATOR FI	ed Cliffs formation a 102, recomplete proc e work proceeds. A d VAL OR ACCEPTANCE O NOT RELIEVE THE LE ROM OBTAINING ANY O (ON R ¹ QUIRED FOR OI AND STAINING ANY O (ON R ¹ QUIRED FOR OI AND STAINING ANY O	nd downhole commingle cedure & wellbore Closed Loop system will OF THIS SSEE AND OTHER PERATIONS fy NMOCD 24 hrs or to beginning operations
Hilcorp Energy Compa the existing Dakota & C schematic. The DHC a be utilized. HOLD CTOA FOR DH 14. I hereby certify that the foregoing i Christine Brock	or final inspection.) ny plans to recomplete th Gallup with the Pictured C pplication will be submitted DEC 2 0 113	e subject well i liffs. Attached ed and approve B	n the Pictur is the PC C d before th LM'S APPRO (TION DOES PERATOR FI	ed Cliffs formation a 102, recomplete proc e work proceeds. A (VAL OR ACCEPTANCE (NOT RELIEVE THE LE ROM OBTAINING ANY O (ON R ¹ (CLIRED FOR OJ AND OBTAINING ANY O (ON R ¹ (CLIRED FOR OJ AND OD AND AND S Noti pri	nd downhole commingle cedure & wellbore Closed Loop system will OF THIS SSEE AND OTHER PERATIONS fy NMOCD 24 hrs or to beginning operations
Hilcorp Energy Compa the existing Dakota & C schematic. The DHC a be utilized. HOLD CTOA FOR DH 14. I hereby certify that the foregoing i Christine Brock	or final inspection.) ny plans to recomplete th Gallup with the Pictured C pplication will be submitte DEC 2 0 113 s true and correct. Name (Printed/Typ	e subject well i liffs. Attached ed and approve B ())))))))))))))))))	n the Pictur is the PC C d before th LM'S APPRO (TION DOES PERATOR FI COMPANY DERATOR FI DERATOR FI COMPANY DERATOR FI DERATOR FI COMPANY DERATOR	ed Cliffs formation a 102, recomplete proc e work proceeds. A d VAL OR ACCEPTANCE O NOT RELIEVE THE LE ROM OBTAINING ANY O (ON R ¹ QUIRED FOR OI (N) AND DESCRIPTION Noti- pri	nd downhole commingle cedure & wellbore Closed Loop system will OF THIS SSEE AND OTHER PERATIONS fy NMOCD 24 hrs or to beginning operations
Hilcorp Energy Compa the existing Dakota & C schematic. The DHC a be utilized. HOLD CTOA FOR DH 14. I hereby certify that the foregoing i <u>Christine Brock</u> Signature LeMistin Approved by	or final inspection.) ny plans to recomplete th Gallup with the Pictured C pplication will be submitte DEC 2 0 113 strue and correct. Name (Printed/Type Content of the picture of the pi	e subject well i liffs. Attached ed and approve B ())))))))))))))))))	n the Pictur is the PC C d before th LM'S APPRO CTION DOES PERATOR FI COMMITS APPRO CTION DOES DERATOR FI COMMITS APPRO CTION DERATOR FI COMMITS APPRO CTION DE	ed Cliffs formation a 102, recomplete proc e work proceeds. A d VAL OR ACCEPTANCE O NOT RELIEVE THE LE ROM OBTAINING ANY O (ON R ¹ QUIRED FOR OI (N) AND DESCRIPTION Noti- pri	nd downhole commingle cedure & wellbore Closed Loop system will OF THIS SSEE AND OTHER PERATIONS fy NMOCD 24 hrs or to beginning operations a - Sr.
Hilcorp Energy Compa the existing Dakota & C schematic. The DHC a be utilized. HOLD CTOA FOR DH 14. I hereby certify that the foregoing i <u>Christine Brock</u> Signature LeMistin Approved by	or final inspection.) ny plans to recomplete th Gallup with the Pictured C pplication will be submitted DEC 20 113 s true and correct. Name (Printed/Type Market Approval of this notice does not be title to those rights in the subject lead	e subject well i liffs. Attached ed and approve B () () () () () () () () () (n the Pictur is the PC C d before th LM'S APPRO (TION DOES PERATOR FI COMPANY DERATOR FI DERATOR FI COMPANY DERATOR FI DERATOR FI COMPANY DERATOR	ed Cliffs formation a 102, recomplete proc e work proceeds. A d VAL OR ACCEPTANCE O NOT RELIEVE THE LE ROM OBTAINING ANY O (ON R ¹ QUIRED FOR OI (N) AND DESCRIPTION Noti- pri	nd downhole commingle cedure & wellbore Closed Loop system will OF THIS SSEE AND OTHER PERATIONS fy NMOCD 24 hrs or to beginning operations

4

1

.

District I

1

Form C-102 August 1, 2011 Permit 260256

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **District II** 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico **Energy, Minerals and Natural** Resources **Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

2. Pool Code	3. Pool Name
79680	KUTZ PICTURED CLIFFS, WEST (GAS)
5. Property Name	6. Well No.
FULLERTON FEDERAL 14	001
8. Operator Name	9. Elevation
HILCORP ENERGY COMPANY	6142
	79680 5. Property Name FULLERTON FEDERAL 14 8. Operator Name

	10. Surface Location												
ſ	UL - Lot		Section		Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	
		A		14	27N	11W		1105	N	1115	E		SAN JUAN

	11. Bottom Hole Location If Different From Surface								
UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated Acres 13. Joint or Infill			14. Consolidation Code			15. Order No.			
160.00 NE/4									

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. E-Signed By: Lewstrie America Title: Operation/Regulatory Tech - Sr. Date: 11/27/2018
SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.
Surveyed By: Roy Rush
Date of Survey: 8/28/2001 Certificate Number: 8894

https://wwwapps.emnrd.state.nm.us/OCD/OCDPermitting/Report/C102/C102Report.aspx... 11/27/2018

Fullerton Federal 14-1

T27N-R11W-S14

API: 3004530855


Pictured Cliffs Zone Add

11/26/2018

Proposed Procedure

1

- 1. MIRU Service rig and associated equipment
- 2. Test BOP's
- 3. TOOH with 2-3/8" tubing currently set with EOT at 6,498'
- 4. Set a CIBP @ ±2,100' to isolate the Dakota & Gallup
- 5. RDMO Service rig
- 6. MIRU frac spread
- 7. Perforate and frac the Pictured Cliffs from 1,891' to 1,989'. RDMO frac spread
- 8. MIRU Service rig
- 9. Test BOP's
- 10. PU mill & RIH to clean out to Dakota-Gallup isolation plug
- 11. When water and sand rates are acceptable, flow test the Pictured Cliffs
- 12. Drill out Dakota-Gallup isolation plug & TOOH
- 13. TIH and land production tubing. Obtain a trimmingled Dakota-Gallup-Pictured Cliffs flow rate
- 14. ND BOP's, NU production tree
- 15. RDMO service rig & turn well over to production



ì