District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application

Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method				
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request				
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.				
Operator: BP AMERICA PRODUCTION COMPANY OGRID #: 778				
Address: 200 Energy Court, Farmington, NM 87401				
Facility or well name: A L LLLIOTT C 001				
API Number: 3004508377 OCD Permit Number: DISTRICT 111				
U/L or Qtr/Qtr B Section 15.0 Township 29.0N Range 09W County: San Juan County				
Center of Proposed Design: Latitude 36.729373 Longitude -107.762830 NAD: ☐1927 ▼ 1983				
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment				
Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D 3.				
Closed-loop System: Subsection H of 19.15.17.11 NMAC				
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)				
Drying Pad Above Ground Steel Tanks Haul-off Bins Other				
☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other				
Liner Seams: Welded Factory Other				
Secondary containment with leak detection Visible sidewalls only Other SINGLE WALLED DOUBLE BOTTOMED SIDEWALLS NOT VISIBLE				
5.				
Alternative Method:				

22

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)				
☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet				
Alternate. Please specify				
7.				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)				
8.				
Signs: Subsection C of 19.15.17.11 NMAC				
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
Signed in compliance with 19.15.16.8 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for			
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits)	Yes No			
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	Yes No			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No			
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	Yes No			
Within a 100-year floodplain FEMA map	☐ Yes ☐ No			

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Statements: Please indentify the facility or facilities for the disposal of liquids, a facilities are required.	Steel Tanks or Haul-off Bins Only: (19.15.17.13.I lrilling fluids and drill cuttings. Use attachment if	O NMAC) more than two			
	Disposal Facility Permit Number:				
NACOU DE DES RECENTANTE DE LA CONTRACTOR	Disposal Facility Permit Number:				
Will any of the proposed closed-loop system operations and associated activities oc ☐ Yes (If yes, please provide the information below) ☐ No					
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.					
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	nificant watercourse or lakebed, sinkhole, or playa	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site; Aerial photo; Satellite		☐ Yes ☐ No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or sp. NM Office of the State Engineer - iWATERS database; Visual inspection (or	oring, in existence at the time of initial application.	Yes No			
Within incorporated municipal boundaries or within a defined municipal fresh wate adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approve		Yes No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site					
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division					
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology Society; Topographic map 	& Mineral Resources; USGS; NM Geological	☐ Yes ☐ No			
Within a 100-year floodplain FEMA map		☐ Yes ☐ No			
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 9.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.				
Name (Print): Title:				
Signature: Date:				
e-mail address: Telephone:				
20. OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)				
OCD Representative Signature: Approval Date: \2 24 2018				
Title: Environment Pecchist OCD Permit Number:				
21.	_			
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.				
22. Closure Method: X Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only) ☐ If different from approved plan, please explain.				
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more that two facilities were utilized.	ın			
Disposal Facility Name: Disposal Facility Permit Number:				
Disposal Facility Name: Disposal Facility Permit Number:	-			
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No				
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation)				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. □ Proof of Closure Notice (surface owner and division) □ Proof of Deed Notice (required for on-site closure) □ Plot Plan (for on-site closures and temporary pits) □ Confirmation Sampling Analytical Results (if applicable) □ Waste Material Sampling Analytical Results (required for on-site closure) □ Disposal Facility Name and Permit Number □ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique □ Site Reclamation (Photo Documentation) □ On-site Closure Location: Latitude 36.729373 Longitude -107.762830 NAD: □1927 ■ 1983				
Operator Closure Certification:				
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print): Steve Moskal Title: Field Environmental Coordinator				
Signature:				
e-mail address: steven.moskal@bpx.com Telephone: 505-330-9179				

Operator Closure Certification: I hereby certify that the information and attachments submitted	d with this closure report is true, accurate and complete to the best of my knowledge and
	ble closure requirements and conditions specified in the approved closure plan.
Name (Print):	Title:
Signature:	Date:
e-mail address:	Telephone:

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

	Form C-141
	Revised August 24, 2018
1	Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party							
Responsible Party BP America Production Company				ıy	OGRID 778		
Contact Nam	e Steve N	Ioskal			Contact Te	lephone (505)	330-9179
Contact emai	Steven.	Moskal@bpx.c	om		Incident #	(assigned by OCD)	
Contact mail	ing address	380 North Air	port Road, Du	ırango	, CO 813	03	
Location of Release Source							
Latitude 36.729373 Longitude -107.762830 (NAD 83 in decimal degrees to 5 decimal places)							
Site Name A	L ELLIC	OTT C 001		5	Site Type 1	Natural Gas	Well
Date Release	Discovered			1	API# (if appl	licable) 30-045	-08377
Unit Letter	Section	Township	Dance	1	Count	.	
B	Section 15	29N	Range 09W		San Ju	-	
Surface Owner: State Federal Tribal Private (Name:) Nature and Volume of Release							
	Materia	l(s) Released (Select al	I that apply and attach	calculation	ns or specific	justification for the	volumes provided below)
Crude Oil		Volume Release	d (bbls)		Volume Recovered (bbls)		
Produced	Water	Volume Release	d (bbls)			Volume Recovered (bbls)	
Is the concentration of dissolved chloride in the produced water >10,000 mg/l?				n the	☐ Yes ☐ No		
Condensate Volume Released (bbls)						Volume Recovered (bbls)	
☐ Natural Gas Volume Released (Mcf)					Volume Reco	vered (Mcf)	
Other (describe) Volume/Weight Released (provide units)			e units)		Volume/Weig	ht Recovered (provide units)	
Cause of Release TPH, BTEX, & chloride all below below-grade tank (BGT) permit closure standards.							

Form C-141 Page 2

State of New Mexico Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

release as defined by	If YES, for what reason(s) does the respon	sible party consider this a major release?			
19.15.29.7(A) NMAC?					
☐ Yes ⊠ No					
If YES, was immediate no	otice given to the OCD? By whom? To wh	om? When and by what means (phone, email, etc)?			
Not required.					
	Initial Re	esponse			
The responsible p	party must undertake the following actions immediately	unless they could create a safety hazard that would result in injury			
☐ The source of the rele	ease has been stopped.				
☐ The impacted area has	s been secured to protect human health and	the environment.			
Released materials ha	ave been contained via the use of berms or d	ikes, absorbent pads, or other containment devices.			
All free liquids and re	ecoverable materials have been removed and	I managed appropriately.			
If all the actions described	d above have <u>not</u> been undertaken, explain v	vhy:			
Per 19.15.29.8 B. (4) NM	AC the responsible party may commence re	emediation immediately after discovery of a release. If remediation			
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.					
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and					
regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have					
	failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws				
and/or regulations.					
Printed Name: Steve	e Moskal	Title: Environmental Coordinator			
Signature:		Date:			
	kal@bpx.com	Telephone: (505) 330-9179			
- Stoven-14105	nung op n. von	(303/330 717)			
OCD Only					
		Deter			
Received by:		Date:			

BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

<u>A L Elliott C # 1 – Tank ID: B</u> <u>API #: 3004508377</u> Unit Letter B, Section 15, T29N, R09W

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.

Notice is attached.

2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

Notice was provided and documented in the attached email.

- BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)
 - f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
 - g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
 - h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
 - i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
 - j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
 - k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and/or sludge within the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported for recycling.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows:

Constituents	Testing Method	Release Verification	Sample
		(mg/Kg)	Results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	< 0.017
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	< 0.069
TPH	US EPA Method SW-846 418.1	100	<49
Chlorides	US EPA Method 300.0 or 4500B	250 or background	<30

Notes:

mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

<u>Soil beneath the BGT was sampled for TPH, BTEX, and chloride.</u> All test parameters were below the stated limits. A field and laboratory reports are attached.

- 7. BP shall notify the division District III office of its results on form C-141. C-141 is attached.
- 8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results reveal no evidence of a release has occurred.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area.

<u>Sampling results reveal no evidence of a release has occurred.</u> Area was backfilled with clean, earthen material and is within the active well pad.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

The BGT area has been backfilled and will be reclaimed once the well has been plugged & abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves re-vegetation.

BP will notify NMOCD when re-vegetation is successfully completed.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.

Closure report on C-144 form is included & contains a photo of the reclamation completion.

16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.

BP Pit Close Notification - A L ELLIOTT C 001

Farrah Buckley <Farrah.Buckley@bpx.com>
 To:Smith, Cory, EMNRD,Fields, Vanessa, EMNRD (<u>Vanessa.Fields@state.nm.us</u>)
 Cc:jeffcblagg@aol.com,blagg_njv@yahoo.com,Erin Dunman,Steven Moskal

Oct 12, 2018 at 3:38 PM

BP America Production Company 380 Airport Rd Durango, CO 81303 Phone: (970) 247 6800

SENT VIA E-MAIL TO: CORY.SMITH@STATE.NM.US; VANESSA.FIELDS@STATE.NM.US

New Mexico Oil Conservation Division 1000 Rio Brazos Road Aztec. New Mexico 87410

RE: Notice of Proposed Below-Grade Tank (BGT) Closure

A L ELLIOTT C 001 API 30-045-08377 (B) Section 15 – T29N – R09W San Juan County, New Mexico

Dear Mr. Cory Smith and Mrs. Vanessa Fields.

In regards to the captioned subject and requirements of the NMOCD pit rule, this letter is notification that BP is planning to close a 95bbl BGT that will no longer be operational at this well site. We anticipate this work to start on or around October 18, 2018.

Should you have any questions, please feel free to contact BP.

Sincerely.

Steve Moskal BP Lower 48 – San Juan Field Environmental Coordinator Phone: (505) 330-9179

Farrah Buckley

BGT Project Support 970-946-9199 -cell



BP America Production Company 380 Airport Rd Durango, CO 81303 Phone: (970) 247 6800

October 12, 2018

Bureau of Land Management Whitney Thomas 6251 College Suite A Farmington, NM 87402

VIA EMAIL

Re: Notification of plans to close/remove a below grade tank Well Name: AL ELLIOTT C 001 API# - 3004508377

Dear Mrs. Thomas,

As part of the NM "Pit Rule": 19.15.17.13 Closure Requirements, Paragraph J. BP America Production Company (BP) is required to notify the surface owner of BP's plans to close/remove a below grade tank. BP wishes to inform you of our plans to close/remove the below grade tank on its well pad located on your surface. BP plans to commence this work on or about October 18, 2018. If there aren't any unforeseen problems, the work should be completed within 10 working days.

As a point of clarification, BP will be closing the below grade tank and either operating without one or replacing it with an above ground tank, the well site will continue to operate.

If witnessing of the tank removal is required please contact me for a specific time (505)-330-9179.

Sincerely,

Steve Moskal BP Lower 48 – San Juan Field Environmental Coordinator

CLIENT: BP	P.O. BOX 87, B	NGINEERING, II BLOOMFIELD, N 05) 632-1199		API #: 3004508377 TANK ID (if applicble): B
FIELD REPORT:	(circle one): BGT CONFIRMATION	NAME OF TAXABLE PARTY O	OTHER:	PAGE #:1_ of1
SITE INFORMATION QUAD/UNIT: B SEC: 15 TWP: 1/4 -1/4/FOOTAGE: 990'N / 1,650 LEASE #: SF078132	29N RNG: 9W PM:	NM CNTY: SJ	E / FEE / INDIAN	DATE STARTED: 10/18/18 DATE FINISHED: ENVIRONMENTAL SPECIALIST(S): NJV
PEFERENCE POINT 1) 95 BGT (SW/DB) - B 2) 3)	WELL HEAD (W.H.) GPS GPS COORD.: 36.	36.729 729373 X 107.762830	045 X 107.76315 D DISTANCE/BEA	GL ELEV: 5,937' RING FROM W.H.: 95', \$68.5E RING FROM W.H.:
SAMPLING DATA: 1) SAMPLE ID: 5PC - TB @ 5' (5') 2) SAMPLE ID: 4) SAMPLE ID: 5) SAMPLE ID: 5	SAMPLE DATE:	DR LAB USED: HAL B/18 SAMPLETIME: SAMPLETIME: SAMPLETIME: SAMPLETIME:	LAB ANALYSIS: 801 LAB ANALYSIS: LAB ANALYSIS: LAB ANALYSIS: LAB ANALYSIS:	OVM READING (ppm)
SOIL DESCRIPTION SOIL COLOR: DARK YEL COHESION (ALL OTHERS): NON COHESIVE SLIGHTL' CONSISTENCY (NON COHESIVE SOILS): LC MOISTURE: DRY / SLIGHTLY MOIST MOIST / W SAMPLE TYPE: GRAB (COMPOSITE) # DISCOLORATION/STAINING OBSERVED: YES M	LOWISH ORANGE Y COHESIVE / COHESIVE / HIGHLY COHESIVE DOSE FIRM DENSE / VERY DENSE ET / SATURATED / SUPER SATURATED OF PTS. 5	PLASTICITY (CLAYS): NON PLAS DENSITY (COHESIVE CLAYS HC ODOR DETECTED: YES NO	TIC / SLIGHTLY PLASTIC / C & SILTS): SOFT / FIRM / O EXPLANATION -	OHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC STIFF / VERY STIFF / HARD NATION -
SITE OBSERVATION APPARENT EVIDENCE OF A RELEASE OBSERVE EQUIPMENT SET OVER RECLAIMED AREA: OTHER: NMOCD OR BLM REPS. NOT PR	D AND/OR OCCURRED: YES NO EXPL YES NO EXPLANATION - 105 BB	LANATION: L SHALLOW LOW PROFILE	E ABOVE-GRADE TAN	NK TO BE SET ATOP BGT LOCATION.
EXCAVATION DIMENSION ESTIMATION: DEPTH TO GROUNDWATER: > 100' SITE SKETCH	NEAREST WATER SOURCE: > 1,00 BGT Located: off / on sit (95)-B PBGTL T.B. ~5'		R: 300' < x < 1,000' N	MISCELL. NOTES IO #: 190040005402 EF #: P-1027 ID: VHIXONEV11 J #: ermit date(s): 10/17/18 CD Appr. date(s): 10/18/18 OVM = Organic Vapor Meter
NOTES: BGT = BELOW-GRADE TANK; E.D. = EXCAVATION T.B. = TANK BOTTOM; PBGTL = PREVIOUS BELAPPLICABLE OR NOT AVAILABLE; SW - SINGLINOTES: GOOGLE EARTH IMAG	OW-GRADE TANK LOCATION; SPD = SAMPLE F E WALL; DW - DOUBLE WALL; SB - SINGLE BOT	ELOW; T.H. = TEST HOLE; ~ = APPROX POINT DESIGNATION; R.W. = RETAININ	X - S.P.D. X.; W.H. = WELL HEAD; NG WALL; NA - NOT	BGT Sidewalls Visible: Y / N BGT Sidewalls Visible: Y / N BGT Sidewalls Visible: Y / N lagnetic declination: 10° E

Analytical Report

Lab Order 1810A61

Date Reported: 10/22/2018

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Project: A L ELLIOTT C 1

Lab ID: 1810A61-002

Matrix: SOIL

Client Sample ID: 5PC-TB @ 5' (95)-B

Collection Date: 10/18/2018 1:25:00 PM

Received Date: 10/19/2018 7:55:00 AM

Analyses	Result	PQL	Qual Units	DF	Date Analyzed Batch
EPA METHOD 300.0: ANIONS					Analyst: MRA
Chloride	ND	30	mg/Kg	20	10/19/2018 11:31:48 AM 41095
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst: Irm
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	10/19/2018 10:45:27 AM 41091
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	10/19/2018 10:45:27 AM 41091
Surr: DNOP	98.0	50.6-138	%Rec	1	10/19/2018 10:45:27 AM 41091
EPA METHOD 8015D: GASOLINE RANGE					Analyst: NSB
Gasoline Range Organics (GRO)	ND	3.4	mg/Kg	1	10/19/2018 11:32:52 AM 41084
Surr: BFB	91.2	15-316	%Rec	1	10/19/2018 11:32:52 AM 41084
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.017	mg/Kg	1	10/19/2018 11:32:52 AM 41084
Toluene	ND	0.034	mg/Kg	1	10/19/2018 11:32:52 AM 41084
Ethylbenzene	ND	0.034	mg/Kg	1	10/19/2018 11:32:52 AM 41084
Xylenes, Total	ND	0.069	mg/Kg	1	10/19/2018 11:32:52 AM 41084
Surr: 4-Bromofluorobenzene	96.5	80-120	%Rec	1	10/19/2018 11:32:52 AM 41084

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix
- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits Page 2 of 6
- P Sample pH Not In Range
- RL Reporting Detection Limit
- W Sample container temperature is out of limit as specified

C	Chain-of-Custody Record			rurn-Around	Ime:	SAME			(6) (20)		JA			NIX.	/TI	20	IN	A#E	: NI.	TA		
Client:	BLAG	G ENGR	/ BP AMERICA	☐ Standard	☑ Rush _	DAY)		26									BO					,
·				Project Name			145		S								l.com		M. I.	Or	. 1	
Mailing A	ddress:	P.O. BO	X 87	А	L ELLIOTT	C #1		49	01 F	lawk							100.11 8 MV		19			
		BLOOM	FIELD, NM 87413	Project #:		1.0				05-3							5-410					
Phone #:		(505) 63	32-1199									THE CAN	(T) (E) (C)			ques	S SECULIA					
email or F	ax#:			Project Manag	jer:								Π	- F				1)				
QA/QC Pa	_		Level 4 (Full Validation)		STEVE MO	SKAL	(8021B)	only)	MRO)			(5)		04,SO	PCB's			er - 300.1)			a)	
Accreditat	tion:	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Sampler:	NELSON VI	ELEZ	\$ (80	(Gas	DRO /	1)	1	SIM		O ₂ ,F	8082			water			mple	
□ NELAF	0	□ Other	•	On Ice:	Ø∕Yes :	□ No 977	10 A	TPH (-	418.1)	504.	8270SIMS)		N'8C	-		F	300.0 /			e sa	Î
	Гуре)			Sample Temperature:				+	GRC	po 7	po		Metals	N,N	cide	8	-VO	1 1 1		<u>e</u>	osit	\ \\ \)
Date	Time	Matrix	Sample Request ID	Container Preservative HFAL No.			BTEX +NTB	BTEX + MTBE	TPH 8015B (GRO	TPH (Method	EDB (Method 504.1)	PAH (8310 or	RCRA 8 Me	Anions (F,Cl,NO ₃ ,NO ₂ ,PO ₄ ,SO ₄)	8081 Pesticides	8260B (VOA)	8270 (Semi-VOA)	Chloride (soil		Grab sample	5 pt. composite sample	Air Bubbles (Y or N)
7/10/18	1313	JOIL	ore 10 @ 5 ' (00) A	1027-1	Cool	w	4		-	780.70								4			4	
16/18/18	1325	SOIL	5PC-TB@ 5' (95)-B	4 oz 1	Cool	702	٧		٧									٧			٧	
^ <u></u>																						
L																						
Market Control of the								T-						<u> </u>								
													\vdash					\Box			\Box	
Date:	Time:	Relinquish	ed by	Received by:	, \	Date Time	Ren	narks	5:	BILL	DIREC	TLYT	OBP	USING	THE	CONT	ACT V	VITH (CORRE	SPON	IDING	3 VID
10/18/18	1446	9	Mut	(min)	TALINOX	10/18/19 1446		TIAO	ACT.					NAPP		<u>BLE;</u> IIXOI	A.I					
Date:	Time:	Relinquish	ed by:	Received by:	V	Date Time				VHI							0400	0540)2			
10/18/18	1856	10	Moter Willter	Forder	& Bull	110/19/19 07:99	1	ferer		-		1027	_									
	If necessa	ary, samples s	submitted to Hall Environmental may be	subcontracted to other	accredited laboratorie	This serves as notice o	f this p	ossibi	lity. A	ny sut	-contr	racted	data	will be	clear	y notat	led on	the an	nalytica	н геро	n.	

Hall Environmental Analysis Laboratory, Inc.

WO#: 1810A61

22-Oct-18

Client:

Blagg Engineering

Project:

A L ELLIOTT C 1

Sample ID MB-41095

SampType: mblk

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 41095

RunNo: 55013

Prep Date: 10/19/2018 Analysis Date: 10/19/2018 PQL

SeqNo: 1830297

Units: mg/Kg

Analyte

SPK value SPK Ref Val %REC LowLimit

HighLimit

RPDLimit

Qual

Chloride

ND 1.5

Sample ID LCS-41095

SampType: Ics

TestCode: EPA Method 300.0: Anions

Client ID: LCSS

10/19/2018

Batch ID: 41095

RunNo: 55013

Analysis Date: 10/19/2018

1.5

SeqNo: 1830298

Units: mg/Kg

%RPD

Analyte

Prep Date:

PQL

SPK value SPK Ref Val %REC

97.4

LowLimit

HighLimit

%RPD **RPDLimit** Qual

110

Chloride

Qualifiers:

Value exceeds Maximum Contaminant Level

Sample Diluted Due to Matrix D

Holding times for preparation or analysis exceeded H

ND Not Detected at the Reporting Limit

Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix

Analyte detected in the associated Method Blank

Value above quantitation range

Analyte detected below quantitation limits

Page 3 of 6

P Sample pH Not In Range

Reporting Detection Limit Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#: **1810A61**

22-Oct-18

Client:

Blagg Engineering

Project:

A L ELLIOTT C 1

Sample ID LCS-41091	SampType: LCS	SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics									
Client ID: LCSS	Batch ID: 4109	1 F									
Prep Date: 10/19/2018	Analysis Date: 10/1	9/2018	SeqNo: 1829113	Units: mg/Kg							
Analyte	Result PQL S	SPK value SPK Ref Val	%REC LowLimit	HighLimit ⁹	%RPD RPDLimit	Qual					
Diesel Range Organics (DRO)	40 10	50.00 0	80.4 70	130							
Surr: DNOP	4.4	5.000	88.5 50.6	138							
Sample ID MB-41091	SampType: MBL	K Tes	tCode: EPA Method	8015M/D: Diese	el Range Organics						
Client ID: PBS	Batch ID: 4109	1 F	RunNo: 55019								

Client ID: PBS	Batch	ID: 41	091	R	RunNo: 5	5019				
Prep Date: 10/19/2018	Analysis D	ate: 10)/19/2018	S	SeqNo: 18	829114	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	10		10.00		103	50.6	138			

Sample ID	1810A61-002AMS	SampT	ype: MS	3	Test						
Client ID:	5PC-TB @ 5' (95)	-B Batch	ID: 41	091	R	RunNo: 5	5019				
Prep Date:	10/19/2018	Analysis D	ate: 10)/19/2018	S	SeqNo: 1	830511	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range (Organics (DRO)	44	9.9	49.50	0	89.7	53.5	126			
Surr: DNOP		4.8		4.950		96.8	50.6	138			

Sample ID 1810A61-002AM	SD Samp1	ype: MS	SD	Test	tCode: El	PA Method	8015M/D: Die	esel Range	e Organics	
Client ID: 5PC-TB @ 5' (95)-B Batcl	n ID: 41	091	R	RunNo: 5	5019				
Prep Date: 10/19/2018	Analysis D	ate: 10	0/19/2018	S	SeqNo: 1	830512	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	41	9.7	48.59	0	84.4	53.5	126	7.99	21.7	
Surr: DMOD	17		4 850		07.2	50.6	138	0	0	

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 4 of 6

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1810A61

22-Oct-18

Client:

Surr: BFB

Analyte

Surr: BFB

Blagg Engineering

Project:

A L ELLIOTT C 1

Sample ID	MB-41084
Client ID:	PRS

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

15

15

Batch ID: 41084

RunNo: 55022

Prep Date: 10/18/2018 Analysis Date: 10/19/2018

SeqNo: 1829500

91.2

Units: mg/Kg

316

5.0

%REC LowLimit

Analyte Result PQL ND Gasoline Range Organics (GRO)

910

1000

1000

SPK value SPK Ref Val

HighLimit %RPD

RPDLimit Qual

Qual

Sample ID LCS-41084

SampType: LCS

TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS

Gasoline Range Organics (GRO)

Batch ID: 41084

RunNo: 55022

Prep Date: 10/18/2018 Analysis Date: 10/19/2018

SeqNo: 1829501

Units: mg/Kg

%RPD **RPDLimit**

%REC HighLimit Result PQL SPK value SPK Ref Val LowLimit 75.9 131 27 5.0 25.00 0 109 1000 104 316

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Holding times for preparation or analysis exceeded H

ND Not Detected at the Reporting Limit

Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix

Analyte detected in the associated Method Blank

E Value above quantitation range

Reporting Detection Limit

J Analyte detected below quantitation limits Page 5 of 6

P Sample pH Not In Range

Sample container temperature is out of limit as specified

Hall Environmental Analysis Laboratory, Inc.

WO#:

1810A61

22-Oct-18

Client:

Blagg Engineering

Project:

A L ELLIOTT C 1

Sample ID MB-41084	Sampl	ype: ME	BLK	Tes						
Client ID: PBS	Batcl	Batch ID: 41084			RunNo: 55022					
Prep Date: 10/18/2018	Analysis E	Date: 10	0/19/2018	S	SeqNo: 1	829576	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.95		1.000		95.1	80	120			

Sample ID LCS-41084	SampType: LCS TestCode: EPA Method 8021B: Volatiles										
Client ID: LCSS	Batch	ID: 41	084	F	RunNo: 55022						
Prep Date: 10/18/2018	Analysis D	ate: 10)/19/2018	S	SeqNo: 1	829577	Units: mg/K	(g			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual	
Benzene	0.90	0.025	1.000	0	89.9	77.3	128				
Toluene	0.95	0.050	1.000	0	95.0	79.2	125				
Ethylbenzene	0.97	0.050	1.000	0	96.8	80.7	127				
Xylenes, Total	2.9	0.10	3.000	0	98.1	81.6	129				
Surr: 4-Bromofluorobenzene	1.0		1.000		102	80	120				

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

Page 6 of 6

P Sample pH Not In Range

RL Reporting Detection Limit

W Sample container temperature is out of limit as specified



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: BLAGG	Work Order I	Number: 1810A61		RcptNo: 1	
Received By: Jazzmine Burkl	head 10/19/2018 7:5	5:00 AM	for Budhal		
Completed By: Anne Thorne	10/19/2018 8:1	3:07 AM	Agen Berthan		
Reviewed By: ENM	10/19/19	λ.	Come sta		
, , , , , , , , , , , , , , , , , , , ,	19/19/18				
Chain of Custody	20/19/11 8				
Is Chain of Custody complete?		Yes 🗸	No 🗌	Not Present	
2. How was the sample delivered?		Courier			
Log In 3. Was an attempt made to cool th	a samplas?	Yes 🗸	No 🗌	NA 🗀	
o. Was an attempt made to cool th	e samples?	Yes 💌	NO _	NA LI	
4. Were all samples received at a to	emperature of >0° C to 6.0°C	Yes 🗸	No 🗆	NA 🗆	
5. Sample(s) in proper container(s)	?	Yes 🗹	No 🗌		
Sufficient sample volume for indi	cated test(s)?	Yes 🗸	No 🗌		
7. Are samples (except VOA and O		Yes 🗸	No 🗌		
8. Was preservative added to bottle		Yes	No 🗸	NA 🗆	
9. VOA vials have zero headspace?	?	Yes 🗍	No 🗌	No VOA Vials ✔	
10. Were any sample containers rec	eived broken?	Yes	No 🗸		
				# of preserved bottles checked	
11. Does paperwork match bottle lab		Yes 🗸	No 🗌	for pH:	-1\
(Note discrepancies on chain of o		v [4]	No 🖂	(<2 or >12 unless note Adjusted?	a)
 Are matrices correctly identified of Is it clear what analyses were recommended. 		Yes ✔ Yes ✔	No 🗆		
4. Were all holding times able to be		Yes 🗹	No 🗆	Checked by:	
(If no, notify customer for authorize					
Special Handling (if applicat	ble)				
15. Was client notified of all discrepa		Yes	No 🗌	NA 🗸	
Person Notified:	Contraction of the Contraction o	Date	CONTRACTOR		
By Whom:	Name of the state	/ia: eMail P	hone Fax	In Person	
Regarding:				AND	
Client Instructions:		MANUSCI, de la constitución de l		ANTENDORIO (CONTINUE DE LA CONTINUE DEL CONTINUE DE LA CONTINUE DE LA CONTINUE DEL CONTINUE DE LA CONTINUE DE L	
16. Additional remarks:				***************************************	
17. Cooler Information					
former products of the second contract of the	ndition Seal Intact Seal I	No Seal Date	Signed By		
1 1.0 Good	d Yes				
2 1.0 Good	d Yes				



