

Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010

Expires:

		Farmington Field	enagement NV	INM02804
SUNI	DRY NOTICES AND REPORTS	ON WELLS	6. If Indian, Allottee or Tribe N	
Do not use	this form for proposals to drift			
	well. Use Form 3160-3 (APD) for			
	BMIT IN TRIPLICATE - Other instruction	s on page 2.	7. If Unit of CA/Agreement, N	ame and/or No.
1. Type of Well	Gas Well Other		8. Well Name and No.	
Oil Well X	Gas Well Other		TOTAL CONTROL OF STREET STREET, STREET	n 28-6 Unit 107
2. Name of Operator	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		9. API Well No.	
	Hilcorp Energy Company			39-20385
3a. Address		one No. (include area code)	10. Field and Pool or Explorate	
382 Road 3100, Aztec, N		505-599-3400		verde/Basin Dakota
4. Location of Well (Footage, Sec., T.,R. Surface Unit M (SV	NSW) 1150'FSL & 990' FWL, Se	ec. 23, T28N, R06W	11. Country or Parish, State Rio Arriba	New Mexico
12. CHECK T	HE APPROPRIATE BOX(ES) TO IN	DICATE NATURE OF N	NOTICE, REPORT OR OTHE	ER DATA
TYPE OF SUBMISSION		TYPE OF A	ACTION	
X Notice of Intent	Acidize	eepen	Production (Start/Resume)	Water Shut-Off
	Alter Casing Fr	acture Treat	Reclamation	Well Integrity
Subsequent Report 0	Casing Repair No	ew Construction X	Recomplete	Other
	Change Plans Pl	ug and Abandon	Temporarily Abandon	
Final Abandonment Notice	Convert to Injection Pleration: Clearly state all pertinent details, inc	ug Back	Water Disposal	
the existing Dakota. Atta	y plans to recomplete the subjached is the MV C102, recomp	lete procedure & we	Ilbore schematic. The D	HC application will be
HOLD C104 FOR Danside Curporate 14. I hereby certify that the foregoing is	NMOCD FEB 0 1 2019 true and correct. Name (Printed Typed)	ACTION I OPERATO AUTHORI ON FEDE SUBMIT AGENCIES F	tions. ALOR ACCEPT WEED DOES NOT RELIEVE THE LEDRE FROM OBTAINING ANY IZATION REQUIRED FOR CERAL AND INDIAN LANDS OF CBL TO THE FOR REVIEW AND PROVAL	ESSEE AND OTHER
Tammy Jones		Title Operations	s/Regulatory Technician - S	Sr.
· · · · · · · · · · · · · · · · · · ·			9	***************************************
Signature 1 MMM	Souz	Date	1/14/2019)
	THIS SPACE FOR FE	DERAL OR STATE C	OFFICE USE	
that the applicant holds legal or equitable	ed. Approval of this notice does not warrant		PE	Date //3///9
entitle the applicant to conduct operation	S HE C. Section 1212 make it a mine for a		fully to make to soul depart.	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

PV

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico **Energy, Minerals and Natural** Resources Oil Conservation Division 1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 259476

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-039-20385	2. Pool Code 72319	3. Pool Name BLANCO-MESAVERDE (PRORATED GAS)
4. Property Code 318710	5. Property Name SAN JUAN 28 6 UNIT	6. Well No. 107
7. OGRID No. 372171	8. Operator Name HILCORP ENERGY COMPANY	9. Elevation 6552


10. Surface Location

UL - Lot M Section 23 Township 28N Range 06W Lot Idn Feet From 1150 N/S Line S Feet From 990 E/W Line W RIO ARRIBA	TOT CHILLIAN ELOCATION											_							
	UL - Lot	М	Section	13		28N		06W	ATTROUGH BUSINESS.	Feet From	1150	N/S Line	S	Feet From			County	RIO ARRIBA	

11. Bottom Hole Location If Different From Surface

	THE ESTATION TO BE STATE OF THE										
Ī	JL - Lot	Lot Section Township		Range Lot Idn		Feet From N/S Line		Feet From	E/W Line	County	
	12. Dedicated Acres 320.00			13. Joint or Infill		14. Consolidation Code			15. Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By:

Tammy Jones

Title:

Operations/Regulatory Technician - Sr.

11/6/2018

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By:

David Kilven

Date of Survey:

3/10/1971

Certificate Number:

1760



HILCORP ENERGY COMPANY SAN JUAN 28-6 UNIT 107 MESA VERDE RECOMPLETION SUNDRY

JOB PROCEDURES

- 1. MIRU service rig and associated equipment; test BOP.
- 2. TOOH with 2-3/8" tubing set at 7,764'.
- 3. Set a 4-1/2" plug at +/- 6,250' to isolate the Dakota.
- 4. RU Wireline. Run CBL. Record Top of Cement.
- 5. Load the hole and pressure test the casing.
- 6. N/D BOP, N/U frac stack and pressure test frac stack.
- 7. Perforate and frac the Mesa Verde formation (Top Perforation @ 5,030'; Bottom Perforation @ 6,000').
- 8. Isolate frac stages with a plug.
- 9. Nipple down frac stack, nipple up BOP and test.
- 10. TIH with a mill and drill out top isolation plug and Mesa Verde frac plugs.
- 11. Clean out to Dakota isolation plug.
- 12. Drill out Dakota isolation plug and cleanout to PBTD of 7,840'. TOOH.
- 13. TIH and land production tubing. Get a commingled Dakota/Mesa Verde flow rate.

Hilcorp Energy Company

Current Schematic - Version 3

Well Name: SAN JUAN 28-6 UNIT #107

API / UWI 3003920385 Surface Legal Location 023-028N-006W-D BASIN DAKOTA (PRORATED GAS) 1303 NeW MEXICO VERTICAL

Ground Elevation (ft) 6,552.00 KB-Tubing Hanger Distance (ft) 11.00 KB-Tubing Hanger Distance (ft) KB-T

