

Submit 4 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-045-25670
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No. FEE
7. Lease Name or Unit Agreement Name Abrams L
8. Well Number 1
9. OGRID Number 372171
10. Pool name or Wildcat Blanco Mesaverde / Armenta Gallup

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other

2. Name of Operator
HILCORP ENERGY COMPANY

3. Address of Operator
382 Road 3100, Aztec, NM 87410

4. Well Location
 Unit Letter M 330 feet from the SOUTH line and 330 feet from the WEST line
 Section 26 Township 29N Range 10W NMPM San Juan County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
5543' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
DOWNHOLE COMMINGLE <input checked="" type="checkbox"/>	P AND A <input type="checkbox"/>
CLOSED-LOOP SYSTEM <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

11/8/2018 MIRU. RD bridle & horses head, ND stuffing box & radican. RU rod table, LD polis rod & liner. RU Mo-Te. Pull rods. ND rod table, NU B-1 kill spool & BOP stack. RU wellcheck & PT blind & pipe rams to 300 psi (low) & 1500 psi (high). Test good. Scan tbg out of hole. SISW, SDFN.

11/9/2018 BDW. LD tbg. PU & TIH. Tag up @ 3495.54', work overshot down hole to 3506.04'. Push fish down hole 11' to 3506'. DISW. SDFD.

11/12/2018 PU & strap in hole w/4.75" x 2.34' wash over shoe, 2-jts 4.50" x 63.15' wash pipe, 4.50" x 1.85' x-over bushing, 4.50" x 3.50" x 1.10' x-over, 3.125" x 8.48' bown hyd jars, 4-3.125" x 123.58' reg dc's, 2.375" reg x 2.375" eue x 1.50' x-over, 1-jt 2.375" tbg, 2.375" x 1.96' pup jt & 2.375" tbg t/3504'. RU pwr swivel. Break circ w/ air/mist. Ream out hard scale f/3504' to 3533'. RIH w/ wash pipe to 3577'. RD pwr swivel. Pull string float, TIH w/ washpipe. Tag up @ 5056'. TOOH. PU & TIH w/ overshot to 3410'. SISW, SDFD.

Continued on 2nd page.

Spud Date:

Rig Release Date:

NMOC
 JAN 24 2019
 DISTRICT III

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Christine Brock TITLE Operations / Regulatory Technician DATE 11/22/19

Type or print name Christine Brock E-mail address: cbrock@hilcorp.com PHONE: 505-324-5155

For State Use Only Deputy Oil & Gas Inspector, District #3

APPROVED BY: Brandon Pell TITLE AV DATE 2/6/19

Conditions of Approval (if any):

11/13/2018 TIH w/ overshot & fishing tools. Tag top of fish @ 5069.95'. Engage fish. TOH, LD tbg, SN, tbg anchor & notched collar fish. LD fishing tool. PU & TIH w/ junk mill, bit sub, float sub & tbg. PU & RU pwr swivel. Break circ. C/O 46' fill from 5124' – 5170'. Circ hole clean & dry up tbg. Pull tbg above top perf's to 3412'. SISW, SDFD.

11/14/2018 TIH w/ junk mill & tbg. Tag up @ 5170'. PU pwr swivel. Break cir, C/O 110' fill & scale from 5170' – 5280'. Mill out 5.5" CIBP @ 5280'. Circ hole clean. RD pwr swivel. TIH tag 73' fill from 5731' – 5804' (PBTD). PU pwr swivel, C/O & mill out 39' hard fill & junk from 5731' – 5770'. Circ hole clean, dry up tbg. RD pwr swivel. TOH, LD bit sub & mill. PU & TIH w/ anchor, SN & tbg. SISW, SDFD.

11/15/2018 TIH & land 177 jts 2.375", 4.7#, J-55 @ 5657.68, top of SN @5626.40'. ND BOP & kill spool. NU B-1 adaptor, radican, pumping tee & rod table. TIH w/ insert pup, lift rod, k-bar, shear tool 7 rods. Space out pump 1" per 100' w/ no tag. Stroke pump w/ good pump action. Pressure up to 400 psi (test good). RU horsehead & bridle, RDRR @ 17:30 hrs.

Well now has the MV/GL commingled under DHC 574-0.

Well Name: ABRAMS L #1

API / UWI 3004525670	Surface Legal Location T29N-R10W-S26	Field Name Blanco Mesaverde	Route 0804	State/Province New Mexico	Well Configuration Type Vertical
Ground Elevation (ft) 5,543.00	Original KB/RT Elevation (ft) 5,556.00	KB-Ground Distance (ft) 13.00	KB-Casing Flange Distance (ft)	KB-Tubing Hanger Distance (ft)	

Vertical, Original Hole, 1/22/2019 1:22:31 PM

